Gan-am.

MAVERICK TRAIL & MAVERICK SPORT

Product Spec Book for Vehicle Specifications, Accessories and Parts & Maintenance

2025

IF WE SELL IT, WE STAND BY IT.

BRP Limited Warranty*

for new Parts, Accessories and Riding Gear

1-year limited warranty**

- Genuine BRP Parts and Accessories installed by you or your authorized BRP dealer
- Aftermarket Products sold through BRP
- Riding Gear

4-year limited warranty**

Helmets

GET ALL THE DETAILS FROM YOUR CAN-AM OFF-ROAD DEALER

* Purchased at an authorized BRP dealership/distributor or on a BRP-authorized online store. Other exclusions may apply; see complete limited warranty or contact your Can-Am Off-Road authorized dealer. This limited warranty does not apply to factory-installed accessories and Evinrude parts and accessories.

** Unless otherwise stipulated or required by law.

CANAMOFFROAD.COM

© 2024 Bombardier Recreational Products Inc. (BRP). All rights reserved. (a), TM and the BRP logo are trademarks of BRP or its affiliates. In the USA, products are distributed by BRP US Inc. ;All other trademarks are the property of their respective owners. BRP reserves the right to discontinue or change specifications, prices, designs, features, models or equipment without incurring obligation. Some models shown may include optional equipment. Product performance may vary depending on external factors. BRP recommends that all SxS drivers take a training course. See your dealer. SxS can be hazardous to operate. Never exceed the SxS's passenger capacity. All SxS models are meant to be used by drivers aged 16 and older. Read the operator's guide. Follow all instructional and safety material and observe applicable laws and regulations. SxS are for off-road use only; never ride on paved surfaces or public roads. For your safety, the operator and passenger(s) must wear a helmet, eye protection and applicable protective clothing. Always remember that riding and alcohol/drugs don't mix. Never engage in stunt driving. Avoid excessive speed and be particularly careful on difficult terrain. Always ride responsibly and safely. See your authorized BRP dealer for details and visit https://can-am.brp.com/.

CUSTONIZING MADE EASY 1 2 3

Select the model. Select the package.

Customize color, engine, and accessories (or accessory bundles) for your vehicle. Click "Save" or "Send to dealer."

4



If you can dream it, you can build it. And ride it. Creating a Can-Am vehicle tailor-made for our riders' needs has never been easier. Scan the QR code and follow the step-by-step above.

BUILD Yours Now

MAVERICK



MAVERICK TRAIL 700 T

ENGINES

BRAKES TIRES / SUSPENSIONS

DIMENSIONS / CAPACITIES

FEATURES

Catalyst Grey



MAVERICK TRAIL DPS 700 T ABS

Triple Black



MAVERICK TRAIL DPS 1000 T ABS Triple Black

	Туре	52 hp / 42 lb-ft, Rotax® ACE (Advanced Combustion Efficiency) 650 cc single cylinder, liquid cooled, catalytic converter	52 hp / 42 lb-ft, Rotax® ACE (Advanced Combustion Efficiency) 650 cc single cylinder, liquid cooled, catalytic converter	75 hp, Rotax® 976 cc, V-twin, liquid cooled, catalytic converter
	Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
	Transmission	pDrive primary CVT with engine braking and Electronic Drive Belt Protection L / H / N / R / P	pDrive primary CVT with engine braking and Electronic Drive Belt Protection L / H / N / R / P	Quick Response System (QRS) CVT with high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P
	Drive Train	Selectable 2WD / 4WD with Visco-Lok† auto-locking front differential	Selectable Turf Mode / 2WD / 4WD with open front differential with ABS system	Selectable Turf Mode / 2WD / 4WD with open front differential with ABS system
	Driving Assistance	Electronic Hill Descent Control SPORT / ECO™ modes	Electronic Hill Descent Control SPORT / ECO™ modes	Electronic Hill Descent Control SPORT / ECO™ modes
	Power Steering	N/A	Dynamic Power Steering (DPS)	Dynamic Power Steering (DPS)
	Front Suspension	Double A-arm with sway bar / 10 in. (25.4 cm) suspension travel	Double A-arm with sway bar / 10 in. (25.4 cm) suspension travel	Double A-arm with sway bar / 10 in. (25.4 cm) suspension travel
	Front Shocks	Twin tube gas charged shocks	Twin tube gas charged shocks	Twin tube gas charged shocks
	Rear Suspension	TTA with sway bar / 10.5 in. (26.7 cm) suspension travel	TTA with sway bar / 10.5 in. (26.7 cm) suspension travel	TTA with sway bar / 10.5 in. (26.7 cm) suspension travel
	Rear Shocks	Twin tube gas charged shocks	Twin tube gas charged shocks	Twin tube gas charged shocks
3	Front / Rear Tires	Carlisle ACT 26 x 8/9 x 12 in.	Carlisle ACT 26 x 8/9 x 12 in.	Carlisle ACT 26 x 8/9 x 12 in.
	Wheels	12 in. steel	12 in. cast-aluminum	12 in. cast-aluminum
	Front	Dual 220 mm disc brakes with hydraulic twin-piston calipers	Dual 220 mm disc brakes with hydraulic twin-piston calipers	Dual 220 mm disc brakes with hydraulic twin-piston calipers
	Rear	Dual 220 mm disc brakes with hydraulic twin-piston calipers	Dual 220 mm disc brakes with hydraulic twin-piston calipers	Dual 220 mm disc brakes with hydraulic twin-piston calipers
	Cage	Profiled cage ROPS approved	Profiled cage ROPS approved	Profiled cage ROPS approved
	Estimated Dry Weight*	1,256 lb (569.7 kg)	1,271 lb (576.5 kg)	1,364 lb (618.7 kg)
	LxWxH	118 x 62.8 x 69 in. (300.5 x 159.6 x 175.3 cm)	118 x 62.8 x 69 in. (300.5 x 159.6 x 175.3 cm)	118 x 62.8 x 69 in. (300.5 x 159.6 x 175.3 cm)
	Wheelbase	90.6 in. (230.1 cm)	90.6 in. (230.1 cm)	90.6 in. (230.1 cm)
	Ground Clearance	10 in. (25.4 cm)	10 in. (25.4 cm)	10 in. (25.4 cm)
	Cargo Box Dimensions	300 lb (136 kg)	300 lb (136 kg)	300 lb (136 kg)
	Cargo Box Capacity	Total: 5.3 gal (20.2 L)	Total: 5.3 gal (20.2 L)	Total: 5.3 gal (20.2 L)
	Power tilt bed	1,500 lb (680 kg)	1,500 lb (680 kg)	1,500 lb (680 kg)
	Tailgate Load Capacity	10 gal (38 L)	10 gal (38 L)	10 gal (38 L)
	Storage Capacity	2	2	2
	Gauge	7.6 in. wide digital display with keypad	7.6 in. wide digital display with keypad	7.6 in. wide digital display with keypad
	Battery	650-W	650-W	650-W
	Magneto	DC outlet (10-A)	DC outlet (10-A)	DC outlet (10-A)
	Instrumentation	Front lighting output 110-W LED tail lights	Front lighting output 110-W LED tail lights	Front lighting output 110-W LED tail lights
	Lighting	N/A	N/A	N/A
	Winch	Adjustable tilt steering	Adjustable tilt steering	Adjustable tilt steering
	Seat	Integrated front steel bumper Full skid plate Mudgards	Integrated front steel bumper Full skid plate Mudgards T-Net (driver), Regular Net (passager front)	Integrated front steel bumper T-Net (driver), Regular Net (passager front) Full skid plate Mudgards
	Steering Wheel	2 in. hitch receiver with rear hitch, tow ball and trailer connexion	2 in. hitch receiver with rear hitch, tow ball and trailer connexion	2 in. hitch receiver with rear hitch, tow ball and trailer connexion

MAVERICK



MAVERICK SPORT DPS 1000R T ABS

Triple Black



MAVERICK SPORT MAX DPS 1000R T ABS

Triple Black

	Туре	95 hp, Rotax [®] 976 cc, V-twin, liquid cooled, catalytic converter	95 hp, Rotax® 976 cc, V-twin, liquid cooled, catalytic converter
	Fuel Delivery System	Intelligent Throttle Control (iTC [™]) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC [™]) with Electronic Fuel Injection (EFI)
ENGINES	Transmission	Quick Response System (QRS) CVT with high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P	Quick Response System (QRS) CVT with high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P
N.	Drive Train	Selectable Turf Mode / 2WD / 4WD with open front differential with ABS system	Selectable Turf Mode / 2WD / 4WD with open front differential with ABS system
_	Driving Assistance	Electronic Hill Descent Control SPORT / ECO™ modes	Electronic Hill Descent Control SPORT / ECO™ modes
	Power Steering	Dynamic Power Steering (DPS)	Dynamic Power Steering (DPS)
SUSPENSIONS	Front Suspension	Double A-arm with sway bar / 11.5 in. (29.2 cm) suspension travel	Double A-arm with sway bar / 11.5 in. (29.2 cm) suspension travel
ISN	Front Shocks	SHOWA 2.0	SHOWA 2.0
PE	Rear Suspension	TTA with sway bar / 12 in. (30.5 cm) suspension travel	TTA with sway bar / 12 in. (30.5 cm) suspension travel
sus	Rear Shocks	SHOWA 2.0	SHOWA 2.0
TIRES / WHEELS	Front / Rear Tires	Maxxis Liberty† 28 x 10 x 14 in.	Maxxis Liberty† 28 x 10 x 14 in.
₩H	Wheels	14 in. cast-aluminum	14 in. cast-aluminum
	Front	Dual 220 mm disc brakes with hydraulic twin-piston calipers	Dual 220 mm disc brakes with hydraulic twin-piston calipers
BRAKES	Rear	Dual 220 mm disc brakes with hydraulic twin-piston calipers	Dual 220 mm disc brakes with hydraulic twin-piston calipers
S	Cage	Profiled cage. ROPS approved	Profiled cage. ROPS approved
DIMENSIONS / CAPACITIES	Estimated Dry Weight*	1,405 lb (637.3 kg)	1,697 lb (769.7 kg)
AC	LxWxH	119 x 62.1 x 71.1 in. (302.2 x 157.8 x 180.6 cm)	149 x 62.1 x 81.2 in. (378.4 x 157.8 x 206.2 cm)
GAI	Wheelbase	90.6 in. (230.1 cm)	120.6 in. (306.3 cm)
s	Ground Clearance	12 in. (30.5 cm)	12 in. (30.5 cm)
ÏÖ	Cargo Box Dimensions	300 lb (136 kg)	300 lb (136 kg)
Ĩ	Cargo Box Capacity	Total: 5.3 gal (20.2 L)	Total: 6.5 gal (24.7 L)
JE .	Power tilt bed	1,500 lb (680 kg)	1,500 lb (680 kg)
ā	Tailgate Load Capacity	10 gal (38 L)	10 gal (38 L)
	Storage Capacity	2	4
	Gauge	7.6 in. wide digital display with keypad	7.6 in. wide digital display with keypad
	Battery	650-W	650-W
	Magneto	DC outlet (10-A)	DC outlet (10-A)
S	Instrumentation	Front lighting output 110-W LED tail lights	Front lighting output 110-W LED tail lights
URI	Lighting	N/A	N/A
FEATURES	Winch	Adjustable tilt steering	Adjustable tilt steering
Ξ	Seat	Integrated front steel bumper T-Net (driver), Regular Net (passager front) Full skid plate Mudguards	Integrated front steel bumper T-Net (driver), Regular Net (passager front) and half doors (rear only) Full skid plate Mudguards
	Steering Wheel	2 in. hitch receiver with rear hitch, tow ball and trailer connexion	2 in. hitch receiver with rear hitch, tow ball and trailer connexion

MAVERICK TRAIL & MAVERICK SPORT ACCESSORIES

Roofs	14
Soft Cab Enclosure	14
Windshields & Wind Protection	15
Mirrors	17
Doors	18
Seat Accessories	19
Maverick Trail & Maverick Sport Skid Plates	21
Bumpers & Guards	22
LinQ: Easy On, Easy Off Cargo	26
Cargo & Storage	31
Racks & Holders	33
Lights	36
Audio & Communication Systems	40
Electrical & Electronic Accessories	41
Winches & Hitches	43
Performance	45
Apache Track Systems	47
ProMount Plows	51
Covers	54





BUNDLE UP TO RULE THE OFF-ROAD. YOUR MAVERICK TRAIL / SPORT BUNDLES.

STEP 1: **CHOOSE YOUR ESSENTIAL RUNDLE**

CHOOSE Y	OUR ESSENTIAL BUNDLE	Maverick Trail	Maverick Sport	Maverick Sport MAX
	Full Windshield – Hardcoated	715003656	715003656	715003656
	Sport Roof	715007271	715007271	715007272
STARTER	Rear Polycarbonate Window 7150061	715006113	715006113	715006113
	Side Mirrors	715003639	715003639	715003639
	Front Trail Bumper	715003680	715003680	715003680
	Front Corner Protectors	715004912	715004912	715004912
	Fender Flare Extensions	715004462	715004462	715004462
ADVANCED	Shoulder Storage Bag	715005019	715005019	715005019
	Electronic Device Holder	715005212	715005212	715005212
	LinQ Pivoting Rack	715008297	715008297	715008297
PEAK	Rear View Mirror and Camera Monitor	715009410	715009410	715009410
	LinQ 12 Gal (45 L) Cargo Box	715003879	715003879	715003879

Maverick

Maverick

Maverick

STEP 2: DICK VAIID AND-UN DIINUI E

PICK IU	UK AVV-VN DUNVLE	Trail	Sport	Sport MAX
AUDIO	Complete Wet Sounds Audio System	715003672	715003672	715003672
	Can-Am Subwoofer	715006359	715006359	715006359
	15" Double Stacked LED Light Bar (90 W)	715002934	715002934	715002934
LIGHT	Light Power Cable	715003670	715003670	715003670
LIGHT	Overhead Switch Panel	715003669	715003669	715003669
	LED Headlights Assembly	715003667	715003667	715003667
	4-Point Harness	715008035	715008035	715008035
	4-Point Harness	715008036	715008036	715008036
RIDER	Seat Shoulder Storage Pads	715002894	715002894	715002894
	Can-Am HD 4500-S Winch	715006417	715006417	715006417
	Overhead Storage Bags	715005018	715005018	715005018
CABIN	Door Knee Pads with Storage	715003635	715004914	715004914
CADIN	LinQ Passenger Seat Base Kit	715003951	715003951	715003951
	Removable Central Storage Bag	N/A	N/A	715004794

ROOFS

		Maverick Trail, Maverick Sport	t	715007271
port Roof		Maverick Sport MAX		715007272
	Excellent protection fr Allows installation of li Compatible with all wi	ights on top of the roof.		
ProVent Roof Module Kit		Maverick Trail, Maverick Sport	t	715005279
	 Provides fresh air in th 	e cab area.	Outer plug closes air intake co	ompletely for winter or
	 Optimal performance 4 vents provide infinite and passenger. 	with full cab enclosure. adjustment of air flow for driver	 heavy weather. Requires ProVent Roof Modul Roof. 	e Adapter Kit for Sport
	 Filter and pre-filter to I Easy cleaning of filter 	and pre-filter. management system to keep water	Not compatible with roof mouroof liners, Bimini Roof, Drago or Lonestar Racing Roof.	
ProVent Roof Module Adap	ter Kit for Sport Roof	Maverick Trail, Maverick Sport	t	715005213
	 Includes roof adapter 	/ent Roof Module Kit onto Maverick and hardware. f Module Kit (715005279).	Sport or Maverick Trail Sport Roo	i.
		Maverick Trail, Maverick Sport	ŧ	715003661
imini† Roof with Sun Visor	•	Maverick Sport MAX		715004792
		de of UV-resistant solution-dyed pol hard visor that allows for storage of r		uxiliary lights.
	#Not compatible with Glass	Windshield with wiper.		
onestar Racing† Aluminun	n Roof	Maverick Trail, Maverick Sport	; ‡	715005137 · Black
	• 0.083" (2.1 mm) thick a	ook with integrated front visor for eye aluminum roof for durable and lightw ull Windshields, Rigid Rear Window,	reight protection from the elemen	ts.
SOFT CAB E	NCLOSU	RE		
oft Cab Enclosure		Maverick Trail		715003618
	Includes: - Sport Roof - Full Windshield – Ha			

- Soft Rear Panel
- Door Seal Kit
- Requires Half Doors on 800 Base and 800 DPS models and on all T-category models
- Not compatible with Sport Half Doors

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Soft Cab Enclosure		Maverick Trail, Maverick Sport	715004724
	Includes: - Sport Roof - Full Windshield – Hardcoa - Upper Soft Door Panels - Soft Rear Panel - Sport Half Doors required	on T-category models sories shown may impact vehicle compliance with	

68

Soft Cab	Enclosure
----------	-----------

Maverick Sport MAX

- Includes: - Sport Roof - Full Windshield - Hardcoated - Upper Soft Door Panels - Soft Rear Panel - Sport Half Doors required on T-category models. Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information. Semi-Rigid Cab Enclosure (Not illustrated) Maverick Trail, Maverick Sport 619400119 · Can be installed on the Maverick Trail equipped with the Sport half doors or on Maverick Sport models. · Sport Half Doors required for T-category models. - Sport roof - Glass Windshield with Wiper - Overhead Switch Panel - Upper Soft Door Panels
 - Rear Polycarbonate Window

WINDSHIELDS & WIND PROTECTION

Windshields

Glass Windshield		Maverick Trail, Maverick Sport Maverick Sport MAX	·,	715003653	
	Curved and laminated glass	full windshield in metal frame.			
	· Provides excellent optical cl	larity.			
-	Seals firmly against the cage	e and protects rider and passer	nger from the elements.		
	Must be used with rear wind	d protection.			
	Not compatible with vehicle	with ABS.			
	Installation of some accesso Consult your local dealer for		e compliance with some regulations.		
Glass Windshield with Wiper		Maverick Trail, Maverick Sport Maverick Sport MAX	i,	715003652	
	Curved and laminated glass	full windshield in metal	Single-speed wiper with washer to be a second	luid dispenser.	
and the second se	frame.		Requires the Overhead Switch Pa	nel (715003669) for	
	 Provides excellent optical cl 	•	installation.		
1 1	Seals firmly against the cage		 Must be used with rear wind prot 		
	passenger from the elements. • Not compatible with vehicle with ABS.			ABS.	
	Installation of some access Consult your local dealer fo		e compliance with some regulations.		
				 □ 715003657 · Clear	
Half Windshield		Maverick Trail, Maverick Sport Maverick Sport MAX	l,	715005280 · Tinted	
	Formed polycarbonate construction for enhanced rigidity.				
	• Formulated to be non-yellowing, non-crazing, non-cracking with excellent UV resistance and optical clarity.				
	Protects driver and passeng	er from the elements.			
	Features reverse angle lip to	o deflect air flow.			
	 Quick and easy tool-less ins 	tallation or removal.			
	Installation of some accesso Consult your local dealer for		e compliance with some regulations.		
Full Windshield		Maverick Trail, Maverick Sport Maverick Sport MAX	i,	715003655	
	High-impact-resistant durab	ble polycarbonate full windshiel	d.		
	Formed polycarbonate cons	struction for enhanced rigidity.			
	Formulated to be non-yellov	ving, non-crazing, non-cracking	with excellent UV resistance and op	tical clarity.	
	Seals firmly against the cage	e and protects rider and passer	nger from the elements.		
•	Must be used with rear wind	d protection.			
	Quick and easy tool-less ins	tallation or removal.			
	Installation of some accesso Consult your local dealer for		e compliance with some regulations.		

Full Windshield – Hardcoated		 Maverick Trail, Maverick Sport, Maverick Sport MAX		715003656
	 Formed polycarbonate cons Provides excellent optical cl 	tum ¹ hardcoated polycarbonate struction for enhanced rigidity. larity and better abrasion resista e and protects rider and passen d protection.	ince.	
	Installation of some accesso Consult your local dealer for		compliance with some regulations.	
ProVent Windshield		Maverick Trail, Maverick Sport, Maverick Sport MAX		715005210
	 High-impact-resistant Quan polycarbonate full windshie Controllable vents to manage Channels air into the cabin, fully closes to eliminate air f One upper vent and one low Must be used with rear wind 	ld. ge air flow. defogs windshield, flow. ver vent with pre-filters. d protection. ories shown may impact vehicle	 Provides excellent optical clarity abrasion resistance. Protects driver and passenger fr Quick and easy tool-less installat Not compatible with wiper kits a 6 Ultra HD Can-Am Edition Soun Not compatible with the Defrost, H Ventilation System. 	om the elements. tion or removal. nd Wet Sounds Stealth d Bar. Heat and
PowerFlip Windshield		Maverick Trail, Maverick Sport, Maverick Sport MAX		715003658
	 opening at the touch of a bu Windshield is made of harde Allows you to quickly adapt Can be fully opened for opti and in between, you have ai Must be used with rear wind 	utton. coated polycarbonate with a rub to changing conditions by adjus imal visibility and ventilation, full n infinite number of openings. d protection. ories shown may impact vehicle	rs that allow the rider to adjust the obser seal contour and a tinted top setting the windshield as you go. y closed for maximum protection fr compliance with some regulations.	ection. om the elements,
Vindshield Wiper and Washe		Maverick Trail, Maverick Sport, Maverick Sport MAX		715003654
	 An ideal way to keep your w Includes single-speed wipe Must be used with the Glas Requires Overhead Switch I Not compatible with ABS economic 	Panel (715003669) for installatic quipped vehicles.	ndshield frame mount. m.	
	Installation of some accesso Consult your local dealer for		compliance with some regulations.	
Manual Wiper Kit		Maverick Trail, Maverick Sport,	Maverick Sport MAX	715009423
	 Easy to install system that re Large ergonomic handle pre 	an be used to clear windshield o equires no electrical hookup. ovides a good grip over the entir hardcoated windshields that use	re sweeping surface.	
	Installation of some access Consult your local dealer for		compliance with some regulations.	
Wind Protection				
Side Wind Deflectors		Maverick Trail, Maverick Sport, Maverick Sport MAX		715008632
C	Can be adjusted at three dif	lectors mount on each side of th iferent positions for cabin air flov luce cabin air flow and turbulend	w control when full windshield is in	stalled:

- 3) Windshield ventilation to reduce fog.
- Compatible with all windshields.
- Not compatible with full doors.Sold in pairs.

Rear Polycarbonate Window		Maverick Trail, Maverick Sport, Maverick Sport MAX (except X mr models)	715006113
	Sport Roof is required for in	t or dust and rain from entering for added cabin comfort.	' ing Aluminum Roof.
Rear Wind Screen		Maverick Trail, Maverick Sport, Maverick Sport MAX (except X mr models)	715003664
Can-Bill	 Full rear mesh screen reduce Installs quickly and easily or Large Can-Am branding. 	ces windshield backdraft for added cabin comfort. n roll cage.	
Soft Rear Panel		Maverick Trail, Maverick Sport, Maverick Sport MAX (except X mr models)	715005887
	Made of heavy-duty UV-resi	her-resistant rear panel offers good protection from the elements. istant solution-dyed polyester canvas for excellent resistance to tea nated polished vinyl material. n roll cage.	r and abrasion.
MIRRORS		Maverick Trail, Maverick Sport,	
Side Mirrors	,	Maverick Sport MAX struction with coated cast-aluminum mount. I and vertical) will suit any rider. nal field of view (FOV).	715003639
	Installation of some access Consult your local dealer fo	ories shown may impact vehicle compliance with some regulations r information.	
Panoramic Center Mirror		Maverick Trail, Maverick Sport, Maverick Sport MAX	715003638
	 Wide-angle convex mirror. Offers enhanced visibility. Can be used with or without 	It roof or windshield and with cab enclosure.	
Sport Panoramic Center Mirro	or	Maverick Trail, Maverick Sport, Maverick Sport MAX	715004924
	 Convex mirror for wide rear Ball-joint design with tighte Can be used with or withou Not for road use. 	ning knob for steady multi-angle adjustment.	
Rear View Mirror and Camera	Monitor	Maverick Trail, Maverick Sport, Maverick Sport MAX	715009410
	This unit replaces the stock	irror and monitor kit. to see with the multiple camera feeds from the rear view camera. rearview mirror (the screen is integrated in the unit's replacement ght for night vision capabilities.	' rearview mirror).

DOORS

Trail Half Doors		Maverick Trail		71500	04418
	 Steel frame for high level of A must-have for additional Keep the vehicle narrow in Door Trim is required to co 	cabin comfort.			
	Installation of some access Consult your local dealer fo	ories shown may impact vehicle con r information.	pliance with some reg	ulations.	
			Can-Am Red	Left 705012419 705015607	Right 705012420 705015613
Door Trim		Maverick Trail	Cctane Blue	705016447	705016449
	Matching colored panel for Required to complete the T	rail Half Doors (sold separately).			
Sport Half Doors		Maverick Trail, Maverick Sport, May	verick Sport MAX	71500	06217
	Can be installed on Maveri Door Trim is required to co Sold in pairs.	port models (except T-category mod ck Trail models for additional cabin s mplete your door kit (sold separately pories shown may impact vehicle con	pace. I.	ulations.	
Door Trim		Maverick Trail, Maverick Sport, Maverick Sport MAX	Can-Am Red Timeless Black	Left 705015464 705015608 705016448	Right 705015465 705015615 705016450
	 Matching colored panel for Required to complete the S Sold in pairs. 	the Sport Half Doors. port Half Doors (sold separately).			
		Maverick Trail, Maverick Sport, Mar	verick Sport MAX	71500	04718 · Front
Upper Soft Door Panels		Maverick Sport MAX	verick Sport MAX		04718 · Front 04726 · Rear
Upper Soft Door Panels	 Seals firmly against the cag Converts half door into full 	Maverick Sport MAX e doors with sturdy steel frame. ge and protects rider and passenger door for a complete cab enclosure. aminated polished vinyl material for sunny days.	from the elements.		
Upper Soft Door Panels	 Seals firmly against the cag Converts half door into full Zippered window made of I Easy to remove on hot and Sport Roof required for inst 	Maverick Sport MAX e doors with sturdy steel frame. ge and protects rider and passenger door for a complete cab enclosure. aminated polished vinyl material for sunny days. callation.	from the elements.	71500	
Upper Soft Door Panels	Seals firmly against the cag Converts half door into full Zippered window made of I Easy to remove on hot and Sport Roof required for inst <i>Installation of some access</i> <i>Consult your local dealer for</i>	Maverick Sport MAX e doors with sturdy steel frame. ge and protects rider and passenger door for a complete cab enclosure. aminated polished vinyl material for sunny days. callation.	from the elements. added ventilation. apliance with some reg	71500	
Upper Soft Door Panels	Seals firmly against the cag Converts half door into full Zippered window made of I Easy to remove on hot and Sport Roof required for inst <i>Installation of some access</i> <i>Consult your local dealer for</i>	Maverick Sport MAX e doors with sturdy steel frame. ge and protects rider and passenger door for a complete cab enclosure. aminated polished vinyl material for sunny days. raillation. ories shown may impact vehicle com r information.	from the elements. added ventilation. apliance with some reg	71500	04726 · Rear
Upper Soft Door Panels	Seals firmly against the cag Converts half door into full Zippered window made of I Easy to remove on hot and Sport Roof required for inst Installation of some access Consult your local dealer for tNot compatible with Trail Half D • Can only be installed with T	Maverick Sport MAX e doors with sturdy steel frame. ge and protects rider and passenger door for a complete cab enclosure. aminated polished vinyl material for sunny days. callation. oors or with the standard half doors on Maximum days. Maverick Trail Maverick Trail Trail Half Doors or with the standard half	from the elements. added ventilation. apliance with some reg averick Trail models.	vulations. 71500 71500 71500	04726 · Rear

Door Seal Kit (Not illustrated)	Maverick Trail	715004773
Included Not comp	s door sealing from the elements and provides additional cabin I in the Soft Cab Enclosure Kit (715003618). patible with Sport Half Doors. ble with the Trail Half Doors or with the stock doors on the Mav	
• Compan		
Door Knee Pads with Storage	Maverick Trail	71500363

- Increase cabin comfort.
- Require Trail Half Door on 800 Base and 800 DPS models (715004418).

Offer storage space for small items.

- Sold in pairs.
- Not compatible with Sport Half Doors.

Door Storage with Padding	Maverick Trail, Maverick Sport, Maverick Sport MAX	715004914
	age bags with integrated padding. surely and also protects driver and passenger legs from direct contact t	with the doors while riding.

- Each bag is designed as a 0.5 gal (2 L) capacity pocket also equipped with inner netting compartments.
 - Semi-rigid construction renders them flexible enough to fit odd-shaped loads.
 - Easy to install.
 - Sold in pairs.
 - Bags attach on stock doors of the Maverick Sport or on the Maverick Trail equipped with the Sport Half Doors (715006217).

.


Not compatible with stock doors on the Maverick Trail or the Trail Half Doors.

ī.

SEAT ACCESSORIES

4-Point Harness		Maverick Trail, Maverick Sport, Maverick Sport MAX	715008035 · Driver 715008036 · Passenger
H	 Designed to offer maximum Easy one-click latch and rel ROHVA compliant. Requires 4-point harness backets 	ease. ar, ROHVA compliant when used in conjunction with Can-Am har ories shown may impact vehicle compliance with some regulatior	ness bars.
4-Point Harness Bar		Maverick Sport MAX	715004847
a 	 1.5" (3.8 cm) diameter, thick Designed for use with Can- Installation of some access Consult your local dealer for 	Am 4-Point Harness. ories shown may impact vehicle compliance with some regulatior	15.
Seat Belt Shoulder Pads		Maverick Trail, Maverick Sport, Maverick Sport MAX	715002894
Gentan	 Provide additional riding co Fit with stock 3-point seat b Easy Velcro installation. Can-Am branded. Sold in pairs for driver and p 		

MAVERICK TRAIL & MAVERICK SPORT SKID PLATES



Our plastic plates glide smoothly and silently over obstacles, offering great protection in rough terrain.

Made of abrasion-resistant thermoformed High Molecular Weight Polyethylene (HMWPE).

Lighter than aluminum.

- Superior stress crack resistance.
- High impact strength.

• Ultra-sturdy 3/8" (10 mm) thickness.

MAVERICK SPORT & MAVERICK SPORT MAX MAVERICK TRAIL

Offer your Maverick the full protection kit or get parts individually	2019 Base & DPS	2019 X mr	2020 & Up Base & DPS	2020 & Up X mr & X xc	Any Year X rc	
HMWPE Skid Plate Protect	tion Kit					
Includes: - HMWPE Front Skid Plate. - HMWPE Front A-Arm Protectors. - HMWPE Rear Skid Plate.	715006348 (except MAX)	715006353	715006349 (except MAX)	715006350	_	715006346 (2019 & prior)
 HMWPE Rear A-Arm Protectors. HMWPE Underbelly Plates. HMWPE Central Skid Plate. 	715006352 (MAX only)	/15006355	715006351 (MAX only)	715006350		715006347 (2020 & up)
Individual HMWPE Skid P	lates					
1 HMWPE Front Skid Plate	715008279	715008279	715008279	715008279	(Standard on X rc models)	715008279
HMWPE Front A-Arm Protectors	715008276	715008277	715008276	715008277	(Standard on X rc models)	715008278
3 HMWPE Underbelly Plates Keeps the rollover clearance.	715006339	715006339	715006273	715006273	715006339 (2019)	715006339 (2019 & prior)
	/15006335	/15006339	/15006273	/150062/3	715006273 (2020 & up)	715006273 (2020 & up)
HMWPE Rear Skid Plate	715007302	715007302	715007302	715007302	715007302	715007302
5 HMWPE Rear A-Arm Protectors	715004271	715006341	715004271	715006341	(Standard on X rc models)	715003699
6 HMWPE Central Skid Plate Provides center protection for MAX models.	715004272 (MAX only)	_	715004272 (MAX only)	_	_	_

BUMPERS & GUARDS

Maverick Trail & Maverick Sport Bumpers

Front Trail Bumper		Maverick Trail, Maverick Sport, Maverick Sport MAX		■ 715003680 · Black ■ 715003681 · Sunburs Yellow
	Completes the stock bumpe Inside and outside anti-corre	y-duty 1.5" (3.8 cm) diameter ste er for more front coverage and er osion coating with durable powe ooints for seamless light installat	ssential vehicle protection for trai	l riders.
Rear Trail Bumper		Maverick Trail, Maverick Sport, Maverick Sport MAX		715007109 · Black
	 Protects vehicle bodywork a Inside and outside anti-correct 	-duty 1.5" (3.8 cm) diameter stea and exhaust system. osion coating with durable powo ler (715007006) for installation o	der coat finish.	
Front Corner Protectors		Maverick Trail, Maverick Sport, Maverick Sport MAX		715004912 · Black
	 Provide additional protection 	osion coating with durable powe		
Rancher Rear Bumper		Maverick Trail, Maverick Sport, Maverick Sport MAX		715004304
	 Heavy-duty protection made of 1.5" (3.8 cm) diameter steel tubing, perfect for farm, ranch and forestry applications. Inside and outside anti-corrosion coating with durable powder coat finish. 		 Offers full rear coverage with integrated tail liprotectors. Installation of some accessories shown may vehicle compliance with some regulations. Consult your local dealer for information. 	
S3 [†] Front Bumper		Maverick Trail, Maverick Sport, Maverick Sport MAX		715005121 · Black
S3 [†] Front Bumper	 Made of extra durable 1.5" (tubing. Inside and outside anti-correpowder coat finish. Replaces stock bumper and mud-riding enthusiasts. 	Maverick Sport MAX 3.8 cm) diameter steel osion coating with durable	 Integrated mount points for lig Hook support anchor allows yr within easy reach when riding "S3 for Can-Am" branded. Winch not included. 	■ 715005121 · Black hts. bu to keep the winch hook
	tubing. Inside and outside anti-correpowder coat finish. Replaces stock bumper and 	Maverick Sport MAX 3.8 cm) diameter steel osion coating with durable	 Integrated mount points for lig Hook support anchor allows yo within easy reach when riding "S3 for Can-Am" branded. Winch not included. 	■ 715005121 · Black hts. bu to keep the winch hook
S3 [†] Front Bumper	tubing. Inside and outside anti-correpowder coat finish. Replaces stock bumper and 	Maverick Sport MAX 3.8 cm) diameter steel osion coating with durable adds superior protection for Maverick Trail, Maverick Sport, Maverick Sport MAX 3.8 cm) diameter steel. osion coating with durable n in extreme driving e bodywork and exhaust ch at a higher location to d-riding conditions. v winch loads without	 Integrated mount points for lig Hook support anchor allows yo within easy reach when riding "S3 for Can-Am" branded. Winch not included. 	T15005121 · Black hts. bu to keep the winch hook in deep mud. T15005122 · Black Ind WARN VRX winches— 108) is required to install a ort Mount. Es shown may impact regulations.

Rock Sliders

Rock Sliders



Made of heavy-duty 1.5" (3.8 cm) diameter steel tubing.

- Inside and outside anti-corrosion coating with durable powder coat finish.
- Protect vehicle's rocker panels and undercarriage against large obstacles.

Maverick Sport MAX

Maverick Trail, Maverick Sport (except X rc)

715003689 · Black

715004754 · Black

Sold in pairs.

Intrusion Bars

Front Intrusion Bar		Maverick Trail, Maverick Sport, Maverick Sport MAX		715003872
	 Steel intrusion bar matches styling. Inside and outside anti-corra powder coat finish. Provides additional protection objects from entering the dr 	osion coating with durable	 Tube design reduces obstru- spots for better visibility. Not compatible with windshi 	Ū

Lonestar Racing Rear Intrusion Bar	Maverick Trail, Maverick Sport		715005134 · Black 715004874 · Can-Am Red
Race-engineered to Lonest standards for toughness, th accessories will also enhan impact.	ese stylishly crafted	 Provides additional protection Not compatible with the Spotwindows, All-Terrain Trunk C Not compatible with X mr m 	ort Roof, rear panels and cover.

Made of 1.5" (3.8 cm) diameter steel tubing with durable powder coat finish.

Fender Flares

2" (51 mm) Fender Flares	Maverick Trail	715004958
	 Extended fender flares made from injection-molded polypropylene. 	 Include front and rear extensions, mounting hardware and Fender Flare Rear Extensions (715004404).
	 Keep mud and debris out of vehicle. Designed for quick and easy installation. 	 Increase vehicle's overall width by 3.5" (8.9 cm).

Fender Flare Rear Extensions	Maverick Trail		715004404
canam	 Help tail light stay clean from debris and mud to remain visible. Can be installed with 2" (51 mm) Fender Flares (715003625). 	 Sold in pairs. Included with the 2" (51 mm) and with the Fender Flare Ex 	
	Made from injection-molded polypropylene for best fit and finish.		

Not compatible with S&B particle separator.

3" (76 mm) Fender Flares		Maverick Trail, Maverick Sport, Maverick Sport MAX		715004959
	 Fender flares made from injection-molded polypropylene. Keep mud and debris out of vehicle. Designed for quick and easy installation. Include front and rear extensions and mounting hardware. 			
Fender Flare Rear Extensions		Maverick Trail, Maverick Sport, Maverick Sport MAX		715004462
	 Block terrain debris from kic or damaging your vehicle th Fender Flare Extensions, wi Extensions (715004404) for snow, especially when ridin Made from injection-molder and finish. 	anks to these extra-large nich also include Rear added protection from mud/ g with track kits.	 Not compatible with 2" (51 r Include front and rear extensions For Maverick Trail, must be r Flares (715004959). Standard on Maverick Sport 	sions. used with 3" (76 mm) Fender
Others				
License Plate Holder		Maverick Trail, Maverick Sport, Maverick Sport MAX		715007006
	Supports your license plate Plate lights can be relocated Require Rear Trail Bumper (EC compliant.	d on bumper to light up license p	olate.	
Tail Light Protectors		Maverick Trail, Maverick Sport, Maverick Sport MAX		715003692
	 Anti-corrosion coating with Rugged style, aggressive loc Sold in pairs. Installation of some access Consult your local dealer for 	ok. ories shown may impact vehicle	compliance with some regulati	ions.
Radiator Protector		Maverick Trail, Maverick Sport, Maverick Sport MAX		715003700
	 Perforated steel shield mou Not recommended for winter 	nted over the radiator face, provi er use.	iding protection from stones ar	nd branches.

LINQ: EASY ON, EASY OFF CARGO

COMMANDER'S LINQ ACCESSORIES

Mounting location and requirements

LINU AUUEJJUNIEJ		wountil	ng location	and requi	rements	
 No tools needed: Quickly install and remove accessories by hand. Equip your Can-Am for specialized tasks in no time. Sturdy mounting system that holds up to the roughest terrain. 	Vehicle Standard Cargo Box	LinQ Cargo Rack 715006815	Adventure Roof Rack 715004095	Deluxe Headache Rack 715006823	Rear Adventure Rack 715006809	Passenger Seat Base
LinQ Accessories with 16" Base	 Lower loading Can be used or 	capacity than the l		center. e accessories. n-Am Spyder and F	lyker vehicles,	
LinQ 11.4 US Gal (43L) Cooler 715007825 • Black 715009276 • Gray		No compatibility	No compatibility	No compatibility	No compatibility	No compatibility
LinQ 4.2 Gal Cooler 295100698 • White 219400964 • Black	LinQ Base Installation Kit 715008125					
LinQ Tool Kit 715006829						
LinQ Tool Box 715008111						
LinQ SR 5.5 Gal (21 L) Bag 860202449		LinQ Base Installation Kit 715008125	LinQ Base Installation Kit 715008125	LinQ Base Installation Kit 715008125	LinQ Base Installation Kit 715008125	Passenger Seat LinQ Anchor Kit 715003951
LinQ 4.5 Gal (17 L) Sport Bag 860202447						
LinQ Modular Box 715005494 • (10 L) 715007112 • (20 L) 715006830 • (30 L)						
LinQ Roll-Top Bag 715008110						
LinQ Accessories with 36" Base	 Higher loading 		by Can-Am ORV ve LinQ with 16" bas vehicles.			
LinQ 12 Gal (45 L) Cargo Box 715003879		No further				
LinQ 23 Gal (86 L) Trunk Box 715004923		requirements				
LinQ Cooler 715004778 • Black 715004698 • Gray	No compatibility		No compatibility	No compatibility	No compatibility	No compatibility
LinQ OGIO [†] Bag 715002923 • Black		No further requirements				
LinQ Heavy Duty Basket 715001215		requirements				
LinQ Low Profile Basket 715004282						
LinQ Holders						
LinQ Gear Grips 715005340	No further	No further	Side wall installation	Side wall installation	Side wall installation	Passenger Seat LinQ Anchor Kit
LinQ Tool Holder 715007358	requirements	requirements	LinQ Adapters 715003058	LinQ Adapters 715003058	LinQ Adapters 715003058	715003951

MAVERICK'S LINQ ACCESSORIES

Mounting location and requirements

		wountil	ig iocation	anu requi	i emento	
 No tools needed: Quickly install and remove accessories by hand. Equip your Can-Am for specialized tasks in no time. Sturdy mounting system that holds up to the roughest terrain. 	Vehicle Standard Cargo Box	LinQ Cargo Rack 715003702	Adventure Roof Rack 715004095	LinQ Pivoting Rack 715008297	All-Terrain Trunk Cover 715003701	Passenger Seat Base
LinQ Accessories with 16" Base	Lower loading Can be used or	capacity than the l	apart, center-to-c LinQ with 36" base I SxS vehicles, Car snowmobiles.	e accessories.	lyker vehicles,	
LinQ LinQ 11.4 US Gal (43L) Cooler 715007825 • Black 715009276 • Gray	Need to remove unused toe-in of the cooler to fit properly (Refer to instruction sheet)	No compatibility	No compatibility	No compatibility	No compatibility	No compatibility
LinQ 4.2 Gal Cooler 295100698 • White 219400964 • Black	LinQ Base Installation Kit 715008125		LinQ Base Installation Kit 715008125	LinQ Anchor Adapter Kit 715004960	LinQ Base Installation Kit 715008125	Passenger Seat LinQ Anchor Kit 715003951
LinQ Tool Kit 715006829	No further requirements					
LinQ Tool Box 715008111						
LinQ SR 5.5 Gal (21 L) Bag 860202449	LinQ Base Installation Kit 715008125	No compatibility	LinQ Base Installation Kit 715008125	LinQ Anchor Adapter Kit 715004960	LinQ Base Installation Kit 715008125	Passenger Seat LinQ Anchor Kit 715003951
LinQ 4.5 Gal (17 L) Sport Bag 860202447						
LinQ Modular Box 715005494 • (10 L) 715007112 • (20 L) 715006830 • (30 L)	No further requirements					
LinQ Roll-Top Bag 715008110	LinQ Base Installation Kit 715008125	No compatibility	LinQ Base Installation Kit 715008125	LinQ Anchor Adapter Kit 715004960	LinQ Base Installation Kit 715008125	Passenger Seat LinQ Anchor Kit 715003951
LinQ Accessories with 36" Base	Higher loading		by Can-Am ORV ve LinQ with 16" base vehicles.			
LinQ 12 Gal (45 L) Cargo Box 715003879		No further				
LinQ 23 Gal (86 L) Trunk Box 715004923		requirements				
LinQ 32 Gal (121 L) Trunk Box 715001747		No compatibility				
LinQ Audio Box 715003018		No further requirements			No compatibility	No compatibility
LinQ Cooler 715004778 • Black 715004698 • Gray	No compatibility	No compatibility	No compatibility	No further requirements		
LinQ OGIO Bag 715002923 • Black	-					
LinQ Heavy Duty Basket 715001215		No further requirements				
LinQ Low Profile Basket 715004282						
LinQ Holders						
LinQ Gear Grips 715005340	No further requirements	No compatibility	Side wall installation LinQ Adapters	No further	LinQ Base Installation Kit	No further
LinQ Tool Holder 715007358	(when installed on side walls)		715003058	requirements	715008125	requirements

LinQ Accessories with 16" Base

NEW LinQ 11.4 US Gal (43L) Cooler	Maverick Trail, Maverick Sport, Maverick Sport MAX		 715007825 · Black 715009276 · Gray 		
	 Versatile LinQ 16" configura High quality injection-mold polypropylene outer shell for High quality insulation for o Thicker insulation on bottor 11.4 US gal (43L) capacity. LinQ-mounted for fast, easy Locks in place with only a q Rigid handles make transport Horizontal locking handles accessories. 	ed impact resistant or exceptional durability. ptimal ice retention. n to isolate vehicle heat. a secure storage. uarter turn. ortation easy.	 Dry-basket included to protect items. Drain plug at the bottom to evacuate water. New ergonomic and secure latch system offer excellent sealing. Possibility to lock the cooler with a padlock. LinQ Cargo Base Kit (715008125) required for on Can-Am vehicles (except Maverick R). See table for installation location and requirem 			
-inQ Modular Box		Maverick Trail, Maverick Sport, Maverick Sport MAX		715005494 · (10 L) 715007112 · (20 L) 715006830 · (30 L)		
	 Allows stacking of other mo Always have the right box si Can be installed on any Lind See table for installation loc 	Q base with a 16" width.	right gear accessible.			
Fhermal Insert for LinQ Mod	lular Box (10 L)	Maverick Trail, Maverick Sport, Maverick Sport MAX		219401110		
LinQ Tool Box	• · ·	7" W x 2½" H. Maverick Trail, Maverick Sport, Maverick Sport MAX PE construction provides rigidity		715008111		
	 5 gal (19 L) maximum capace Weather-resistant, sealed a Easy one-second on/off too All the benefits of LinQ—sir See table for installation loc 	nd lockable cover. Il-less system. nple, fast and secure.				
₋inQ Tool Kit		Maverick Sport MAX		715006829		
	 Includes: Cutter pliers Long-nose pliers Locking pliers Ratchet wrench %" drive 6" ratchet extension Integrated CVT belt storage location (belt not included) 	 Long-socket 19 mm %" drive - 6 pts Socket 18 mm %" drive Long-socket 17 mm %" drive - 6 pts Socket 15 mm %" drive Socket 13 mm %" drive Socket 10 mm %" drive Socket 8 mm %" drive 	 Socket Torx T40 %" drive Socket Torx T30 %" drive Socket Torx T20 %" drive Breaker bar %" drive Combination Wrench set: Wrench 19 mm Wrench 18 mm Wrench 15 mm 	 Wrench 13 mm Wrench 10 mm Wrench 8 mm See table for installation locatio and requirements. 		
LinQ 4.2 Gal (16 L) Cooler		Maverick Trail, Maverick Sport, Maverick Sport MAX		■ 219400964 · Black 295100698 · White		
	 All the benefits of LinQ—sir Rotomolded construction for and durability. Premium-quality foam insul ice retention. Uses LinQ mounting system 	mple, fast and secure. or exceptional rigidity ation for optimal	Easy one-second on/off tool- Can contain twenty 355 ml ca Keeps ice cold for three days. Exterior dimensions: 13" L x 2 Interior dimensions: 9" L x 17 See table for installation loca	nns. 20" W x 10" H. " W x 7" H.		

LinQ 4.5 Gal (17 L) Sport Bag		Maverick Trail, Maverick Sport Maverick Sport MAX	,	860202447			
	 All the benefits of LinQ—simple, fast and secure. 17 liter (4.5 US gallon) capacity. Thermoformed bag base in HDPE (High Density Polyethylene) providing rigidity and durability. Rigid bottom, semi-rigid top. 						
R 5.5 Gal (21 L) LinQ Bag		Maverick Trail, Maverick Sport Maverick Sport MAX	1	860202449			
	 All the benefits of LinQ—sir Semi-rigid expandable bag. 5.5 gal (21 L) capacity. Utilizes LinQ mounting syst Easy one-second on/off too See table for installation loc 	em (Patent US 8777531 and US ol-less system.	8875830).				
inQ Roll-Top Bag		Maverick Trail, Maverick Sport Maverick Sport MAX	,	715008110			
	 LinQ mounted using heavy- High capacity storage solut Bottom foam liner for additi 	ion (40 L). onal equipment protection. ransportation on/off the vehicle k adjustable H.					
LinQ Accessories wit	h 36" Base						
inQ Premium Storage Bag by	y OGIO	Maverick Trail, Maverick Sport Maverick Sport MAX	1	715002923 · Black			
	 Tool-less installation and removal thanks to the LinQ system. 17.2 gal (65 L) capacity semi-rigid cargo bag ideal for carrying anything you need on your vehicle. Buckle and elastic closure with a rubber seal that protects dust from entering the bag. 3-section lid for partial or full access to your bag. Inside separators for optimal bag organization. See table for installation location and requirements. 						
	See table for installation loc						
inQ 12 Gal (45 L) Cargo Box	See table for installation loc	Maverick Trail, Maverick Sport Maverick Sport MAX	., ,	715003879			
inQ 12 Gal (45 L) Cargo Box	See table for installation loc LinQ mounted for easy-on, Holds cargo safely and sec See table for installation loc	Maverick Trail, Maverick Sport Maverick Sport MAX easy-off installation. urely while riding.	,	715003879			
	 LinQ mounted for easy-on, Holds cargo safely and second 	Maverick Trail, Maverick Sport Maverick Sport MAX easy-off installation. urely while riding.	·	715003879			
	 LinQ mounted for easy-on, Holds cargo safely and second 	Maverick Trail, Maverick Sport Maverick Sport MAX easy-off installation. urely while riding. sation and requirements. Maverick Trail, Maverick Sport Maverick Sport MAX easy-off installation. urely while riding.	·				
LinQ 12 Gal (45 L) Cargo Box	 LinQ mounted for easy-on, Holds cargo safely and sect See table for installation loc LinQ mounted for easy-on, Holds cargo safely and sect See table for installation loc 	Maverick Trail, Maverick Sport Maverick Sport MAX easy-off installation. urely while riding. sation and requirements. Maverick Trail, Maverick Sport Maverick Sport MAX easy-off installation. urely while riding.	, ,				

LinQ 8 Gal (30 L) Cooler Box		Maverick Trail, Maverick Sport Maverick Sport MAX	i,	■ 715004778 · Black ■ 715004698 · Gray
 LinQ mounted for easy-on, Rotomolded construction p and durability. Premium-quality foam insuretention. 		rovides exceptional rigidity	 Integrated, fully removable co Robust rubber latches keep th Weather-resistant. Convenient drain plug. See table for installation locat 	e cover tightly closed.
		Maverick Trail, Maverick Sport Maverick Sport MAX	i,	715001747 · Black (Rear tail light included)
LinQ 32 Gal (121 L) Trunk Box	ĸ	European Version (EC complia	int)	715001748 (No rear tail light)
	 32 gal (121 L) load capacity Made of injection-molded p The fully sealed lid protects 	oolyethylene, double walled in c your belongings from dust, mo in many colors to match your ve	aximize storage room and access ritical areas. isture and the elements.	to the trunk's interior.
∟inQ 32 Gal (121 L) Trunk Bo	<pre>c Panels</pre>	Maverick Trail, Maverick Sport	t, Maverick Sport MAX	
	Color panels to match the L	inQ 32 gal (121 L) to your vehic	le (715001747 / 715001748).	
	715001391 · Black 715001392 · Yellow 715001395 · Viper Red 715002480 · Light Gray 715002984 · Octane Blue 715002985 · Manta Gree 715002986 · Can-Am Red 715002986 · Can-Am Red 715002986 · Can-Am Red 715006119 · Orange Cruz 715006120 · Squadron G	n 1 sh reen	European Version (EC compliant 715001393 ' Black 715001398 ' Vellow 715006121 · Can-Am Red 715006122 · Manta Green 715006123 · Orange Crush 715006124 · Viper Red). No rear tall light.
.inQ Heavy-Duty Basket		Maverick Trail, Maverick Sport	t, Maverick Sport MAX	715001215
	 Made of high-strength, low- LinQ mount for easy-on, easy- See table for installation loc 	sy-off installation.		
LinQ Low Profile Basket		Maverick Trail, Maverick Sport Maverick Sport MAX	t,	715004282
	 Low profile, open basket ind Perfect for easy access to to Multiple bungee cord and t Made of impact-resistant in See table for installation loc 	ools, rope, winch and plow acce ie-down anchor points. jected polypropylene.	essories.	
LinQ Holders				
inQ Tool Holder		Maverick Trail, Maverick Sport Maverick Sport MAX	t,	715007358
]]	 Ultra-versatile tool holder. Convenient swivel-latch allo Sold in pairs. 	bws tools to be stored in any orio	entation.	
LinQ Gear Grips		Maverick Trail, Maverick Sport Maverick Sport MAX	t,	715005340
44	 Durable and flexible grips pr of items from 1" to 4" (2.5 cn Heavy-duty design for carry rakes, farm tools and more. Quick-release button opens to gear. 	ring bows, fishing poles,	 Heavy-duty base system built f Make transporting your tools a Gear Grips with the LinQ syste 360° orientation. Sold in pairs. 	a snap by combining the

LinQ Accessories		1	I
LinQ Adapter		Maverick Trail, Maverick Sport, Maverick Sport MAX	715003058
) •) •.	 Sold in pack of 4. 		
LinQ Base Installation Kit		Maverick Trail, Maverick Sport, Maverick Sport MAX	715008125
80	Unique mounting fastener u Included: 2 cargo LinQ base	usable on any LinQ system accessory. es and hardware.	
LinQ Lock		Maverick Trail, Maverick Sport, Maverick Sport MAX	860201968
- I area	 Simple way to securely lock Lock cover protects lock from Corrosion resistant. Pack of 1, includes 2 keys. Not compatible with LinQ 4 		older and LinQ Gear Grips.
LinQ Replacement Part		Maverick Trail, Maverick Sport, Maverick Sport MAX	715001707
	Unique mounting fastener t Tool-less installation and re Sold in pairs.	usable on any LinQ system accessory. moval.	
LinQ Anchor Adapter kit		Maverick Trail, Maverick Sport, Maverick Sport MAX	715004960
669	 Allows the installation of Lini Tool-less installation and ren LinQ pivoting rack is required 		· · · · ·

CARGO & STORAGE

All-Terrain Trunk Cover		Maverick Trail, Maverick Sport (except X mr), Maverick Sport MAX	715003701
harrie of the second seco	Gas spring assisted opening Integrated mounting locatio Rotomolded construction p LinQ accessories can be ins	on inside the trunk cover for Dome Light (715002455) (sold sepa	
Fixed Tailgate		Maverick Trail, Maverick Sport, Maverick Sport MAX	715004357
	Rigid rotomolded construct Encloses the rear cargo ope Matches the vehicle's stylin	ening perfectly and helps keep cargo securely in place.	

Storage						
Soft Storage Bag		Maverick Trail, Maverick Sport, Maverick Sport MAX	715003759			
	 11.8 gal (45 L) capacity soft 3-section bag. Transport gear in a weather 	cargo bag designed with vehicle's rear in mind to maximize po	tential storage.			
itorage 2.6 Gal (10 L) Bag		Maverick Trail, Maverick Sport, Maverick Sport MAX	269502121			
0	Roll-top dry bag for fully pro	tecting your cargo from the elements.				
Overhead Storage Bags		Maverick Trail, Maverick Sport, Maverick Sport MAX	715005018			
	 Include 2 overhead soft bag 2.4 gal (9 L) total capacity. Bimini Roof with sun visor o 	d your gear safely and securely while riding. gs mounted on a tubular frame that sits between cage and roof. or Sport Roof needed for installation. mplete Wet Sounds Audio System.				
shoulder Storage Bag		Maverick Trail, Maverick Sport, Maverick Sport MAX	715005019			
e.	 Weather-resistant semi-rigid bag holds your gear safely and securely while riding. Bag attaches in unused space between the seats to increase your vehicle's cargo capacity. 2.8 gal (10.5 L) capacity. 					
emovable Central Storage B	ag	Maverick Sport MAX	715004794			
	 Both front and rear passeng Designed as a 1.3 gal (5.2 L) 	ds your gear safely and securely while riding. ngers can access the bag's contents. L) capacity pocket, also equipped with inner netting compartments and side pocket ds and includes shoulder strap for transportation. on and off your vehicle.				
assenger Storage Seat Bag		Maverick Trail, Maverick Sport, Maverick Sport MAX	715008080			
	 Bag settling on the passeng This bag features a 14.5 gal The top compartment is ins Additional pocket inside for The bottom compartment is 	holds your gear safely and securely while you ride. Jer seat to increase the vehicle's cargo capacity. (55 L) storage capacity and is divided into two compartments. ulated to keep your beverages cold and includes two cup holde additional storage, such as a cell phone. s accessible from both sides and serves as a large pocket for st ne front of the bag can be used as a garbage bag.				
Soft Cooler		Maverick Trail, Maverick Sport, Maverick Sport MAX	715003728			
	Soft cooler made of durable Removable shoulder strap a Foam insulation and water-r 2.2 gal (4.5 L) capacity.	and carry handles.				

RACKS & HOLDERS

Adventure Roof Rack		Maverick Sport MAX		715004095	
	 Ideal cargo solution for pactive your off-road experience. Built with heavy-duty 1.5" (3 diameter steel tubing. Loads of up to 75 lb (34 kg). LinQ support plates allow for with 16" base. 		e fully and completely. (99 cm) Double Stacked LED 3.8 cm) and 1.25" (3.2 cm) · Features anchor points for sp · Spare Tire Tie-Downs sold so · Add the Cargo Box Net to se		
LinQ Pivoting Rack		Maverick Trail, Maverick Sport, Maverick Sport MAX	,	715008297	
	 Includes custom tie-down s Gas-cylinder pivot action, Ic 	strap for fast spare tire installatic ocks in the raised position. Rail (715003703), Lonestar Racir nd LinQ Cargo Rack.	es or the addition of ATV LinQ rac on or removal (tire not included). ng and DragonFire tire carrier, Lor		
LinQ Rack Extension		Maverick Trail, Maverick Sport, Maverick Sport MAX	,	715003771	
	 Made of strong and durable Helps to keep cargo secure Easy and tool-less installation 				
LinQ Cargo Rack			715003702		
-am	 Allows the installation of Lir 	uminum and strong aluminum t nQ Trunk Boxes on top and the a on thanks to the LinQ system.	ubing frame. Iddition of more LinQ accessories	s in cargo box.	
Spare Tire Carrier		Maverick Trail, Maverick Sport, Maverick Sport MAX	,	715004471	
	 Made of heavy-duty 1.5" (3. Inside and outside anti-corr 	liameter (tire is not included). Is not encumber the cargo area.	der coat finish.		
Cargo Box Net		Maverick Sport MAX		715001371	
	Solid net designed to secur	e and ensure the compact confi	nement of your Adventure Roof F	ack.	
LinQ Gun Case		Maverick Trail, Maverick Sport, Maverick Sport MAX	,	715009240	
	 Adapt to different weapon s LinQ-mounted for efficient a 	•	• •		

LinQ Gun Case Mounting Kit

Maverick Sport, Maverick Sport MAX, Maverick Trail

715006444

Required to install the Can-Am Gun Case on a Maverick Sport, Maverick Sport MAX and Maverick Trail.
Allows you to install up to two LinQ gun cases.

Gear Rail		Maverick Trail, Maverick Spor	t, Maverick Sport MAX	715003703				
	 Offers mounting points for t Can hold up to two gun boo 	vith C-clamps attached on the roll cage. for the Stronghold Auto-Latch Mount or for the Universal Saw Press by Kolpin. boots. : Gun Boot 6.0 Impact by Kolpin (715001419).						
Jniversal Saw Press by Kolpir	1	Maverick Trail, Maverick Spor	t, Maverick Sport MAX	715001423				
 Specially crafted for transport and safely aboard your side-1 Heavy-duty, black powder-codesigned to attach any chain (51 cm) bar. Rubber pads provide cushion 		-by-side vehicle. oated metal bracket nsaw model with up to a 20"	 Hinged design for quick re Holds saw in vertical positi direction. Requires Gear Rail (71500) Protective sheath included 	ion or 45° angle in either 3703).				
Spare Tire Ratchet Tie-Downs	3	Maverick Trail, Maverick Spor Maverick Sport MAX	t,	280000955				
	 3-way ratcheting tie-down s Designed to securely hold s equipped with integrated sp Adjustable to accommodate 	pare tires on accessories pare tire attachment points.	res on accessories e attachment points. • Required for spare tire attachment on Adventur Rack and LinQ Pivoting Rack.					
Heavy-Duty Ratchet Tie-Down	ı	Maverick Trail, Maverick Spor Maverick Sport MAX	t,	715008308				
	 1,000 lb (454 kg) safe workir 1.5 in. x 6 in. (38 mm x 1.8 m Deluxe ratchet with rubber l Black-coated clip hooks. 	m) strap with BRP brands.	 12" (300 mm) webbing incl Pack of two. 	luded.				
Bolt-On† Retractable Ratcheti	ng Tie-Downs	Maverick Trail, Maverick Spor	t, Maverick Sport MAX	295101072				
	Perfect for transporting you or securing loads. Mounts easily: Bolts on any frame).		mechanism tightens the st vehicle or load into place.	s away strap, while the ratche rap snugly to secure your				
• 1" x 6' (2.5 cm x 1.8 m) tie-du stitching that delivers a 500 strength and 1,500 lb (680 k		lb (226 kg) working load		provides firm grip, and the hoo natever surface it hooks into.				
Ratchet Tie-Downs		Maverick Trail, Maverick Spor	t, Maverick Sport MAX	715008309 · Black/Gray				
	 400 lb (181 kg) safe working 1" x 10' (2.5 cm x 3 m) strap Can-Am logos. Deluxe ratchet with rubber l 	with Sea-Doo, Ski-Doo and	Coated S hooks.Pack of 2.					

LIGHTS

	Choose your lights									
1 Choose	BAJA DESIGNS[†] LIGHTS			CAN-AM LIGHTS						
your mount point	10" (25 cm) LED Light Bar	XL Sport LED Lights (sold in pairs)	Squadron Sport LED Lights (sold in pairs)	XL80 LED Lights (sold in pairs)	10" Double Stacked LED Bar	15" Double Stacked LED Bar	39" Double Stacked LED Bar	4" Round LED Lights (sold in pairs)	3.5" Spot or Flood LED Lights (sold in pairs)	
XT & X mr Front Bumper (Stock on XT, XT-P and X mr)	710006819 (X mr Only) + 715007049 (Power Cable)	710006821 + 715008865 (Power Cable)	710006820 + 715008865 (Power Cable)	710005041 + 715007049 (Power Cable)	715002933 + 715003670 (Power Cable)	715002934 + 715003670 (Power Cable)	NA	715009774 (5 (4" Round), 3.5" Flood) or 5 (3.5" Spot) +	
Trail Bumper	NA	(Power Cable)	(Fower Cable)	(Fower Cable)	(Power Cable) NA			715003670 (Power Cable)	
Sport Roof & Bimini Roof	710006819 + 715007049 (Power Cable) *Optional Overhead Switch Panel 715003669	710006821 + 715008865 (Power Cable) *Optional Overhead Switch Panel 715003669	710006820 + 715008865 (Power Cable) *Optional Overhead Switch Panel 715003669	710005041 + 715007049 (Power Cable) *Optional Overhead Switch Panel 715003669	715002933 + 715003670 (Power Cable) + 715003669 (Overhead Switch Panel)	715002934 + 715003669 (Overhead Switch Panel)	715004007 + 715005822 (Mounting Kit) *Optional Overhead Switch Panel 715003669	715009774 (
Top Roll Cage							715004007 + 715005822 (Mounting Kit)		NA	
Sport Roof Back Position	- NA	NA NA NA		NA	NA	NA		715009774 or 715009775 + 715003669 + 715004910		
3 Order		*Note.	Orde When installing n			ntersecting ht power cable or		quired.		

*All lights are intended for off-road use only.

Baja Designs Light Power Cable (Not illustrated)	Maverick Trail, Maverick Sport, Maverick Sport MAX	715008865	
•	f Baja Designs LED lights onto roof or bumper. D Lights and Baja Designs Squadron Sport LED Lights.		
Baja Designs Light Power Cable	Maverick Trail, Maverick Sport, Maverick Sport MAX	715007049	
	of Baja Designs LED lights onto roof or bumper. OnX6 LED Bars and Baja Designs XL80 LED Lights.		
Baja Designs 10" (25 cm) OnX6 LED Light Bar	Maverick Trail, Maverick Sport, Maverick Sport Max	710006819	
	50 m	1	
	12,460 lumens 25 50 0 100 200 300 400 500	600 m	

Baja Designs XL80 LED Lights	Maverick Trail, Maverick Sport, Maverick Sport Max 710005041
	9,500 lumens -25 -50 -26 -50 0 100 200 300 400 500 600 m
 80 W per spot producing 9,500 lumens. Equipped with 4 Cree XHP50 LEDs per spot. Dual intensity (high/low) settings. Driving/combo light pattern for smooth blend of light for both near field applications and distance. 	 Require Baja Designs Light Power Cable. Sold in pairs. Dimensions: 4.5" x 4.5" (11.4 cm x 11.4 cm). See table for installation location and requirements. Not EC compliant.
Baja Designs Squadron Sport LED Lights	Maverick Trail, Maverick Sport, Maverick Sport Max 710006820
	3,150 lumens -25 0 100 200 300 400 500 600 m
 26 W per spot producing 3,150 lumens. Equipped with 4 Cree XP-G2 LEDs per spot. Wide cornering light pattern designed specifically for cornering, dust and/or fog conditions. 	 Require Baja Designs Light Power Cable. Sold in pairs. Dimensions: 3" x 3" (7.6 cm x 7.6 cm). See table for installation location and requirements. Not EC compliant.
aja Designs XL Sport LED Lights	Maverick Trail, Maverick Sport, Maverick Sport Max 710006821
	3,150 100 25 0 25 0 25 0 25 0 25 0 25 0 25 0 25 0 25 0 25 0 25 0 25 0 100 100 200 300 400 500 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100100
 26 W per spot producing 3,150 lumens. Equipped with 4 Cree XP-G2 LEDs per spot. High Speed Spot features a longer and narrower beam focus for illumination farther down. 	 Require Baja Designs Light Power Cable. Sold in pairs. Dimensions: 4.5" x 4.5" (11.4 cm x 11.4 cm). See table for installation location and requirements. Not EC compliant.
0" (25 cm) Double Stacked LED Light Bar (60 W)	Maverick Trail, Maverick Sport, Maverick Sport MAX 715002933
REFERENCE.	5,400 100 200 300 400 500 600 700 800 m
 Equipped with twelve 5 W Cree LEDs. 5,400 lumens. Packs a big punch for its size. Rugged and waterproof. Can be installed in stock XT and XT-P bumpers. 	 Requires light power cable for installation. Lights up to more than 1,500 ft (460 m) in front of the vehicle and around 65 ft (20 m) wide on each side. Not EC compliant. See table for installation location and requirements.
5" (38 cm) Double Stacked LED Light Bar (90 W)	Maverick Trail, Maverick Sport, Maverick Sport Max 715002934
	8,400 1/20 m 0 -20 m 0 -20 m 0 -20 m 0 -20 m 0 -20 m 0 -20 m 0 0 0 0 0 0 0 0 0 0 0 0 0
 Equipped with 18 5 W Cree LEDs. 8,400 lumens. Complements the Light Racks and most bumpers. Rugged and waterproof. 	 Lights up to more than 1,900 ft (580 m) in front of the vehicle and around 65 ft (20 m) wide on each side. Not EC compliant. See table for installation location and requirements.

39" (99 cm) Double Stacked LED Light Bar (270 W)

Maverick Trail, Maverick Sport, Maverick Sport Max

715004007

24,300 lumens	20 m 0 -20									
 	0	100	200	300	400	500	600	700	800 m	

• Equipped with 54 5 W Cree LEDs.

- 24,300 lumens.
- Lights up to more than 2,900 ft. (900 m) in front of the vehicle and around 115 ft. (35 m) wide on each side.
- Maverick Trail, Maverick Sport, Maverick Sport MAX: Requires Light Mounting Kit for 39" (99 cm) LED Light Bar (715005822) and/or Lonestar Racing Mounts for 39" (99 cm) Double Stacked LED Light Bar (715004877) for installation.
 See table for installation location and requirements.
- Not E
- Compatible on the Adventure Roof Rack.
- Not EC compliant.

4" (10 cm) Round LED Lights (2 x 25 W)	Maverick Trail, Maverick Sport, Maverick Sport Max	715002935
(Centan)	1,800 lumens 0 -20 0 -20 0 0 100	200 m
 25 W LED spotlights. 1,800 lumens. Rugged and waterproof. Includes basic wiring and switch. Can-Am branded grill. 	 Requires light power cable. Sold in pairs. Not EC compliant. See table for installation location and requirements. 	
3.5" (9 cm) LED Driving Lights (2 x 14 W)	Maverick Trail, Maverick Sport, Maverick Sport Max	715009775
QQ	1,260 lumens -15 0 15 30 45 60 75 90	105 m
 14 W LED lights producing 1,260 lumens each. Spot lens for a narrow and long light beam spread, ideal when driving at higher speeds. Equipped with six high-power LEDs in a heavy-duty die-cast aluminum housing. 	 Features two attachment points. If one attachment point f the next channel point and remount the light. Sold in pairs. ECE certified. See table for installation location and requirements. 	ails due to a collision, rotat
 Spot lens for a narrow and long light beam spread, ideal when driving at higher speeds. Equipped with six high-power LEDs in a heavy-duty die-cast aluminum housing. 	the next channel point and remount the light.Sold in pairs.ECE certified.	ails due to a collision, rotat
 Spot lens for a narrow and long light beam spread, ideal when driving at higher speeds. Equipped with six high-power LEDs in a heavy-duty die-cast aluminum housing. 	the next channel point and remount the light. • Sold in pairs. • ECE certified. • See table for installation location and requirements. Maverick Trail, Maverick Sport, Maverick Sport Max 15 m 0 -15	
driving at higher speeds. • Equipped with six high-power LEDs in a heavy-duty die-cast	the next channel point and remount the light. • Sold in pairs. • ECE certified. • See table for installation location and requirements. Maverick Trail, Maverick Sport, Maverick Sport Max 15 m 0 -15	715009774

LED Headlights Assembly		Maverick Trail, Maverick Sport, Maverick Sport MAX	715003667
	• .•	ade kit draw a maximum of 40 W (2 x 20 W) of power while provid and longer lasting than standard halogen bulbs.	ing brighter light output
	Installation of some access Consult your local dealer fo	ories shown may impact vehicle compliance with some regulatio r information.	ns.
Can-Am LED Signature Lights	5	Maverick Trail, Maverick Sport, Maverick Sport MAX	715003673
	 Add style with a more aggree 	essive look.	
000	 Use bright and energy efficit 	ient LEDs.	
	 Do not give additional lighti 	ng for driving.	
	Installation of some access Consult your local dealer fo	ories shown may impact vehicle compliance with some regulatio r information.	ns.
Dome Light		Maverick Trail, Maverick Sport, Maverick Sport MAX	715002455
	 LED array integrates perfec Wiring included. Can be installed on cage, Space 	rtly with vehicle. port Roof or All-Terrain Trunk Cover.	
Mounting Kit for 39" (99 cm) Not illustrated)	LED Light Bar	Maverick Trail, Maverick Sport, Maverick Sport MAX	715005822
	Required for installation of	the 39" (99 cm) double stacked LED Light Bar.	
	 Includes wiring and suppor 	t bracket.	
	Light Support Bar required	for installation.	
Roof Power Cable		Maverick Trail, Maverick Sport, Maverick Sport MAX	715003094
	 Brings power from the batter 	ery.	
	• •	some electrical accessories.	
	Required for installation of a		
Rear Lights Power Cable		Maverick Trail, Maverick Sport, Maverick Sport MAX	715004910
			715004910
	Power cable that allows you	Maverick Sport MAX	715004910

This set-up will illuminate your rear cargo area and surroundings.
Sport Roof and Overhead Switch Panel (715003669) required.

AUDIO & COMMUNICATION SYSTEMS

Audio

NEW Can-Am Audio Roof		Maverick Trail, Maverick Spor	t	715006309
	 Fully sealed and waterproof construction. 	components and	 Speakers include adjustable Ro controlled via an app on your si 	
	 Simple to install: one connector connects the roof to the vehicle's electrical system. 		 Mediamaster[®] source unit equipped with 3" full-color LCD display, with day/night lighting modes. 	
	 Weatherproof components: Four 7.7" coaxial speakers, 280 watt amplifier and Mediamaster[®] source unit. AM/FM tuner. 		Designed to not drain the batte	ery.
CB CB			 Compatible with 39 in. (99 cm) Bar (270 W) (715004007). 	Double Stacked LED Light
			 Not compatible with Adventure 	e Roof Rack.

NEW Can-Am Audio Roof MAX

Maverick Sport MAX

C'	 Fully sealed and waterproof components and construction. 	 Speakers include adjustable RGB LED cone illumination, controlled via an app on your smartphone.
	 Simple to install: one connector connects the roof to the vehicle's electrical system. 	 Mediamaster[®] source unit equipped with 3" full-color LCD display, with day/night lighting modes.
	 Weatherproof components: Six 7.7" coaxial speakers, 280 watt amplifier and Mediamaster[®] source unit AM/FM tuner. 	 Designed to not drain the battery. Compatible with 39 in. (99 cm) Double Stacked LED Light Bar (270 W) (715004007).
		Not compatible with Adventure Roof Rack.

NEW Can-Am Audio Roof Flip Kit	Maverick Trail, Maverick Sport, Maverick Sport MAX	715007228
Combines with the Can-Am	II. Audio Boof (715006309 or 715006842) for Elip option	



Combines with the Can-Am JL Audio Roof (715006309 or 715006842) for Flip option.
Not compatible with the Roof Rack.

Complete Wet Sounds† Au	dio System	Maverick Trail, Maverick Sport, Maverick Sport MAX		715003672
-	 Orchestrated for outstanding playlists of champions. Built-in 200 W amplifier with low end bass response. Built-in Bluetooth[†] connectiv Aux input allows for use with 	D-Bass Tech for improved	 Turns itself off after 10 minutes battery power. Designed to be Can-Am-tough riding conditions. Includes 4.5" (11.4 cm) front ar rear-roll-cage mounted stereo integrated backlit control pane 	in the most demanding nd 6.5" (16.5 cm) speakers and console
Wetsound Stealth XT 6 Ca	n-Am Edition Sound Bar	Maverick Trail, Maverick Sport, Maverick Sport MAX		715008282
<u>i</u> i	 Built-in Bluetooth connectivi Built-in Broadcast mode. Backlit control panel with Inilights. Integrated LED Dome. IP67 rated RF wireless remo 3.5 Aux Input/Output. Built-in 300 W Class D Ampl 	tegrated LED RGB cabin	 4 marine-rated 3" full range dri 2 marine-rated 1" tweeters. Operating voltage: 12 V. IP rated: IP67. Length: 21.31" Width: 4.04' Height: 3.85" Sound Bar Mounting Kit require 	

715006842

Can-Am Subwoofer		Maverick Trail, Maverick Sport, Maverick Sport MAX	715006359
		bwoofer speakerbox that fits in the glove box. ions to Wet Sounds audio system.	
	Out and a second second second second	and a second state of a location of the second state of the	and the second second second

- Sturdy construction, tough enough to withstand harsh environments and sealed against moisture and dirt.
- 350 W amplifier and wiring included.

Electronic Device Holder	Maverick Tra Maverick Sp	ail, Maverick Sport oort MAX	,	715005212
	 A great in-ride entertainment system platform. Robust injected-polypropylene construction allows for right fit and easy installation. 		 Perfectly complements the We or Rugged Radios Intercom Sy your device. 	stem to play music with
	 Adjustable unit safely holds most tablets a smartphones measuring between 5.1" (13 (25.4 cm) (with protective case). 		 Integrated storage (2.5 gal (9.5 to the dash 12V outlet for device Integrated mounting location f 	ce charging.
	Allows the installation of Garmin Montana	a 680T GPS.	Not compatible with Defrost, H System (715003678).	leat and Ventilation

Communication Systems

Rugged Radios Helmet He for Rear Passengers	eadset Kit	With Rugged Radios Intercom System	715004380 · US ONLY
		s and Helmet Speaker/Mic Kits to upgrade tem to a 4-person system.	
2020	‡Power Cable (715003094) is requ	uired for installation on MAX models.	

ELECTRICAL & ELECTRONIC ACCESSORIES

Electrical

Defrost, Heat and Ventilati	on System	Maverick Trail, Maverick Sport, Maverick Sport MAX	715003678
	 Adjustable/directional vents 5 vents specially positioned Automotive-style heater contents 	l for better windshield defrosting and passenger comfort. re and fan for best heating performance. es require Adapter Kit (715007241).	e temperature.
Heated Grab Bar Cover		Maverick Trail, Maverick Sport, Maverick Sport MAX	715004500
	securely gripped during lon • Easy to install and remove. • This kit includes the heated	grab bar cover and in-dash switch. Harness (710005757) is required.	ır passenger's hands warm and
Seat Heater		Maverick Trail, Maverick Sport, Maverick Sport MAX	715006112
	 This kit includes one carbor Installs directly in the origin Heated Accessories Wiring 	ngs allow you to control the desired degree of warmth. n fiber seat heater, foam sheet and in-dash switch.	

Heated Visor Outlet		Maverick Trail, Maverick Sport, Maverick Sport MAX	715001246
7	• • •		
leated Accessories Wiring	g Harness	Maverick Trail, Maverick Sport, Maverick Sport MAX	710005757
	 Electric harness r 	required to hook up and operate front heated seats, heated steering w	heel and heated grab bar.
leated Accessories Wiring	g Harness	Maverick Sport MAX	715006004
	Electric harness r	required to hook up and operate rear heated seats.	
leater Adapter Kit for Sma	rt-Lok	Maverick Trail, Maverick Sport, Maverick Sport MAX	715007241
	Adapter kit to fit h	neating system on Smart-Lok equipped vehicles.	
Electronic			
Cellphone Holder		Maverick Trail, Maverick Sport, Maverick Sport MAX	715008786
	 Works with almos Does not include Requires the RAM 	s within 7.2" (185 mm) x 3.3" (85 mm) x 0.6" (15 mm) dimensions. st all charger wires. cellphone or charging wires. <i>I</i> GPS Mount (715003325) bolted directly on the dashboard for the Ce (715003325) can also be installed on the Electronic Device Holder (7)	
RAM [†] GPS Mount		Maverick Trail, Maverick Sport, Maverick Sport MAX	715003325
		tegration onto vehicle. Iole pattern for Garmin Cradle.	
Overhead Switch Panel		Maverick Trail, Maverick Sport, Maverick Sport MAX	715003669
	 Required for Can- Optional for Baja	verhead Switch Panel gives additional switch spots for electrical acce Am lights installation on the roof and for other top-mounted electrical Designs lights. pof or Bimini Roof with Sun Visor for installation.	
30 Ah Battery Holder		Maverick Trail, Maverick Sport, Maverick Sport MAX	715004431
	Fixation plate des 30 Ah Battery sole	igned to hold the 30 Ah Battery (515176151). d separately.	

C-TEK charger

860200997

CTEK, the manufacturer of the smartest battery chargers in the world, has produced a BRP specific charger for all BRP



products.

- Charger is built to meet the demanding arctic conditions.
- Ask your dealer for more information.

Digitally Encoded Sec	urity System (D.E.S.S.™) Keys	Maverick Trail, Maverick Sport 2024 (except 700 engine)	715002458
- J == J== =	 One vehicle/one code. A vibration/shock-resistant t 3 programmable modes: Work mode: Limits vehicle 	restricts access to your vehicle's electronic ignition system. ball-and-socket design that ensures a reliable connection. speed to 40 kph (25 mph) but does not limit engine torque. cle speed to 70 kph (44 mph) and 50% torque reduction.	
Digitally Encoded Sec	urity System (D.E.S.S.™) Keys	Maverick Trail 2024 (with 700 engine)	715009300

 Top-security anti-theft protection for Can-Am vehicles. The encrypted chip technology restricts access to the unit's electronic ignition system. One code per vehicle. Features a vibration/shock-resistant ball-and-socket design that ensures a reliable connection. Comes with three programmable keys, including: Work key: Configurable vehicle speed limit between 30 kph (18 mph) and maximum vehicle speed that does not limit engine torque. Normal key: Limits vehicle speed to 70 kph (44 mph) and 50% torque reduction on Maverick Trail models. Performance key: No restrictions. 		o engine)	715005500
	 The encrypted chip technology restricts access to the unit's electronic ignition system. One code per vehicle. Features a vibration/shock-resistant ball-and-socket 	 Work key: Configurable vehic 30 kph (18 mph) and maximu not limit engine torque. Normal key: Limits vehicle sp and 50% torque reduction on 	cle speed limit between im vehicle speed that does beed to 70 kph (44 mph) n Maverick Trail models.

WINCHES & HITCHES

Can-Am HD Winches

Can-Am HD 4500 Winch		Maverick Trail, Maverick Sport, Maverick Sport MAX		715006416
	 Ergonomic clutch handle. Rugged all-steel gears and bushings for more torque and durability. Automatic 100% load-holding brake. Sealed solenoid for all-weather protection. Weather sealed corded remote and dash mounted switch. EC compliant. 		 Pulling strength capability of 4,500 lb (2,041 kg). 43' of ¹⁵⁄₆₄" (13.1 m of 6.3 mm) wire steel cable. Heavy-duty 4-way roller fairlead. Winch Electrical Harness (715003777) is required for installation. 	
Can-Am HD 4500-S Winch		Maverick Trail, Maverick Sport, Maverick Sport MAX		715006417
	 Ergonomic clutch handle. Rugged all-steel gears and b and durability. Automatic 100% load-holdir Sealed solenoid for all-weat Weather sealed corded rem switch. 	ng brake. her protection.	 Pulling strength capability of 4,500 lb (2,041 kg). 50' of ¼" (15.2 m of 6.35 mm) synthetic rope. Corrosion-proof aluminum hawse fairlead. Winch Electrical Harness (715003777) is required for installation. 	

WARN[†] VRX Winches

NARN VRX 45 Winch		Maverick Trail, Maverick Sport, Maverick Sport MAX		715006110	
WARN LINKY	 Extreme IP68-rated waterproof sealing keeps the elements out. Durable all-metal construction. Black powder-coated finish and stainless steel fasteners for corrosion resistance. Robust new clutch design based on 70+ years of WARN 4 WD hub lock know-how. Load-holding brake for great control. Smooth and reliable all-metal three-stage planetary gear train. 		 Dash-mounted rocker control. Limited lifetime warranty (mechanical), 3-year warranty (electrical). Pulling strength capability of 4,500 lb (2,041 kg). 50' of ¼" (15 m of 6.3 mm) wire steel cable. Roller fairlead. Winch Electrical Harness (715003777) is required for installation. 		
VARN VRX 45-S Winch		Maverick Trail, Maverick Sport, Maverick Sport MAX		715006111	
NAME VIAM	 Extreme IP68-rated waterpro- elements out. Durable all-metal construction Black powder-coated finish a for corrosion resistance. Robust new clutch design bay WARN 4 WD hub lock know- Load-holding brake for great Smooth and reliable all-meta gear train. 	 Limited lifetime warranty (mechanical), 3-year war (electrical). h and stainless steel fasteners Pulling strength capability of 4,500 lb (2,041 kg). 50' of ¼" (15 m of 6.3 mm) synthetic rope. Cast aluminum hawse fairlead. Winch Electrical Harness (715003777) is required installation. 		500 lb (2,041 kg). hetic rope.	
Winch Accessories					
an-Am HD Hawse Fairlead		Can-Am HD Winch		715006426	
	 A must when upgrading your winch with a synthetic cable, this corrosion-proof aluminum hawse fairlead will prevent the cable from snapping in a corner of a roller fairlead and from wearing prematurely due to the rough surface of the worn roller guide. Must be used with synthetic cables only. 				
Roller Fairlead		Can-Am HD Winch		710007082	
	 Suggested when changing the wire rope. Heavy-duty replacement fairlead for winches. 				
		Can-Am HD Winch		715006430	
Synthetic Winch Cable		WARN Winch		715007783	
S	 50' of ¼" (15.2 m of 6.35 mm) synthetic cable for Can-Am HD winches. Can-Am HD Hawse Fairlead (715006426) is required when upgrading to a synthetic cable to avoid premature cable damage and wear. WARN Hawse Fairlead (715007785) is required when upgrading to a synthetic cable to avoid damage and premature wear of the cable. 				
		Can-Am HD Winch		705014978	
Vire Rope Replacement		WARN Winch		715006699	
	 43' of ¹⁵/₆₄" (14.3 m of 6.3 mm) wire rope for Can-Am HD Winch. 55' of ¼" (16.8 m of 6.35 mm) wire rope for WARN winch kit. 4,500 lb (2,041 kg) pulling strength. 				
Synthetic Cable Extension				715001120	
		ameter, easy to handle and won le to provide additional 50' (15.)	-		

OEM stock winch and Wired Remote Control are sold separately.
EC compliant.

Wireless Remote Control	WARN Winch	715002542
	 The system is quick and easy to install, thanks to a wiring harness with an in mounting hardware. Allows you to operate your winch from anywhere within a 50' (15.2 m) radius 	с

Can-Am HD Winch

This kit allows winch owners to add the hand-held remote to vehicles with a stock winch.

Allows you to operate your winch from anywhere within a 50' (15.2 m) radius, increasing your recovery options.
All components are weatherproof.

715006504 (2020 & up)

Hitches

Wired Remote Control

Front Receiver Hitch		Maverick Trail, Maverick Sport, Maverick Sport MAX	715003642
	 Heavy-duty 1,500 lb (680 kg) Perfect for precision towing) towing capacity 2" (5 cm) receiver hitch. in small spaces.	

PERFORMANCE

Smart-Lok Differential		Maverick Trail, Maverick Sport, Maverick Sport MAX (2021 & prior)	705402936
	 with electronically controlle Choose your differential set for a fully locked 4 wheel dr Using multiple input source moment to procure maximu and a feeling of confidence The Smart-Lok Differential I Mud, Rock and Trail Activ m to fine-tune your riding envir 	ttings according to your riding need: "2x4" for rear wheel tractior ive, and "4x4 Smart Mode" that offers preset, intelligent calibrati es, "Smart Mode" will instantaneously engage locking with the rig um traction while retaining low-speed maneuverability, allowing f Kit comes standard with the Trail Mode. nodes can be added by installing an additional Smart Mode Mod	n only, "4x4 Front Diff. Lock ons for your type of riding. ght load at the right or optimal placement
		Maverick Trail	705402423
Performance Half Shaft		Maverick Sport, Maverick Sport MAX	705402281



Required to install the Smart-Lok Differential Kit.

Mud Smart Mode Module		Models with Smart-Lok Differential	715005282
	sold as an accessory or to c • The Mud Mode has been specified to be a specific to be a sp		a standard Smart-Lok. mud holes.
Rock Smart Mode Module			1
Not illustrated)		Models with Smart-Lok Differential	715005283
	accessory or to change to t • The Rock Mode has been s • When high engine torque is and will stay engaged until	add the Rock Smart Mode to vehicles with the Smart-Lok Di he Rock Smart Mode on vehicles equipped with a standard pecially designed to help cross challenging rocks. • detected at low vehicle speed, Smart-Lok will progressively throttle release to prevent wheel slippage and provide optin nt allows for easier steering when maneuvering the vehicle ule can be installed at a time.	Smart-Lok. y lock the front end nal traction.
Trail Activ Smart Mode Modul	e	Models with Smart-Lok Differential	715005284
Exhaust and Air Intake	the front end and keep it en • The progressive engageme • Only one Smart Mode Mod	nd/or an increase in vehicle speed is detected, Smart-Lok w gaged until throttle release or vehicle speed reduction. nt allows for smoother and lower steering effort. ule can be installed at a time.	nii progressively engage
∕oshimura† Slip-On Exhaust		Maverick Sport, Maverick Sport MAX (models with 1000R engine)	715004452
	 Developed in collaboration Made from 304-grade stain Sporty sound from a lighter 	less steel. • EPA compliant. • Not EC compliant.	essories shown may impact some regulations.
		Maverick Trail, Maverick Sport, Maverick Sport MAX (models) 1000R engine) Maverick Trail. Maverick Sport	with 715002895
Performance Air Filter by Twir		(except models with 1000R engine)	715003630
	 The best choice for the hars Multiple staged oiled filterin Washable and reusable. 	shest conditions. ng foam for superior dust retaining capacity with high airflor	<i>w</i> .
Engine and CVT Pre-Filter Kit		Maverick Trail, Maverick Sport, Maverick Sport MAX	715004290
	 Adds extra protection to you in harsh riding conditions. Filter blocks particles larger Water repellent screen. Mandatory to maintain the tracks are installed. 	Not compatible with Sno than 0.005" (0.1 mm). Not compatible with Adv	orkel Kit.
Snorkel Pre-Filter		Maverick Trail, Maverick Sport, Maverick Sport MAX	715005598
	Pre-filter specifically for sno		

Snorkel Kit		Maverick Trail (except 700 engines), Maverick Sport, Maverick Sport MAX	715003705		
	the engine. Not compatible with S&B Pa and windows. Standard on Maverick Sport 	ories shown may impact vehicle compliance with some regulatior	ion Bar and all rear panels		
Heavy-Duty Spring Kit		Maverick Trail	715004961		
	 This set of heavy-duty springs will stiffen your suspension. Perfect for reducing vehicle overall sag when shocks are under heavy demand: heavy loading and hauling or for snow clearing. Complete kit of 4 springs. 				
Shock Covers		Maverick Sport, Maverick Sport MAX	715002368		
(Not illustrated)	 Soft covers for shocks with ventilation holes. Eliminate dust and dirt intrusion into the shock cylinder, reducing risk of damage. Sold in pairs. 				

Emergency Kit	Maverick Trail, Maverick Sport, Maverick Sport MAX	715006102
powers	e emergency kit provides all essential equipment and supplies to get out ort enthusiasts can find themselves in. Jumper Cables, Air Compressor, Tire Repair Kit, Ratchet Tie-Down, Duc o 3,300 lb (1,500 kg), Zip-Ties, Cloth Rags.	

- Tow Strap 3,300 lb (1,500 kg), Zip-Ties, Cloth Rags.

APACHE TRACK SYSTEMS

NEW Apache XC LT Track	System	Maverick Trail, Maverick Sport,	, Maverick Sport MAX	715007719
	with the rolling band of the t mounted tandem. • Better steering precision be alignment due to good grou	thanks to the to the alignment of the wheels track and the shaft damper ecause of this wheel and track ind contact. front and in the back for better	 Additional shaft dampers, tandem dampers and wheel layout significantly reduce NVH vibration harshness). Central guide for optimized track alignment occurrences of detracking. Optimized track layout with increased angle better obstacle crossing and snow perform Stamped and welded steel frame for improv and durability. Easy maintenance with replaceable hub an bearings. Main hub is oil bath with 3 bearings inside f lubrication. DPS module and engine and CVT pre-filter Mounting kit sold separately. Installation of some accessories shown may vehicle compliance with some regulations. Consult your local dealer for information. 	(noise and reduced e of attack for ances. ved strength d wheel for consistent required.
NEW Apache XC LT Mount	ting Kit	See table for fit, compatibility a	and requirements.	715008611 715008612 715008613

Required for installation of the Apache XC LT Track System.

Track DPS Module and Pre-Filter not included.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Winter Tracks				Limited W	arranty*
Apache Backcountry Track S	System		See table for specific models		715005247
Provides an impressive		ince on bigger ve aver	the market. than the Apache 360 LT.	 Aggressive track design with 2" (5 cm) lug height for maximum traction on snow. Apache Backcountry Mounting Kit, Track DPS Module and Engine and CVT Pre-Filter are required. For winter use only. Track installation will affect vehicle width and length. Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information. 	
Apache Backcountry LT Trac	k System		See table for specific models		715005891
	on the market with ur on snow surface. • Large contact patch, • Impressive added gro keep the vehicle over • Lightweight snowmo	nmatch 37% bi ound clo r the sno obile-ins ign with		 Apache Backcountry LT Mounting Kit, Traclengine and CVT Pre-Filter are required. Fine-tune your track system using extra Idl Sliders with Vespel Inserts and Rail Ice Scr For winter use only. Track installation will affect vehicle width a Installation of some accessories shown may vehicle compliance with some regulations. Consult your local dealer for information. 	er Wheels, atcher. Ind length. By impact
Annaha Daalaatuu Masuut	in a Kit		See table for specific models		715004834
Apache Backcountry Mount (Not illustrated)	ing Kit		Maverick Trail		715004285
Apache Backcountry LT Mot	DPS Module and Pre Installation of some a Consult your local de	-Filter r	ories shown may impact vehicle	e compliance with some regulations.	
(Not illustrated)			See table for specific models		715005493
	 DPS Module and Pre Not compatible with 	-Filter a HMWP accesso		y.	
Accessories					
Track DPS Module			Maverick Trail 2024 & up Maverick Trail, Maverick Sport		715006266
	make for perfect trac • Required to install the	k contro e Apacl accesso	ensures speedometer accurac ol and riding ease. he and Backcountry Track Syst pries shown may impact vehicle	y and optimized steering assist which	
Rail Ice Scratchers			Apache Backcountry and Apach	ne Backcountry LT Track Systems	860201728
	 Rail mounted, small, I 	light. oil cone	n in hard and icy conditions. cept to allow reversing without e.	damage.	

Year-Round Tracks

Apache 360 LT Track System	Maverick Trail, Maverick Spo	rt, Maverick Sport MAX	715005103
	 Multifunctional tracks designed to support heavy loads and to fit on most Can-Am off-road vehicles. Extra contact patch adjustment for better performance over rough terrain. Contact patch is 7 to 9% bigger than the Apache 360's. Average ground clearance of 16" (41 cm). 1" (2.5 cm) lugs in the front and 1.25" (3.2 cm) in the back. 	EC compliant. Apache Backcountry LT Mounting Kit, Tracl Engine and CVT Pre-Filter are required. Installation of some accessories shown ma vehicle compliance with some regulations. Consult your local dealer for information.	y impact

*The limited warranty is subject to the exclusions, limitations of liabilities and all other terms and conditions of BRP's standard limited warranty.

Limited Warranty*

Apache 360 LT Mounting Kit		See table for specific models	715004755		
(Not illustrated)		Maverick Trail	715004833		
	 Required for installatio 	on of the Apache 360 LT Track System.			
	 DPS module and Pre-F 	Filter not included.			
	 Not compatible with H 	MWPE Front and Rear A-Arm Protectors and Skid Plates.			
	Installation of some ac Consult your local deal	cessories shown may impact vehicle compliance with some regulations. Ier for information.			
Apache 360 LT Mounting Kit		See table for specific models	715005492		
	 Required for installatio 	on of the Apache 360 LT Track System.			
	DPS module and Pre-F	Filter not included.			
	 Not compatible with H 	MWPE Front and Rear A-Arm Protectors and Skid Plates.			
	Installation of some ac Consult your local deal	cessories shown may impact vehicle compliance with some regulations. ler for information.			
Accessories					
Idler Wheel Kit		Apache Backcountry Track System, rear tracks only	860201230 141 mm		
	 Reduces drag and rolli 	ng resistance.	· · · · · ·		
	Includes 2 wheels, brackets and hardware.				
	Add up to 2 kits per rear track.				
	Can extend slider life in	n hardened snow conditions.			
Apache Backcountry LT Whe	el Kit	Apache Backcountry and Apache Backcountry LT Track Systems	715006293		
a la state a	 Additional wheel kit for 	r Backcountry LT rear tracks.			
i i na ta statistica de la construcción de la const	 Reduces drag and rolli 	ing resistance in hard snow conditions or when transporting heavier loads.			
	Extends slider life in hard snow conditions.				
	 Includes two wheels, cross shaft and mounting hardware per kit to service one track corner. 				
	Up to two kits per rear track can be installed.				
		Apache Backcountry and Apache			
Sliders with Vespel [†] Inserts		Backcountry LT Track Systems	50319481		
	Use DuPont Vespel ins	serts for less friction.			
	Longer life.				
	Can be cut to desired I	length.			
	 8 needed per vehicle. 				
· ·	 Sold individually. 				
•	-				

APACHE TRACK SYSTEMS FITTING GUIDE

Apache Backcountry and Backcountry LT

Model Year	r / Model	Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel
2018 & Up	Maverick Trail	- 715005247	715004285			
2019 & Up	Maverick Sport, Maverick Sport MAX	_ /15005247	715004834	715007338	715004290	715005598
2021* & Up	Maverick Sport	715005891	715005493	-	110004200	110000000
2024 & Up	Maverick Trail	715005247	715004285	715006266		

*For 2021 models produced after January 18, 2021.

Apache XC LT

Model Year	/ Model	Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel
2018 to 2023	Maverick Trail		715008611			
2019 & Up	Maverick Sport, Maverick Sport MAX	- 715007719	715008613	715007338	715004290	715005598
2021* & Up	Maverick Sport	- 110007710	715008612		113004230	10000000
2024 & Up	Maverick Trail		715008611	715006266		

*For 2021 models produced after January 18, 2021.

Apache 360 LT

Model Year / Model	Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel
2018 to 2023 Maverick Trail		715004833			
2019 & Up Maverick Sport, Maverick Sport MAX	- 715005103	715004755	715007338	715004290	715005598
2021** & Up Maverick Sport	- 715005103	715005492		715004290	715005598
2024 & Up Maverick Trail		715004833	715006266		

**For 2021 models produced after January 18, 2021.

PROMOUNT PLOWS

PROMOUNT PLOW KITS

Reference Chart						
	66" Black Steel	66" Yellow Steel	72" Black Steel	72" Yellow Steel	66" Flex2	72" Flex2
Plow Kit	715007775	715008174	715007777	715008173	715007774	715007776
Blade	715006337	-	715004474	715006021	715006265	715004485
Push Frame	715007752	715007752	715007752	715007752	715007752	715007752
Mounting Plate	715007742	715007742	715007742	715007742	715007742	715007742

Can-Am ProMount Steel Plow Kits

Can-Am ProMount Steel 66" (168 cm) Plow Kit	Maverick Trail, Maverick Sport, Maverick Sport MAX	715007775 · Black 715008174 · Yellow
Can-Am ProMount Steel 72" (183 cm) Plow Kit	Maverick Trail, Maverick Sport, Maverick Sport MAX	715007777 · Black 715008173 · Yellow

These kits include:



- Can-Am ProMount Steel Blade

- Push Frame with Quick-Attach System
- Can-Am ProMount Mounting Plate

Can-Am ProMount Steel Blades

Can-Am ProMount Steel 66	6" (168 cm) Blade	Fits ProMount Push Frame		715006337 · Black
*actively filter	 Plow blade made from 12-gauge steel. Replaceable wear blade. 		 Clears 60" (152 cm) when plow is fully angled. Blade height of 17" (43 cm). 	
	 Large pin designed for e snow buildup at pivot po 	asy blade rotation to eliminate int.	 Compatible with Can-Am Pro to further enhance plow versa 	
	 Blade design provides be 	est snow roll-off at any angle.	Not compatible with S3 High	Clearance Front A-Arm.
				715004474 · Black
Can-Am ProMount Steel 72	2" (183 cm) Blade	Fits ProMount Push Frame		715006021 · Yellow
10107-91771	 Plow blade made from 1 Replaceable wear blade. 	0 0	 Clears 66" (168 cm) when plo Blade height of 17" (43 cm). 	w is fully angled.

- · Replaceable wear blade.
- Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.
- Blade design provides best snow roll-off at any angle.

Compatible with Can-Am ProMount Blade accessories

Not compatible with S3 High Clearance Front A-Arm.

to further enhance plow versatility.

Can-Am ProMount Angle Plows				
Can-Am ProMount 66" (16 State Blade	8 cm) Steel Oneway	Fits ProMount Push Frame		715007263
Can-Am ProMount 72" (18 State Blade	3 cm) Steel Oneway	Fits ProMount Push Frame		715007264
*000000	 Make the job easier with the and make the task easier by out of the way. 		One-way "winged" state plow higher. Pubber Elap (715007299) desi	0

• Wing end of plow measures 26" (67 cm) high and tapers down to 16" (41 cm).

 Rubber Flap (715007299) designed to keep snow away from the driver is offered as accessory (sold separately).

Can-Am branded.

Can-Am ProMount Flex2 Plow Kit				
Can-Am ProMount Flex2 66″ (168 cm) Plow Kit	Maverick Trail, Maverick Sport, Maverick Sport MAX	715007774		
Can-Am ProMount Flex2 72" (183 cm) Plow Kit	Maverick Trail, Maverick Sport, Maverick Sport MAX	715007776		
These kits include:				



- Can-Am ProMount Flex2 Blade - Push Frame with Quick-Attach System
- Can-Am ProMount Mounting Plate

Can-Am ProMount Flex2 Blades

Can-Am ProMount Flex2 66	6" (168 cm) Blade	Fits ProMount Push Frame		715006265
	accidental impact occurs Replaceable wear blade. 	ents damaging your plow when s. asy blade rotation to eliminate	 Blade design provides best si Clears 60" (152 cm) when plo Blade height of 17" (43 cm). Compatible with Can-Am Pro further enhance plow versati 	w is fully angled. Mount Blade accessories to
Can-Am ProMount Flex2 7	2" (183 cm) Blade	Fits ProMount Push Frame		715004485
	 Plow blade made of UHM absorbing material preve accidental impact occurs 	ents damaging your plow when	 Blade design provides best si Clears 66" (168 cm) when plo Blade height of 17" (43 cm). 	, ,

- Replaceable wear blade.
- Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.

Can-Am ProMount Plow Accessories

Can-Am ProMount Edge Markers	Maverick Trail, Maverick Sport, Maverick Sport MAX	715004206

- · Help locate the edges of your plow.
- Height: 24" (60 cm).
- Sold in pairs.
- Recommended for Maverick Trail and Maverick Sport.
- Compatible with Can-Am ProMount Steel and Flex2 blades with or without Blade Extensions (except for the Can-Am ProMount Steel 54" (137 cm) Blades).



Can-Am ProMount 66" (168	cm) Plastic Wear Blade	Maverick Trail, Maverick Sport, Maverick Sport MAX	715004482
Can-Am ProMount 72" (183	cm) Plastic Wear Blade	Maverick Trail, Maverick Sport, Maverick Sport MAX	715004483
	Ideal to prevent leaving man Compatible with Can-Am Pr	rks on your driveway. roMount 72" (183 cm) Blades.	
Can-Am ProMount Drift Cut	ters	Maverick Trail, Maverick Sport, Maverick Sport MAX	715006258
			isions
Can-Am ProMount Blade Ex	tensions	Maverick Trail, Maverick Sport, Maverick Sport MAX	715004205 · Black 715005319 · Yellow
	 Add 3" (8 cm) each side. Compatible with Can-Am Plane 	your Can-Am ProMount Blade. roMount Blades (except for the Can-Am ProMount Steel 54' installed to go over the extra length given by the extensions.	. , ,
Back Drag Blade		ProMount Plows (60" and more)	715007794
	 Lifts up when the vehicle is as to not affect the scraping Increased capacity to pull s More aggressive scraping i 	g. and 72" blades. snow. • Compatible with ProMou	
Curved Wear Blade		Maverick Trail, Maverick Sport, Maverick Sport MAX	715007792 · 66" (168 cm 715007793 · 72" (183 cm
Can-Am Promount C	Ideal for snow covered grav	a folded back bottom lip. ws for less digging while plowing uneven surfaces. vel, grass, paver stone and other soft surfaces.	
Can-Am ProMount Push Fra with Quick-Attach System	ine	Maverick Trail, Maverick Sport, Maverick Sport MAX	715007752
	 Mid-mount carriage provide Allows 16" (41 cm) of plow 	igned to withstand the roughest use. es ultimate push strength and traction. lift on ATVs and 14" (36 cm) on Maverick Trail. ck-attach system, an easy foot release pedal and an ergonor	nic handle for
Can-Am ProMount Push Fra	me Extension	Maverick Trail, Maverick Sport, Maverick Sport MAX	715006257
The second	• 12" (30 cm) push frame exte	ension required when plow is installed with Apache Track sy	ystems.
Plow Roller Fairlead		Maverick Trail, Maverick Sport, Maverick Sport MAX	715001223 • Cylindrical Roller Fairlead
	Larger diameter lower rolle Can be used with all ProMc	r reduces wear on wire rope for plow application.	

Can-Am ProMount Plow Angling System

Maverick Trail, Maverick Sport, Maverick Sport MAX

715009657

- $\boldsymbol{\cdot}$ Converts your plow system into an easy-to-control unit from the driver's seat.
- Using one hand to control all plow motions will allow you to easily concentrate and manage your plowing tasks.
- Not compatible with Apache Backcountry LT Track System.
- Can-Am ProMount Push Frame (715007752) is required.
- Push Frame Extension (715006257) is required for installation with the Front Rancher Bumper.
- Winch and plow sold separately.

ProMount Plow Limit Switch (Not illustrated)	Maverick Trail, Maverick Sport, Maverick Sport MAX	715006259		
 For controlling the cable tension when over-raising your plow system. Prevents winch, plow push frame and vehicle damage. 				
Sensor relocated for optimal lift height.				
Can-Am ProMount Mounting Plate	Maverick Trail, Maverick Sport, Maverick Sport MAX	715007742		

 Required to install the Can-Ar 	m ProMount Push Frame with	Ouick-Attach System

- Mounting plate precision-designed to stay on year round without compromising ground clearance.
- Plow Roller Fairlead included.

COVERS

Trailering Cover		Maverick Trail, Maverick Sport	715003706
	 Weather-resistant trailering cover protects your vehicle during storage and transportation. Heavy-duty canvas made of UV-resistant solution-dyed polyester. Inner soft liner protects windshield. All high-abrasion areas are reinforced with a double canvas layer. 		
	Opening for fuel cap. Quick and easy installation. Designed to perfectly fit yo with Adventure Roof Rack a	ur vehicle with or without Can-Am accessories except	



PARTS AND MAINTENANCE

Keep an Eye on These Parts	57
XPS Tires	58
XPS Oil & Oil Change Kits	
Maintenance Products	59

BIENDING PERFORMANCE AND SAFEY

can-am.

A AMASSING MAN

Trust genuine Can-Am parts to keep your vehicle performing at its best.

ONE-YEAR WARRANTY

Precisely engineered. Rigorously tested. Factory approved.

*Covers parts and labor when fitted at an authorized dealer.

CAN-AM MAVERICK SPORT AND MAVERICK TRAIL



To make sure your Maverick Sport or Trail performs as you expect, **keep an eye on these components**:**

OIL FILTER

ENGINE OIL*

4T 10W-50 Synthetic Oil 1 quart / 946 ml 1 US gallon / 3.785 L	9779234 9779235
4T 0W-40 Synthetic Oil 1 quart / 946 ml 1 US gallon / 3.785 L	9779139 9779140
4T 5W-40 Full Synthetic Oil 1 quart / 946 ml 1 US gallon / 3.785 L	9779492 9779493
OIL CHANGE KIT*	
5W-40 Full Synthetic 500 cc or more V-twin engine	9779488

5W-40 Full Synthetic ACE 650 cc Single Cylinder	9779480
0W-40 Synthetic Oil 500 cc or more V-twin engine	9779259
0W-40 Full Synthetic ACE 650 cc Single Cylinder	9779481
10W-50 Synthetic Oil 500 cc or more V-twin engine	9779252

EMISSION CONTROL

Fuel tank vent breather filter (non EVAP models)	709001120
Canister vent pre-filter (CARB and EVAP models)	513034047

AIR FILTER

420256188

715002895
715900394
715900422
700000447
706600417
/0660041/
422280225
422280225
422280225 422280656
422280225 422280656

CV BOOT KITS

Maverick Sport Front Wheel Side	705401354
Maverick Sport (no ABS), Maverick Trail Front Wheel Side Front Differential Side Rear	705401345 705401355 705501864
WHEEL BEARINGS	293350150
A-ARM BUSHING KIT	703500875
BALL JOINTS	
Upper	706203084
Lower	706202045
SPARK PLUG	715900637
Maverick Trail 700	715900785
Maverick Trail & Sport 1000	715900642
Maverick Trail & Sport 1000R	715900244
BATTERY	
18 Amps Wet (YTX20I -BS)	296000444

18 Amps. Wet (YTX20L-BS)	296000444
30 AH Battery Upgrade	515176151

* For Europe, please check correspondent PNs on page 56. **Refer to periodic maintenance chart for proper intervals.

XPS TIRES

SHOP BY USAGE







XPS Trail Force

	۸	All-terrain radial tire.		705403026 · 26X8R14
12 Control	<u>چ</u>	 8-ply rated construction. Versatile and suitable for many types of terrain. Aggressive tread pattern for better traction on dirt, mud and rocky terrains. Tread depth: 20 mm (0.78"). 		705503322 · 26X10R14
				705402754 · 27X9R14
				705503103 · 27X11R14
XPS Trail King				
	۸	All-terrain radial tire.	705402713 · 26X8R12*	705503355 · 27X11R14
RIDER N	₹ ₹ 4	 8-ply rated construction. 	705503073 · 26X10R12*	705402825 · 28X9R14
3.3.2		 Aggressive tread pattern for tougher terrains. 	705403081 · 27X9R14	705503181 · 28X11R14
	<u>ه</u> ه	 An almost continuous center tread offers a smoother trail ride. 	*6 ply rating	
		 Tread depth: 26 mm (1.02"). 		
XPS Trail King 2				
	•	All-terrain radial tire.		705403398 · 26X8R14
THE REAL	¢≩₄	6-ply rated construction.		705503518 · 26X10R14
E SE		Tire excels in various terrains from loose to hard packed.		705403397 · 27X8R14
	<u>وي</u>	 Non directional tread pattern with optimized construction ensuring maximum grip and low rolling resistance Tread depth: 20 mm (0.78"). 	n providing precision handling	705503517 · 27X10R14
XPS Trac Force				
	A	All-terrain light truck style radial tire.	705403080 · 30X9R14	705403370 · 30X10R15
SP CR	₹₹₹	 8-ply rated construction. 	705403369 · 30X9R15	705403416 · 32X10R16 UT
		Central tread for good grip and comfort on compact	705503354 · 30X10R14	705403587 · 32X10R15 UT
	<u>@</u>	terrain. • Tread depth: 18 mm (0.71").	705403586 · 30X10R14 UT*	°6 ply rating
XPS Hammer Force				
	A	Light truck-inspired tire.		705402918 · 30X10R15
WI ASS	*₹4	 8-ply rated construction. 		
		Rock-crawling tread pattern with unique contact patch.		
	.O.	Aggressive sidewall for maximum traction when faced with the second	ith technical terrains.	
		 Tread depth: 15 mm (0.59"). 		

	Λ	Hybrid radial tire for mud and trail.	705403201 · 30X9R14
	° ≦ ₄	8-ply rated construction.	705503387 · 30X11R14
~ ~		Unique tread pattern allowing good grip in mud and mud ejection.	
	<u>ۆ</u>	 Center tread provides for comfortable trail riding. Tread depth: 36-38 mm (1.41"-1.49"). 	
KPS Swamp King			
	•	Bias tires for mud and trail.	705403028 · 28X8X14
	<u>ب</u>	6-ply rated construction.	705503324 · 28X10X14
		Ultimate performance in mud without sacrificing good trail handling.	
		Tread depth: 38 mm (1.49").	
XPS Swamp King X	L		
	•	Bias ply for mud and trail	705503687 · 30X9X14
	ě	6-ply rated construction.	705403381 · 30X10X14
		 Our best performing mud tire that does not compromise your trail riding 	

Deep V grooved Lugs with extended shoulder tread for max traction in deep ruts that also help eject mud faster.
Tread depth: 38 mm (1.49") center, max depth 52 mm (2.05").

LUBRICANT & OIL CHANGE KIT

Lubricant

XPS 4T 10W-50 Synthetic Oil		9779234 (US) · 1 qt / 946 ml 9779240 (Europe) · 1 qt / 946 ml	9779235 · 1 US gal / 3.785 L
*50° C •122° F •122° F •132° F	and racing engines.Formulated using carefully sOffers thick film strength to	neered for heavy-duty and high-performance 4-stroke engines, including turbocharged, supercharged racing engines. nulated using carefully selected and strenuously tested base stocks and custom additives. rs thick film strength to protect bearings, and a proven high-temp detergency to minimize deposits, prevent shear, ide thermal stability, and combat fuel dilution to ensure maximum performance from your engine.	
		9779139 (US) . 1 of / 946 ml	9779140 (US) · 1 US gal / 3.785 L

XPS 41	Г 0W-40 Synthetic Oil		9779139 (US) · 1 qt / 946 ml 9779286 (Europe) · 1 qt / 946 ml	9779140 (US) · 1 US gal / 3.785 L 9779287 (Europe) · 1 US gal / 3.785 L
+40° C +104° F +104° F -45° C -49° F		 The best choice for high-pe Provides superior engine ar 	emium anti-wear and anti-corrosion additives. rformance snowmobile, ATV and SXS 4-stroke engines Id transmission protection against heat, rust and corro ce in high and low temperatures.	

Off-road formula with premium anti-wear and anti-corrosion additives.

· Designed for high-performance off-road, on-road and PWC 4-stroke engines, including turbo or supercharged

· Provides superior engine and transmission protection against rust and corrosion, even in extreme conditions.

- Provides superior engine and transmission protection against heat, rust and corrosion.
 - · Delivers optimal performance in high and low temperatures.

*

9779492 (US) · 1 qt / 946 ml 9779900 (Europe) · 1 qt / 946 ml	9779493 (US) · 1 US gal / 3.785 L 9779901 (Europe) · 1 US gal / 3.785 L
--	---



Oil Change Kit

Engine	Oil	Change	Kit

· Ultra-convenient "all-in-one" Engine Oil Change Kit saves time and money.

powersports engines.

 Includes XPS Synthetic or Synthetic Blend Oil, oil filter, O-rings and washer.



	
Models	
5W-40 Synthetic Oil /	9779487 (US)
450 cc or less	9779954 (Europe)
0W-40 Synthetic Oil /	9779257 (US)
450 cc or less	9779409 (Europe)
5W-40 Synthetic Oil /	9779488 (US)
500 cc or more V-twin engine	9779953 (Europe)
0W-40 Synthetic Oil /	9779259 (US)
500 cc or more V-twin engine	9779406 (Europe)
10W-50 Synthetic Oil /	9779252 (US)
500 cc or more V-twin engine	9779401 (Europe)
0W-40 Synthetic Oil /	9779481 (US)
650 ACE	9779417 (Europe)
5W-40 Synthetic Blend Oil / 650	9779480 (US)
ACE	9779952 (Europe)
5W-40 Synthetic Oil /	9779489 (US)
900 ACE	9779955 (Europe)
10W-50 Synthetic Oil /	9779261 (US)
900 ACE	9779411 (Europe)
EW/ 40 Synthetic Oil / 000T	9779500 (US)
5W-40 Synthetic Oil / 999T	9779959 (Europe)
10W-50 Synthetic Oil / 999T	9779501 (US)
	9779960 (Europe)

MAINTENANCE PRODUCTS

	75W-90	9779158 · 1 qt / 946 ml
Synthetic Gear Oil	75W-140	9779160 · 1 qt / 946 ml
 Uses custom additives to provide the best performance in Visco-LokTM and Smart-LokTM differentials. 		

Allows higher loads, superior shear stability and reduced oxidation.

Exceptional wear protection and superior performance at all operating temperatures.



XPS Synthetic Dct Fluid (Not illustrated)		9779710 · 1 qt / 946 ml
1	Meets or exceeds API GL-4 industry specifications. Formulated for dual clutch system.	
	 Enhanced cooling capabilities for optimal clutch functionality. Anti foaming agents for smooth hydraulic function. 	

Antifreeze/coolant contains the correct dilution and the necessary additives to prevent corrosion and inhibit cavitation in BRP cooling systems.

9779150 · 1 qt / 946 ml

9779704 · 4 oz / 115 g

9779151 · 12 fl. oz. / 355 ml

- · Long-life, 5-year formula specially formulated for BRP vehicles.
- Superior heat transfer.
- Ideal replacement for vehicles that normally use a 2-year antifreeze/coolant (green).
- 5 years (orange).

Anti-Corrosive Lubricant

9779701 · 120 oz / 340 g
 Multipurpose lubricant that can also be used to prevent rust, corrosion and moisture intrusion.

It contains extreme pressure additives that work as an all-around lubricant for just about anywhere lubrication is needed.



Extreme Duty Suspensio	n Grease	9779708 · 14 oz / 400 g
	Designed to work specifically with the components found in Can-Am vehicle s	uspensions.

 It is highly stable and offers optimal lubrication at both extreme cold and high temperatures while protecting suspension components from dirt and moisture, as well as corrosion under extreme washout conditions.



components from dirt and moisture, as well as corrosion under extreme washout conditions.

XPS Spline Grease (Not illustrated)

· Enhanced rust and corrosion resistance.

· Protects against seizure, heat-freeze, galling, rust and corrosion.

DOT 4 Brake Fluid




Meets or exceeds all DOT3 and DOT4 brake fluid requirements.

· High-temperature formula resists fade and also conditions seals and O-rings in braking system.

Racing Brake Fluid RS600


9779152 · 12 fl. oz. / 355 ml



• Extreme, 579-degree boiling point temperature is ideal for high-demand competition conditions to combat brake fade.

- · Should be added only to a clean/unfilled system to avoid dilution and diminished performance.
- · Low-moisture formula slows water vapor absorption through multiple heat cycles.
- Recommended for use in Ski-Doo and Can-Am racing applications.

Fuel Stabilizer





· Ethanol-compatible and will stabilize fuel in your tank to keep it from breaking down and causing hard starting, throttle hesitation and poor run quality.

- Since ethanol attracts moisture, this product contains powerful anti-corrosion additives to protect fuel
- system components.
- Prevents problems associated with E10 fuels.






BRP REIMAGINES THE WAY YOU ACCESS YOUR WORLD

Can-Am is one of many success stories from BRP, the global company behind some of the most daringly innovative products and experiences that move you. Because it's not about the destination, it's about the journey — yours.

Discover our brands:

SKI-DOO LYNX SEN-200 CAN-AM ROTAX ALUMACraft MANITOL QUINTREX.

www.brp.com



CANAMOFFROAD.COM

