

2025

Product Spec Book for Vehicle Specifications, Accessories and Parts & Maintenance

IF WE SELL IT, WE STAND BY IT.

BRP Limited Warranty*

for new Parts, Accessories and Riding Gear

1-year limited warranty**

- Genuine BRP Parts and Accessories installed by you or your authorized BRP dealer
- Aftermarket Products sold through BRP
- Riding Gear

4-year limited warranty**


Helmets

GET ALL THE DETAILS FROM YOUR CAN-AM OFF-ROAD DEALER

- * Purchased at an authorized BRP dealership/distributor or on a BRP-authorized online store. Other exclusions may apply; see complete limited warranty or contact your Can-Am Off-Road authorized dealer. This limited warranty does not apply to factory-installed accessories and Evinrude parts and accessories.
- ** Unless otherwise stipulated or required by law.

CANAMOFFROAD.COM

© 2024 Bombardier Recreational Products Inc. (BRP). All rights reserved. ®, TM and the BRP logo are trademarks of BRP or its affiliates. In the USA, products are distributed by BRP US Inc. †All other trademarks are the property of their respective owners. BRP reserves the right to discontinue or change specifications, prices, designs, features, models or equipment without incurring obligation. Some models shown may include optional equipment. Product performance may vary depending on external factors. BRP recommends that all SxS drivers take a training course. See your dealer. SxS can be hazardous to operate. Never exceed the SxS's passenger capacity. All SxS models are meant to be used by drivers aged 16 and older. Read the operator's guide. Follow all instructional and safety material and observe applicable laws and regulations. SxS are for off-road use only; never ride on paved surfaces or public roads. For your safety, the operator and passenger(s) must wear a helmet, eye protection and applicable protective clothing. Always remember that riding and alcohol/drugs don't mix. Never engage in stunt driving. Avoid excessive speed and be particularly careful on difficult terrain. Always ride responsibly and safely. See your authorized BRP dealer for details and visit https://can-am.brp.com/.





If you can dream it, you can build it. And ride it. Creating a Can-Am vehicle tailor-made for our riders' needs has never been easier. Scan the QR code and follow the step-by-step above.

BUILD Yours Now

				TRAXTER		
		TRAXTER HD7 T	TRAXTER XU HD7 T	TRAXTER HD9 T	TRAXTER XU HD9 T ABS	TRAXTER XU HD10 T ABS
		Compass Green	Compass Green	Compass Green	Compass Green	Stealth Black
	Ture	52 hp / 42 lb-ft, Rotax® ACE	52 hp / 42 lb-ft, Rotax® ACE	65 hp / 59 lb-ft. Rotax® 976 cc.	Dusty Navy 65 hp / 59 lb-ft, Rotax [®] 976 cc,	82 hp / 69 lb-ft. Rotax® 976 cc.
	Туре	(Advanced Combustion Efficiency) 650 cc single cylinder, liquid cooled, catalytic converter	(Advanced Combustion Efficiency) 650 cc single cylinder, liquid cooled, catalytic converter	V-twin, liquid cooled, catalytic converter	V-twin, liquid cooled, catalytic converter	V-twin, liquid cooled, catalytic converter
	Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC [™]) with Electronic Fuel Injection (EFI)
ENGINES	Transmission	pDrive primary CVT with engine braking and Electronic Drive Belt Protection L / H / N / R / P	pDrive primary CVT with engine braking and Electronic Drive Belt Protection L / H / N / R / P	PRO-TORQ CVT with Quick Re- sponse System (QRS), high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P	PRO-TORQ CVT with Quick Re- sponse System (QRS), high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P	PRO-TORQ CVT with Quick Re- sponse System (QRS), high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P
	Drive Train	Selectable Turf Mode / 2WD / 4WD with Visco-Lok† auto-locking front differential	Selectable Turf Mode / 2WD / 4WD with Visco-Lok† auto-locking front differential	Selectable Turf Mode / 2WD / 4WD with Visco-Lok† auto-locking front differential	Selectable Turf Mode / 2WD / 4WD with open front differential with ABS system	Selectable Turf Mode / 2WD / 4WD with open front differential with ABS system
	Driving Assistance	Electronic Hill Descent Control ECO [™] / ECO [™] Off / Work modes Speed Limiter	Electronic Hill Descent Control ECO [™] / ECO [™] Off / Work modes Speed Limiter	Electronic Hill Descent Control ECO [™] / ECO [™] Off / Work modes Speed Limiter	Electronic Hill Descent Control ECO [™] / ECO [™] Off / Work modes Speed Limiter	Electronic Hill Descent Control ECO [™] / ECO [™] Off / Work modes Speed Limiter
	Power Steering	N/A	Dynamic Power Steering (DPS™)	N/A	Dynamic Power Steering (DPS™)	Dynamic Power Steering (DPS™)
SIONS	Front Suspension	Double A-arm / 10 in. (25.4 cm) suspension travel Twin tube gas charged shocks	Double A-arm / 10 in. (25.4 cm) suspension travel Twin tube gas charged shocks	Double A-arm / 10 in. (25.4 cm) suspension travel Twin tube gas charged shocks	Arched double A-arm / 11 in. (27.9 cm) suspension travel Twin tube gas charged shocks	Arched double A-arm / 11 in. (27.9 cm) suspension travel Twin tube gas charged shocks
SUSPENSIONS	Rear Suspension	TTA with external sway bar / 10 in.	TTA with external sway bar / 10 in.	TTA with external sway bar / 10 in.	Arched TTA with external sway bar	Arched TTA with external sway bar
SUS	Rear Shocks	(25.4 cm) suspension travel Twin tube gas charged shocks	(25.4 cm) suspension travel Twin tube gas charged shocks	(25.4 cm) suspension travel Twin tube gas charged shocks	/ 11 in. (27.9 cm) suspension travel Twin tube gas charged shocks	/ 11 in. (27.9 cm) suspension travel Twin tube gas charged shocks
TIRES / WHEELS	Front / Rear Tires	Maxxis Coronado 2.0† 27 x 9/11 x 14 in.	Maxxis Coronado 2.0† 27 x 9/11 x 14 in.	Maxxis Coronado 2.0† 27 x 9/11 x 14 in.	Maxxis Coronado 2.0† 27 x 9/11 x 14 in.	Maxxis Coronado 2.0† 27 x 9/11 x 14 in.
MHE	Wheels	14 in. steel	14 in. cast-aluminum	14 in. steel	14 in. cast-aluminum	14 in. cast-aluminum
	Front	Dual 220 mm disc brakes with hydraulic twin-piston calipers	Dual 220 mm disc brakes with hydraulic twin-piston calipers	Dual 220 mm disc brakes with hydraulic twin-piston calipers	Dual 220 mm disc brakes with hydraulic twin-piston calipers	Dual 220 mm disc brakes with hydraulic twin-piston calipers
BRAKES	Rear	Dual 220 mm disc brakes with hydraulic single-piston calipers	Dual 220 mm disc brakes with hydraulic single-piston calipers	Dual 220 mm disc brakes with hydraulic single-piston calipers	Dual 220 mm disc brakes with hydraulic single-piston calipers	Dual 220 mm disc brakes with hydraulic single-piston calipers
	Others	Brake holding mechanism	Brake holding mechanism	Brake holding mechanism	Brake holding mechanism	Brake holding mechanism
	Cage	Profiled cage. ROPS approved	Profiled cage. ROPS approved	Profiled cage. ROPS approved	Profiled cage. ROPS approved	Profiled cage. ROPS approved
	Estimated Dry Weight*	1,456 lb (660 kg)	1,516 lb (687.8 kg)	1,479 lb (671 kg)	1,572 lb (713 kg)	1,594 lb (723 kg)
ITIES	LxWxH	121 x 62 x 76 in. (307.1 x 157.5 x 193 cm)	125.7 x 62 x 78 in. (319,4 x 157.5 x 198.1 cm)	121 x 62 x 76 in. (307.1 x 157.5 x 193 cm)	125.7 x 64 x 80 in. (319,4 x 162.5 x 203.2cm)	125.7 x 64 x 80 in. (319,4 x 162.5 x 203.2cm)
Eg	Wheelbase	83 in. (211.5 cm)	83 in. (211.5 cm)	83 in. (211.5 cm)	83 in. (211.5 cm)	83 in. (211.5 cm)
CAPA	Ground Clearance Cargo Box Dimen-	11 in. (28 cm) 38 x 54.5 x 12 in.	11 in. (28 cm) 38 x 54.5 x 12 in.	11 in. (28 cm) 38 x 54.5 x 12 in.	13 in. (33 cm) 38 x 54.5 x 12 in.	13 in. (33 cm) 38 x 54.5 x 12 in.
ls / c	sions Cargo Box Capacity	(96.5 x 138.4 x 30.5 cm) 1,000 lb (454 kg)	(96.5 x 138.4 x 30.5 cm) 1,000 lb (454 kg)	(96.5 x 138.4 x 30.5 cm) 1,000 lb (454 kg)	(96.5 x 138.4 x 30.5 cm) 1,000 lb (454 kg)	(96.5 x 138.4 x 30.5 cm) 1,000 lb (454 kg)
SION	Power tilt bed	N/A	N/A	N/A	N/A	N/A
DIMENSIONS / CAPAC	Tailgate Load Capacity	250 lb (113.4 kg)	250 lb (113.4 kg)	250 lb (113.4 kg)	250 lb (113.4 kg)	250 lb (113.4 kg)
	Storage Capacity Towing Capacity	Total: 3.1 gal (11.7 L) 2,500 lb (1,134 kg)	Total: 6.5 gal (24.5 L) 2,500 lb (1,134 kg)	Total: 3.1 gal (11.7 L) 2,500 lb (1,134 kg)	Total: 6.5 gal (24.5 L) 2,500 lb (1,134 kg)	Total: 6.5 gal (24.5 L) 2,500 lb (1,134 kg)
	Payload Capacity	1,500 lb (680 kg)	1,500 lb (680 kg)	1,500 lb (680 kg)	1,500 lb (680 kg)	1,500 lb (680 kg)
	Fuel Capacity	10.6 gal (40 L)	10.6 gal (40 L)	10.6 gal (40 L)	10.6 gal (40 L)	10.6 gal (40 L)
	Person Capacity	3 7.6 in. wide digital display with	3 7.6 in. wide digital display with	3 7.6 in. wide digital display with	3 7.6 in. wide digital display with	3 7.6 in. wide digital display with
	Gauge	keypad	keypad	keypad	keypad	keypad
	Battery Magneto	12-V (18 amp/h) 650-W	12-V (30 amp/h) 650-W	12-V (18 amp/h) 650-W	12-V (30 amp/h) 650-W	12-V (30 amp/h) 650-W
	Instrumentation	DC outlet (10-A)	DC outlet (10-A)	DC outlet (10-A)	DC outlet (10-A)	DC outlet (10-A)
	Lighting	Front lighting output 140-W LED tail lights	Front lighting output 140-W LED tail lights	Front lighting output 140-W LED tail lights	Front lighting output 140-W LED tail lights	Front lighting output 140-W LED tail lights
IRES	Winch	N/A	4,500 lb (2,041 kg) winch with roller fairlead	N/A	4,500 lb (2,041 kg) winch with roller fairlead	4,500 lb (2,041 kg) winch with roller fairlead
FEATURES	Seat	60/40 VERSA-PRO bench seat with passenger seats flipping up, Underside hooks, adjustable driver seat	60/40 VERSA-PRO bench seat with passenger seats flipping up, underside hooks, reinforced seat skin, adjustable driver seat	60/40 VERSA-PRO bench seat with passenger seats flipping up, Underside hooks, adjustable driver seat	60/40 VERSA-PRO bench seat with passenger seats flipping up, underside hooks, reinforced seat skin, adjustable driver seat	60/40 VERSA-PRO bench seat with passenger seats flipping up, underside hooks, reinforced seat skin, adjustable driver seat
	Steering Wheel	Adjustable tilt steering	Adjustable tilt steering	Adjustable tilt steering	Adjustable tilt steering	Adjustable tilt steering
	Protection	Integrated front steel bumper HMWPE central skid plate	Integrated front steel bumper HMWPE full skid plate	Integrated front steel bumper HMWPE central skid plate	Integrated front steel bumper HMWPE full skid plate Front fender extension	Integrated front steel bumper HMWPE full skid plate Front fender extension
	Hitch Type	2 in. hitch receiver with rear hitch, tow ball and trailer connexion	2 in. hitch receiver with rear hitch, tow ball and trailer connexion	2 in. hitch receiver with rear hitch, tow ball and trailer connexion	2 in. hitch receiver with rear hitch, tow ball and trailer connexion	2 in. hitch receiver with rear hitch, tow ball and trailer connexion

TRAXTER

TRAXTER PRO XU HD10 T ABS



TRAXTER MAX XU HD10 T ABS

Dusty Navy

e Train ing Assistance er Steering tt Suspension at Shocks r Suspension r Shocks at / Rear Tires eels at r eers ee mated Dry	82 hp / 69 lb-ft, Rotax® 976 cc, V-twin, liquid cooled, catalytic converter Intelligent Throttle Control (iTC [™]) with Electronic Fuel Injection (EFI) PRO-TORQ CVT with Quick Response System (QRS), high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P Selectable Turf Mode / 2WD / 4WD with open front differential with ABS system Electronic Hill Descent Control ECO [™] / ECO [™] Off / Work modes Speed Limiter Dynamic Power Steering (DPS [™]) Arched double A-arm / 11 in. (27.9 cm) suspension travel Twin tube gas charged shocks Arched TTA with external sway bar / 11 in. (27.9 cm) suspension travel Twin tube gas charged shocks Maxxis Coronado 2.0† 27 x 9/11 x 14 in. 14 in. cast-aluminum Dual 220 mm disc brakes with hydraulic twin-piston calipers Dual 220 mm disc brakes with hydraulic twin-piston calipers Dual 220 mm disc brakes with hydraulic twin-piston calipers Profiled cage. ROPS approved 1,862 lb (845 kg)	82 hp / 69 lb-ft, Rotax® 976 cc, V-twin, liquid cooled, catalytic converter Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI) PRO-TORQ CVT with Quick Response System (QRS), high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P Selectable Turf Mode / 2WD / 4WD with open front differential with ABS system Electronic Hill Descent Control ECO™ / ECO™ Off / Work modes Speed Limiter Dynamic Power Steering (DPS™) Arched double A-arm / 11 in. (27.9 cm) suspension travel Twin tube gas charged shocks Arched TTA with external sway bar / 11 in. (27.9 cm) suspension travel Twin tube gas charged shocks Maxxis Coronado 2.0† 27 x 9/11 x 14 in. 14 in. cast-aluminum Dual 220 mm disc brakes with hydraulic twin-piston calipers Dual 220 mm disc brakes with hydraulic twin-piston calipers Brake holding mechanism Profiled cage. ROPS approved
e Train ing Assistance e Train ing Assistance er Steering t Suspension r Shocks r Suspension r Shocks at / Rear Tires eels at r ers e e mated Dry	PRO-TORQ CVT with Quick Response System (QRS), high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P Selectable Turf Mode / 2WD / 4WD with open front differential with ABS system Electronic Hill Descent Control ECO™ / ECO™ Off / Work modes Speed Limiter Dynamic Power Steering (DPS™) Arched double A-arm / 11 in. (27.9 cm) suspension travel Twin tube gas charged shocks Arched TTA with external sway bar / 11 in. (27.9 cm) suspension travel Twin tube gas charged shocks Maxxis Coronado 2.0† 27 x 9/11 x 14 in. 14 in. cast-aluminum Dual 220 mm disc brakes with hydraulic twin-piston calipers Dual 220 mm disc brakes with hydraulic twin-piston calipers Profiled cage. ROPS approved	PRO-TORQ CVT with Quick Response System (QRS), high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P Selectable Turf Mode / 2WD / 4WD with open front differential with ABS system Electronic Hill Descent Control ECO [™] / ECO [™] Off / Work modes Speed Limiter Dynamic Power Steering (DPS [™]) Arched double A-arm / 11 in. (27.9 cm) suspension travel Twin tube gas charged shocks Arched TTA with external sway bar / 11 in. (27.9 cm) suspension travel Twin tube gas charged shocks Maxxis Coronado 2.0† 27 x 9/11 x 14 in. 14 in. cast-aluminum Dual 220 mm disc brakes with hydraulic twin-piston calipers Dual 220 mm disc brakes with hydraulic twin-piston calipers Brake holding mechanism Profiled cage. ROPS approved
e Train ing Assistance er Steering tt Suspension tt Shocks r Suspension r Shocks at / Rear Tires sels at r e e mated Dry	Electronic Drive Belt Protection Extra-L / H / N / R / P Selectable Turf Mode / 2WD / 4WD with open front differential with ABS system Electronic Hill Descent Control ECO™ / ECO™ Off / Work modes Speed Limiter Dynamic Power Steering (DPS™) Arched double A-arm / 11 in. (27.9 cm) suspension travel Twin tube gas charged shocks Arched TTA with external sway bar / 11 in. (27.9 cm) suspension travel Twin tube gas charged shocks Maxxis Coronado 2.0† 27 x 9/11 x 14 in. 14 in. cast-aluminum Dual 220 mm disc brakes with hydraulic twin-piston calipers Dual 220 mm disc brakes with hydraulic twin-piston calipers Brake holding mechanism Profiled cage. ROPS approved	Electronic Drive Belt Protection Extra-L / H / N / R / P Selectable Turf Mode / 2WD / 4WD with open front differential with ABS system Electronic Hill Descent Control ECO TM / ECO TM off / Work modes Speed Limiter Dynamic Power Steering (DPS TM) Arched double A-arm / 11 in. (27.9 cm) suspension travel Twin tube gas charged shocks Arched TTA with external sway bar / 11 in. (27.9 cm) suspension travel Twin tube gas charged shocks Maxxis Coronado 2.0† 27 x 9/11 x 14 in. 14 in. cast-aluminum Dual 220 mm disc brakes with hydraulic twin-piston calipers Dual 220 mm disc brakes with hydraulic twin-piston calipers Brake holding mechanism Profiled cage. ROPS approved
ing Assistance er Steering tt Suspension tt Shocks r Suspension r Shocks els els et r e e mated Dry	Electronic Hill Descent Control ECOTM / ECOTM Off / Work modes Speed Limiter Dynamic Power Steering (DPSTM) Arched double A-arm / 11 in. (27.9 cm) suspension travel Twin tube gas charged shocks Arched TTA with external sway bar / 11 in. (27.9 cm) suspension travel Twin tube gas charged shocks Maxxis Coronado 2.0† 27 x 9/11 x 14 in. 14 in. cast-aluminum Dual 220 mm disc brakes with hydraulic twin-piston calipers Dual 220 mm disc brakes with hydraulic twin-piston calipers Brake holding mechanism Profiled cage. ROPS approved	Electronic Hill Descent Control ECO TM / ECO TM Off / Work modes Speed Limiter Dynamic Power Steering (DPS TM) Arched double A-arm / 11 in. (27.9 cm) suspension travel Twin tube gas charged shocks Arched TTA with external sway bar / 11 in. (27.9 cm) suspension travel Twin tube gas charged shocks Maxxis Coronado 2.0† 27 x 9/11 x 14 in. 14 in. cast-aluminum Dual 220 mm disc brakes with hydraulic twin-piston calipers Dual 220 mm disc brakes with hydraulic twin-piston calipers Brake holding mechanism Profiled cage. ROPS approved
er Steering tt Suspension tt Shocks r Suspension r Shocks tt / Rear Tires eels tt r ers e mated Dry	ECO™ / ECO™ Off / Work modes Speed Limiter Dynamic Power Steering (DPS™) Arched double A-arm / 11 in. (27.9 cm) suspension travel Twin tube gas charged shocks Arched TTA with external sway bar / 11 in. (27.9 cm) suspension travel Twin tube gas charged shocks Maxxis Coronado 2.0† 27 x 9/11 x 14 in. 14 in. cast-aluminum Dual 220 mm disc brakes with hydraulic twin-piston calipers Dual 220 mm disc brakes with hydraulic twin-piston calipers Profiled cage. ROPS approved	ECO™ / ECO™ Off / Work modes Speed Limiter Dynamic Power Steering (DPS™) Arched double A-arm / 11 in. (27.9 cm) suspension travel Twin tube gas charged shocks Arched TTA with external sway bar / 11 in. (27.9 cm) suspension travel Twin tube gas charged shocks Maxxis Coronado 2.0† 27 x 9/11 x 14 in. 14 in. cast-aluminum Dual 220 mm disc brakes with hydraulic twin-piston calipers Dual 220 mm disc brakes with hydraulic twin-piston calipers Brake holding mechanism Profiled cage. ROPS approved
nt Suspension nt Shocks r Suspension r Shocks nt / Rear Tires eels nt r ers e mated Dry	Arched double A-arm / 11 in. (27.9 cm) suspension travel Twin tube gas charged shocks Arched TTA with external sway bar / 11 in. (27.9 cm) suspension travel Twin tube gas charged shocks Maxxis Coronado 2.0† 27 x 9/11 x 14 in. 14 in. cast-aluminum Dual 220 mm disc brakes with hydraulic twin-piston calipers Dual 220 mm disc brakes with hydraulic twin-piston calipers Profiled cage. ROPS approved	Arched double A-arm / 11 in. (27.9 cm) suspension travel Twin tube gas charged shocks Arched TTA with external sway bar / 11 in. (27.9 cm) suspension travel Twin tube gas charged shocks Maxxis Coronado 2.0† 27 x 9/11 x 14 in. 14 in. cast-aluminum Dual 220 mm disc brakes with hydraulic twin-piston calipers Dual 220 mm disc brakes with hydraulic twin-piston calipers Profiled cage. ROPS approved
nt Shocks r Suspension r Shocks nt / Rear Tires eels nt r ers e mated Dry	Twin tube gas charged shocks Arched TTA with external sway bar / 11 in. (27.9 cm) suspension travel Twin tube gas charged shocks Maxxis Coronado 2.0† 27 x 9/11 x 14 in. 14 in. cast-aluminum Dual 220 mm disc brakes with hydraulic twin-piston calipers Dual 220 mm disc brakes with hydraulic twin-piston calipers Brake holding mechanism Profiled cage. ROPS approved	Twin tube gas charged shocks Arched TTA with external sway bar / 11 in. (27.9 cm) suspension travel Twin tube gas charged shocks Maxxis Coronado 2.0† 27 x 9/11 x 14 in. 14 in. cast-aluminum Dual 220 mm disc brakes with hydraulic twin-piston calipers Dual 220 mm disc brakes with hydraulic twin-piston calipers Brake holding mechanism Profiled cage. ROPS approved
r Suspension r Shocks ht / Rear Tires eels ht r ers e mated Dry	Arched TTA with external sway bar / 11 in. (27.9 cm) suspension travel Twin tube gas charged shocks Maxxis Coronado 2.0† 27 x 9/11 x 14 in. 14 in. cast-aluminum Dual 220 mm disc brakes with hydraulic twin-piston calipers Dual 220 mm disc brakes with hydraulic twin-piston calipers Brake holding mechanism Profiled cage. ROPS approved	Arched TTA with external sway bar / 11 in. (27.9 cm) suspension travel Twin tube gas charged shocks Maxxis Coronado 2.0† 27 x 9/11 x 14 in. 14 in. cast-aluminum Dual 220 mm disc brakes with hydraulic twin-piston calipers Dual 220 mm disc brakes with hydraulic twin-piston calipers Brake holding mechanism Profiled cage. ROPS approved
r Shocks ht / Rear Tires eels ht r ers e mated Dry	Twin tube gas charged shocks Maxxis Coronado 2.0† 27 x 9/11 x 14 in. 14 in. cast-aluminum Dual 220 mm disc brakes with hydraulic twin-piston calipers Dual 220 mm disc brakes with hydraulic twin-piston calipers Brake holding mechanism Profiled cage. ROPS approved	Twin tube gas charged shocks Maxxis Coronado 2.0† 27 x 9/11 x 14 in. 14 in. cast-aluminum Dual 220 mm disc brakes with hydraulic twin-piston calipers Dual 220 mm disc brakes with hydraulic twin-piston calipers Brake holding mechanism Profiled cage. ROPS approved
r Shocks ht / Rear Tires eels ht r ers e mated Dry	Maxxis Coronado 2.0† 27 x 9/11 x 14 in. 14 in. cast-aluminum Dual 220 mm disc brakes with hydraulic twin-piston calipers Dual 220 mm disc brakes with hydraulic twin-piston calipers Brake holding mechanism Profiled cage. ROPS approved	Maxxis Coronado 2.0† 27 x 9/11 x 14 in. 14 in. cast-aluminum Dual 220 mm disc brakes with hydraulic twin-piston calipers Dual 220 mm disc brakes with hydraulic twin-piston calipers Brake holding mechanism Profiled cage. ROPS approved
nt / Rear Tires	14 in. cast-aluminum Dual 220 mm disc brakes with hydraulic twin-piston calipers Dual 220 mm disc brakes with hydraulic twin-piston calipers Brake holding mechanism Profiled cage. ROPS approved	Maxxis Coronado 2.0† 27 x 9/11 x 14 in. 14 in. cast-aluminum Dual 220 mm disc brakes with hydraulic twin-piston calipers Dual 220 mm disc brakes with hydraulic twin-piston calipers Brake holding mechanism Profiled cage. ROPS approved
eels nt eers e mated Dry	14 in. cast-aluminum Dual 220 mm disc brakes with hydraulic twin-piston calipers Dual 220 mm disc brakes with hydraulic twin-piston calipers Brake holding mechanism Profiled cage. ROPS approved	14 in. cast-aluminum Dual 220 mm disc brakes with hydraulic twin-piston calipers Dual 220 mm disc brakes with hydraulic twin-piston calipers Brake holding mechanism Profiled cage. ROPS approved
nt r ers e mated Dry	Dual 220 mm disc brakes with hydraulic twin-piston calipers Dual 220 mm disc brakes with hydraulic twin-piston calipers Brake holding mechanism Profiled cage. ROPS approved	Dual 220 mm disc brakes with hydraulic twin-piston calipers Dual 220 mm disc brakes with hydraulic twin-piston calipers Brake holding mechanism Profiled cage. ROPS approved
r ers e mated Dry	Dual 220 mm disc brakes with hydraulic twin-piston calipers Brake holding mechanism Profiled cage. ROPS approved	Dual 220 mm disc brakes with hydraulic twin-piston calipers Brake holding mechanism Profiled cage. ROPS approved
ers e mated Dry	Brake holding mechanism Profiled cage. ROPS approved	Brake holding mechanism Profiled cage. ROPS approved
e mated Dry	Profiled cage. ROPS approved	Profiled cage. ROPS approved
mated Dry	ROPS approved	ROPS approved
ght*		1,964 lb (891 kg)
V x H	153.4 x 64 x 77.5 in. (389.6 x 162.5 x x 196.9 cm)	154.1 x 64 x 78 in. (391.5 x 162.5 x 198.1 cm)
elbase	115.5 in. (294 cm)	115.5 in. (294 cm)
und Clearance	12.5 in. (31.8 cm)	12.5 in. (32 cm)
go Box ensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)	72 x 54.5 x 10 in. (180,3 x 138.4 x 25.4 cm)
go Box Capacity	1,000 lb (454 kg)	1,200 lb (544 kg)
er tilt bed	N/A	N/A
gate Load acity	250 lb (113.4 kg)	250 lb (113.4 kg)
age Capacity	Total: 11.1 gal (42.1 L)	Total: 94 gal (356 L)
ing Capacity	2,500 lb (1,134 kg)	2,500 lb (1,134 kg)
oad Capacity Capacity	1,750 lb (793,8 kg) 10.6 gal (40 L)	1,700 lb (771 kg) 10.6 gal (40 L)
son Capacity	6	3
ge	7.6 in. wide digital display with keypad	7.6 in. wide digital display with keypad
ery		12-V (30 amp/h)
ineto	650-W	650-W
rumentation	DC outlet (10-A)	DC outlet (10-A)
ting	Front lighting output 140-W LED tail lights	Front lighting output 140-W LED tail lights
	4,500 lb (2,041 kg) winch with roller fairlead	4,500 lb (2,041 kg) winch with roller fairlead
ch	60/40 VERSA-PRO bench seat with passenger seats flipping up, underside hooks, reinforced seat skin adjustable driver seat	60/40 VERSA-PRO bench seat with passenger seats flipping up, underside hooks, reinforced seat skin adjustable driver seat
ch t	Adjustable tilt steering	Adjustable tilt steering
		Integrated front steel bumper HMWPE full skid plate
t	Integrated front steel bumper HMWPE full skid plate Front fender extension	Front fender extension
jne rur	eto mentation ng	eto 650-W mentation DC outlet (10-A) ng Front lighting output 140-W LED tail lights 4,500 lb (2,041 kg) winch with roller fairlead 60/40 VERSA-PRO bench seat with passenger seats flipping up, underside hooks, reinforced seat skin adjustable driver seat ng Wheel Adjustable tilt steering Integrated front steel bumper HMWPE full skid plate

Status Website Mail agent Threads Control (1/C ¹) with Electronic Fuel Insection EPD) Inselection EPD Insection EPD Inselection EPD Insection EPD Inselection EPD Insection EPD Transmission PPD-1000 LCPT with Data Response bytem (1/C ¹) Insection EPD PPD-1000 LCPT with Data Response bytem (1/C ¹) Insection EPD PPD-1000 LCPT with Data Response bytem (1/C ¹) Insection EPD Transmission PPD-1000 LCPT with Data Response bytem (1/C ¹) Insection EPD PPD-1000 LCPT with Data Response bytem (1/C ¹) Insection EPD Drivery Taxa Selectrabe Tor Mode / 2PD / 4PD Data Market Response bytem (1/C ¹) Insection EPD PPD-1000 LCPT with Data Response bytem (1/C ¹) Insection EPD Prover Taxa Selectrabe Tor Mode / 2PD / 4PD Data Market (1/C ¹) Virk N / P Prover Data Market (1/C ¹) Virk P / PD Prover Taxa Selectrabe Tor Mode / 2PD / 4PD Data Market (1/C ¹) Virk P / PD Selectrabe Tor Mode / 2PD / 4PD Data Market (1/C ¹) Virk P / PD Prover Taxa Selectrabe Tor Mode / 2PD / 4PD Data Market (1/C ¹) Virk P / PD Selectrabe Tor Mode / 2PD / 4PD Data Market (1/C ¹) Virk P / PD Response Driver Selectrabe Selectrabe Selectrabe PD / 4PD Data Market (1/C ¹) Virk P / PD Selectrabe Tor Mode / 2PD / 4PD / 4P				TRAXTER	
Status Website Mail agent Threads Control (1/C ¹) with Electronic Fuel Insection EPD) Inselection EPD Insection EPD Inselection EPD Insection EPD Inselection EPD Insection EPD Transmission PPD-1000 LCPT with Data Response bytem (1/C ¹) Insection EPD PPD-1000 LCPT with Data Response bytem (1/C ¹) Insection EPD PPD-1000 LCPT with Data Response bytem (1/C ¹) Insection EPD Transmission PPD-1000 LCPT with Data Response bytem (1/C ¹) Insection EPD PPD-1000 LCPT with Data Response bytem (1/C ¹) Insection EPD Drivery Taxa Selectrabe Tor Mode / 2PD / 4PD Data Market Response bytem (1/C ¹) Insection EPD PPD-1000 LCPT with Data Response bytem (1/C ¹) Insection EPD Prover Taxa Selectrabe Tor Mode / 2PD / 4PD Data Market (1/C ¹) Virk N / P Prover Data Market (1/C ¹) Virk P / PD Prover Taxa Selectrabe Tor Mode / 2PD / 4PD Data Market (1/C ¹) Virk P / PD Selectrabe Tor Mode / 2PD / 4PD Data Market (1/C ¹) Virk P / PD Prover Taxa Selectrabe Tor Mode / 2PD / 4PD Data Market (1/C ¹) Virk P / PD Selectrabe Tor Mode / 2PD / 4PD Data Market (1/C ¹) Virk P / PD Response Driver Selectrabe Selectrabe Selectrabe PD / 4PD Data Market (1/C ¹) Virk P / PD Selectrabe Tor Mode / 2PD / 4PD / 4P					
Function Function Intelligent Throthe Control (TC ¹⁷) with Electronic Function (TC ¹		Туре	65 hp / 59 lb-ft , Rotax® 976 cc, V-twin, liquid cooled	82 hp / 69 lb-ft, Rotax® 976 cc, V-twin, liquid cooled	82 hp / 69 lb-ft, Rotax [®] 976 cc, V-twin, liquid cooled
Parameters Procession PROTORD CUT with clask Response System (DBS), hyp aird/ov write/into and Electronic Drive Bits Protection Ecent / 14 / 14 / 14 / 14 / 14 / 14 / 14 / 1					Intelligent Throttle Control (iTC™) with Electronic Fuel
Prior Tain Selectable Turl Mode / 2007 / 400 xim Visco-Laft asto locking from differential uso locking from differential sub locking from differential color Visco Fing Ansatz ECOV / Ecolor Boking ECOV / Ecolor Boking Ecolor Actional Status Tot tube gas charged shocks The tube gas charged sh	S	-	PRO-TORQ CVT with Quick Response System (QRS),	PRO-TORQ CVT with Quick Response System (QRS),	PRO-TORQ CVT with Quick Response System (QRS), Electronic Drive Belt Protection, lower gearing ratio
Number of the section of the	ENGINE		Protection	Protection	and high airflow ventilation with strategically posi- tioned CVT air intake and exhaust
BCOM* (ESC)***CP ESCO** (ESC)***CP COM* ESCO** (ESC)***CP COM* ESCO** (ESC)***CP Commer Speed		Drive Train			Selectable Turf Mode / 2WD / 4WD TRAIL / 4WD MUD with exclusive Smart-Lok*
Priori Device Arean / Priori Device Area / Priori Device Arean / Priori </th <th></th> <th>Driving Assistance</th> <th>ECO™ / ECO™ Off / Work modes</th> <th>ECO™ / ECO™ Off / Work modes</th> <th>ECO[™] / ECO[™] Off / Work modes</th>		Driving Assistance	ECO™ / ECO™ Off / Work modes	ECO™ / ECO™ Off / Work modes	ECO [™] / ECO [™] Off / Work modes
Sector Constrained 11 In (22 4 cm) supportsort travel supportsort travel supportsort travel Prof. Shocks Twin the gas charged dhocks Prof. Shocks Twin the gas charged dhocks Twin the gas charged dhocks Twin the gas charged dhocks Prof. Fiscal Time XPS Trail Forg XPS Trail Forg XPS Trail Forg YPS Trail Forg XPS Trail Forg XPS Trail Forg XPS Trail Forg YPS Trail Forg ZPS Trail Forg XPS Trail Forg XPS Trail Forg YPS Trail Forg ZPS Trail Forg XPS Trail Forg XPS Trail Forg YPS Trail Forg ZPS Trail Forg XPS Trail Forg XPS Trail Forg Prof. Dual 220 rm dic brakes with hydraulic twin-piats Dual 220 rm dic brakes with hydraulic twin-piats Dual 220 rm dic brakes with hydraulic twin-piats Dual 220 rm dic brakes with hydraulic twin-piats Dual 220 rm dic brakes with hydraulic twin-piats Dual 220 rm dic brakes with hydraulic twin-piats Dual 220 rm dic brakes with hydraulic twin-piats Dual 220 rm dic brakes with hydraulic twin-piats Dual 220 rm dic brakes approved		Power Steering	Dynamic Power Steering (DPS™)	Dynamic Power Steering (DPS™)	Dynamic Power Steering (DPS™)
Status O O O Status Priort/ Rear Tires XPS Trail Force 2 7 x 9/11 x 14 in. ZPS Trail Force 2 7 x 9/11 x 14 in. ZPS Trail Force 2 7 x 9/11 x 14 in. ZPS Trail Force 2 7 x 9/11 x 14 in. ZPS Trail Force 2 7 x 9/11 x 14 x 9/1. ZPS Trail Force 2 7 x 9/11 x 14 x 9/1. ZPS Trail Force 2 7 x 9/11 x 14 x 9/1. ZPS Trail Force 2 7 x 9/11 x 14 x 9/1. ZPS Trail Force 2 7 x 9/11 x 14 x 9/1. ZPS Trail Force 2 7 x 9/11 x 14 x 9/1. ZPS Trail Force 2 7 x 9/11 x 14 x 9/1. ZPS Trail Force 2 7 x 9/11 x 16 z 9/11 x 14 x 9/1. ZPS Trail Force 2 7 x 9/1	SNO	· ·	10 in. (25.4 cm) suspension travel	11 in. (27.9 cm) suspension travel	
Status O O O Status Priort/ Rear Tires XPS Trail Force 2 7 x 9/11 x 14 in. ZPS Trail Force 2 7 x 9/11 x 14 in. ZPS Trail Force 2 7 x 9/11 x 14 in. ZPS Trail Force 2 7 x 9/11 x 14 in. ZPS Trail Force 2 7 x 9/11 x 14 x 9/1. ZPS Trail Force 2 7 x 9/11 x 14 x 9/1. ZPS Trail Force 2 7 x 9/11 x 14 x 9/1. ZPS Trail Force 2 7 x 9/11 x 14 x 9/1. ZPS Trail Force 2 7 x 9/11 x 14 x 9/1. ZPS Trail Force 2 7 x 9/11 x 14 x 9/1. ZPS Trail Force 2 7 x 9/11 x 14 x 9/1. ZPS Trail Force 2 7 x 9/11 x 16 z 9/11 x 14 x 9/1. ZPS Trail Force 2 7 x 9/1	ENS				
Status O O O Status Priort/ Rear Tires XPS Trail Force 2 7 x 9/11 x 14 in. ZPS Trail Force 2 7 x 9/11 x 14 in. ZPS Trail Force 2 7 x 9/11 x 14 in. ZPS Trail Force 2 7 x 9/11 x 14 in. ZPS Trail Force 2 7 x 9/11 x 14 x 9/1. ZPS Trail Force 2 7 x 9/11 x 14 x 9/1. ZPS Trail Force 2 7 x 9/11 x 14 x 9/1. ZPS Trail Force 2 7 x 9/11 x 14 x 9/1. ZPS Trail Force 2 7 x 9/11 x 14 x 9/1. ZPS Trail Force 2 7 x 9/11 x 14 x 9/1. ZPS Trail Force 2 7 x 9/11 x 14 x 9/1. ZPS Trail Force 2 7 x 9/11 x 16 z 9/11 x 14 x 9/1. ZPS Trail Force 2 7 x 9/1	USP		sion travel	suspension travel	suspension travel
Bit	~ <u>s</u>				
System Dual 220 mm diac brakes with hydraulic twin-piaton planers Rear Dual 220 mm diac brakes with hydraulic twin-piaton Others Dual 220 mm diac brakes with hydraulic twin-piaton planers Dual 220 mm diac brakes with hydraulic twin-piaton planers Others N/A Brake holding mechanism Brake holding mechanism Brake holding machanism Cage Profiled cage. RPG Supproved Profiled cage. RPG Supproved Profiled cage. RPG Supproved Profiled cage. RPG Supproved L K W kH 121 x 62 x 76 h. (307 x 1 k 157 x 51 x 193 cm) 125 7 x 64 x 80 h. (31 h, (21 5 cm) 128 4 x 64 x 12 h. (32 6 x 162 4 x 20 8 . cm) Wheelbase 83 in, (21 1 5 cm) 13 in, (33 cm) 13 in, (33 cm) 13 in, (33 cm) Ground Clearance 11 in, (48 cm) 1.00 to (46 4 kg) 1.00 to (46 4 kg) 1.00 to (46 4 kg) Power till bed N/A N/A N/A N/A Storage Capacity 1.00 to (46 4 kg) 1.00 to (46 4 kg) 1.00 to (46 4 kg) Payload Capacity 1.00 to (160 kg) 1.00 to (160 kg) 1.00 to	HEEL		7 x 9/11 x 14 in.	27 x 9/11 x 14 in.	30 x 9/11 x 14 in.
State Calipers Calipers Calipers Resr Dul 20 mm disc brakes with hydraulic single-piton calipers Cage Profiled cage. ROPS approved Profiled cage. ROPS approved Profiled cage. ROPS approved Profiled cage. ROPS approved Weight* 1,21 x 62 x 75 in 10. (307 x 157 5 x 193 cm) 125 x 64 x 80 in. (319 4 x 162 5 x 202 2cm) 126 x 45 x 268 2 cm) Wheebase 83 in (211.5 cm) 153 in (23 1 cm) 38 in (211.5 cm) 38 in (211.5 cm) Grapo Box Dimen- cargo Box Dimen- ging Capacity 10.00 th (64 kg) 1.000 th (64 kg) 1.000 th (64 kg) Yeight 20 to (113 4 kg) Strage Capacity 1.000 th (64 kg) 1.000 th (64 kg) 1.000 th (64 kg) Yeight 1.500 th (130 4 kg) 2.500 th (113 4 kg) 2.500 th (113 4 kg) Strage Capacity 1.00 th (64 kg) 1.000 th (64 kg) 1.500 th (600 kg) Farge Capacity 1.00 th (64	F§				
OthersN/ABrake holding mechanismBrake holding mechanismCageProfiled cage. ROPS approvedProfiled cage. ROPS approvedProfiled cage. ROPS approvedEstimated Dry Weight*1,541 lb (699 kg)1,623 lb (736 kg)1,746 lb (739 kg)L xW X H121 x 62 x 76 in. (207 x 187 5 x 193 cm)125 x 64 x 80 in. (219 x 4 x 64 x 20 a.cm)129 4 x 64 x 82 in. (238 x 162 & x 08.3 cm)Wheelbase83 in. (211 5 cm)131 k, 133 cm)131 k, 133 cm)33 k 64.5 x 12 in. (96 5 x 138 4 x 30.5 cm)Carge Dox Capacity1000 lb (454 kg)1.000 lb (454 kg)1000 lb (454 kg)Power tilt bedN/AN/AN/ACarge Dox Capacity250 lb (113.4 kg)250 lb (113.4 kg)Storage Capacity2500 bb (113.4 kg)250 lb (113.4 kg)Towing Capacity2.500 bb (113.4 kg)2.500 bb (113.4 kg)Storage Capacity1.600 lb (640 kg)1.600 lb (640 kg)Towing Capacity1.500 bb (610 kg)1.500 bb (613 kg)Person Capacity1.500 bb (613 kg)2.500 bb (113.4 kg)Storage Capacity1.500 bb (680 kg)1.500 bb (680 kg)Person Capacity33Gauge4.5 in. wide digital display4.5 in. wide digital displayPerson Capacity33Gauge4.5 in. wide digital display7.6 in. wide digital display with keypadBattery122 V (18 amp/h)122 V (08 amp/h)Heil Capacity10.6 gal (40.1)10.6 gal (40.1)Person Capacity33Gauge <t< th=""><th>AKES</th><th></th><th>calipers</th><th>calipers</th><th>calipers Dual 220 mm disc brakes with hydraulic single-piston</th></t<>	AKES		calipers	calipers	calipers Dual 220 mm disc brakes with hydraulic single-piston
Cage Profiled cage. RDPS approved Status 1.43 1b (699 kg) 1.623 b (738 kg) 1.748 b (732 kg) 1.748 b (732 kg) L xW xH 121 x 62 x 761 n. (307.1 x 157.5 x 193 cm) 125.7 x 64 x 60 in. (307.1 x 157.5 x 193 cm) 125.7 x 64 x 60 in. (312.4 x 162.5 x 203.2 cm) 123.8 x 162 5 x 203.3 cm) Wheelbase 83 in (211.5 cm) 83 in. (211.5 cm) 83 in. (211.5 cm) 83 in. (211.5 cm) Ground Clearance 11 in. (28 cm) 13 in. (33 cm) 15 in. (38 t 1 cm) Cargo Box Dimen- eration 38 x 54.5 x 12 in. (38 x 54.5 x 12 in. (38 x 54.5 x 12 in. (38 x 54.5 x 12 in. (300 b (454 kg) 1,000 b (454 kg) 1,000 b (454 kg) Power tilt bed N/A N/A N/A N/A Total: 16.2 gal (61.3 L) Storage Capacity 1.600 b (680 kg) 1.500 b (680 kg) 1.500 b (680 kg) 1.500 b (680 kg) Fuel Capacity 2.500 b (113 4 kg) Payload Capacity	BR	Others			
Stimated Dry Weight*1,541 lb (899 kg)1,623 lb (736 kg)1,746 lb (792 kg)L xW x H (307.1 x157.5 x 193 cm) (307.1 x157.5 x 193 cm) (307.1 x157.5 x 193 cm)125.7 x 64 x 80 i.m. (314.4 x 162.5 x 202.0m)129.4 x 64 x 82 i.m. (328 x 162.6 x 208.3 cm) (328 x 162.6 x 208.3 cm)Wheelbase Ground Clearance is mo sin (211.5 cm)83 in (211.5 cm) 38 x 64.5 x 12 i.m. (38 x 64.5 x 12 i.m.) (38 x 64.5 x 12 i.m. (38 x 64.5 x 12 i.m.) (38 x 64.5 x 12 i.m.) (38 x 64.5 x 12 i.m. (38 x 64.5 x 12 i.m.) (38 x 64.5 x 12 i.m.)38 x 64.5 x 12 i.m.) (38 x 64.5 x 12 i.m.) (38 x 64.5 x 12 i.m.)T eligit Load C carpe cipacity Paylead Capacity Paylead Capacity 1.500 b (134 kg) 2.500 b (1134 kg)1.000 b (64.5 kg) 2.500 b (1134 kg)1.500 t (1134 kg) 2.500 b (1134 kg)T even Capacity Paylead Capacity Paylead Capacity Paylead Capacity 1.500 b (680 kg)1.500 t (680 kg) 1.500 t (680 kg)1.500 t (680 kg) 1.500					-
Velight* Velight* Velight* LxW x H 121 x 62 x 761 n. (307.1 x 157.5 x 193 cm) 125.7 x 64 x 80 n. (318.4 x 162.5 x 203.2cm) 122.4 x 64 x 82 in. (328.6 x 162.6 x 206.3 cm) Wheelbase 83 in.(211.5 cm) 83 in.(211.5 cm) 83 in.(211.5 cm) 83 in.(211.5 cm) Ground Clearance 11 in. (28 cm) 13 in.(33 cm) 15 in.(38.1 cm) 38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm) 96.5 x 138.4 x 30.5 cm) Cargo Box Capacity 1,000 1b (454 kg) 1,000 1b (454 kg) 1,000 1b (454 kg) Power tilt bed N/A N/A 1,000 1b (454 kg) Cargo Box Capacity Total: 10.4 gal (39.5 L) Total: 16.2 gal (61.3 L) Total: 16.2 gal (61.3 L) Towing Capacity Total: 10.4 gal (39.5 L) Total: 16.2 gal (61.3 L) Total: 16.2 gal (61.3 L) Payload Capacity 1,050 1b (680 kg) 1,500 1b (680 kg) 1,500 1b (680 kg) Fuel Capacity 10.6 gal (40 L) 10.6 gal (40 L) 10.6 gal (40 L) Payload Capacity 3 3 3 Gauge 4.5 in. wide digital display 7.6 in. wide digital display with keypad 12.4 V (18 amp/h) 12.4 V (18 amp/h)<		Estimated Dry			
Support (307.1 k17.5 x 193 cm) (319.4 x 162.5 x 203.2cm) (328.6 x 162.6 x 208.3 cm) Wheelbase 83 in.(211.5 cm) 83 in.(211.5 cm) 83 in.(211.5 cm) Grand Clearance 11in.(28 cm) 38 x 64.5 x 12 in. (96.5 x 138.4 x 30.5 cm) 38 x 64.5 x 12 in. (96.5 x 138.4 x 30.5 cm) 38 x 64.5 x 12 in. (96.5 x 138.4 x 30.5 cm) 38 x 64.5 x 12 in. (96.5 x 138.4 x 30.5 cm) 38 x 64.5 x 12 in. (96.5 x 138.4 x 30.5 cm) 38 x 64.5 x 12 in. (96.5 x 138.4 x 30.5 cm) 38 x 64.5 x 12 in. (96.5 x 138.4 x 30.5 cm) 38 x 64.5 x 12 in. (96.5 x 138.4 x 30.5 cm) 38 x 64.5 x 12 in. (96.5 x 138.4 x 30.5 cm) 38 x 64.5 x 12 in. (96.5 x 138.4 x 30.5 cm) 38 x 64.5 x 12 in. (96.5 x 138.4 x 30.5 cm) 38 x 64.5 x 12 in. (96.5 x 138.4 x 30.5 cm) 38 x 64.5 x 12 in. (96.5 x 138.4 x 30.5 cm) 38 x 64.5 x 12 in. (96.5 x 138.4 x 30.5 cm) 38 x 64.5 x 12 in. (96.5 x 138.4 x 30.5 cm) 38 x 64.5 x 12 in. (96.5 x 138.4 x 30.5 cm) 38 x 64.5 x 12 in. (96.5 x 138.4 x 30.5 cm) 38 x 64.5 x 12 in. (96.5 x 138.4 x 30.5 cm) 38 x 64.5 x 12 in. (96.5 x 138.4 x 30.5 cm) 38 x 64.5 x 12 in. 38 x 64.5 x 12		Weight*			
Server Sec Set	ŝ	LxWxH			
Server Sec Set	Ë	Wheelbase	83 in. (211.5 cm)	83 in. (211.5 cm)	83 in. (211.5 cm)
Vertication Data of the system o					
Vertication Data of the system o	C,				
Vertication Data of the system o	NS	Cargo Box Capacity	1,000 lb (454 kg)	1,000 lb (454 kg)	1,000 lb (454 kg)
Vertication Data of the system o	SIO	Power tilt bed	N/A	N/A	N/A
Vertication Data of the system o	MEN		250 lb (113.4 kg)	250 lb (113.4 kg)	250 lb (113.4 kg)
Payload Capacity 1,500 lb (680 kg) 1,500 lb (680 kg) 1,500 lb (680 kg) Fuel Capacity 10.6 gal (40 L) 10.6 gal (40 L) 10.6 gal (40 L) Person Capacity 3 3 3 Gauge 4.5 in. wide digital display 4.5 in. wide digital display 7.6 in. wide digital display with keypad Battery 12-V (18 amp/h) 12-V (30 amp/h) 12-V (30 amp/h) Magneto 650-W 650-W 650-W Instrumentation DC outlet (10-A) DC outlet (10-A) DC outlet (10-A) Lighting Front lighting output 140-W Eront lighting output 140-W Eront lighting output 140-W LED tail lights VERSA-PRO bench seat with passenger seats flipping up VERSA-PRO bolster bench seats with passenger seats flipping up VERSA-PRO bolster bench seats with passenger seats flipping up VERSA-PRO bolster bench seats with passenger seats flipping up VERSA-PRO bolster bench seats with passenger seats flipping up VERSA-PRO bolster bench seats with passenger seats flipping up VERSA-PRO bolster bench seats with passenger seats flipping up VERSA-PRO bolster bench seats with passenger seats flipping up Versa-PRO bolster bench seats with passenger seats flipping up Adjustable tilt steering Adjustable tilt steering	ā	Storage Capacity	Total: 10.4 gal (39.5 L)	Total: 16.2 gal (61.3 L)	Total: 16.2 gal (61.3 L)
Fuel Capacity 10.6 gal (40 L) 10.6 gal (40 L) 10.6 gal (40 L) Person Capacity 3 3 Gauge 4.5 in. wide digital display 4.5 in. wide digital display 7.6 in. wide digital display with keypad Battery 12-V (18 amp/h) 12-V (30 amp/h) 12-V (30 amp/h) Magneto 650-W 650-W 650-W Instrumentation DC outlet (10-A) DC outlet (10-A) USB Port (10-A) x 2 DC outlet (10-A) USB Port (10-A) x 2 Lighting Front lighting output 140-W LED tail lights Front lighting output 140-W LED tail lights Eco tail lights Eco tail lights Winch N/A 4,500 lb (2,041 kg) winch with roller fairlead p Relocated 4,500 lb (2,041 kg) winch with synthet and roller fairlead VERSA-PRO bench seats with passenger seats flipping up Adjustable driver seat, underside hooks, reinforced XT seat skin VERSA-PRO bolster bench seats with passenger seats flipping up Adjustable driver seat, underside hooks, reinforced XT seat skin Velsable tilt steering Adjustable tilt steering		Towing Capacity	2,500 lb (1134 kg)	2,500 lb (1134 kg)	
Person Capacity 3 3 3 Gauge 4.5 in. wide digital display 4.5 in. wide digital display 7.6 in. wide digital display with keypad Battery 12-V (18 amp/h) 12-V (30 amp/h) 12-V (30 amp/h) Magneto 650-W 650-W 650-W Instrumentation DC outlet (10-A) DC outlet (10-A) USB Port (10-A) x 2 Lighting Front lighting output 140-W Eront lighting output 140-W ED Signature LED tail lights Vinch N/A 4,500 lb (2,041 kg) winch with roller fairlead Relocated 4,500 lb (2,041 kg) winch with synthet and roller fairlead Seat VERSA-PRO bench seat with passenger seats flipping up Underside hooks VERSA-PRO bolster bench seats with passenger seats with passenger seats (in pup Underside hooks) VERSA-PRO bolster bench seats with passenger seats with passenger seats (in pup Underside hooks) VERSA-PRO bolster bench seats with passenger seats (in flipping up Adjustable driver seat, underside hooks, reinforced XT seat skin Velsable tilt steering					
Gauge 4.5 in. wide digital display 4.5 in. wide digital display 7.6 in. wide digital display with keypad Battery 12-V (18 amp/h) 12-V (30 amp/h) 12-V (30 amp/h) Magneto 650-W 650-W 650-W Instrumentation DC outlet (10-A) DC outlet (10-A) USB Port (10-A) x 2 DC outlet (10-A) Lighting Front lighting output 140-W LED tail lights Front lighting output 140-W LED tail lights Front lighting output 140-W LED tail lights Relocated 4,500 lb (2,041 kg) winch with synthet and roller fairlead Seat VERSA-PRO bench seat with passenger seats flipping underside hooks VERSA-PRO bolster bench seats with passenger seats XT seat skin VERSA-PRO bolster bench seats with passenger seats KT seat skin VERSA-PRO bolster bench seats with passenger seats KT seat skin Versach seat serving Adjustable driver seat, underside hooks, reinforced XT seat skin Adjustable tilt steering Adjustable tilt steering					
Battery 12-V (18 amp/h) 12-V (30 amp/h) 12-V (30 amp/h) Magneto 650-W 650-W 650-W Instrumentation DC outlet (10-A) DC outlet (10-A) (USB Port (10-A) x 2) DC outlet (10-A) (USB Port (10-A) x 2) Lighting Front lighting output 140-W LED tail lights Front lighting output 140-W LED tail lights Relocated 4,500 lb (2,041 kg) winch with roller fairlead and roller fairlead Winch N/A 4,500 lb (2,041 kg) winch with roller fairlead p Underside hooks VERSA-PRO bench seats with passenger seats flipping underside hooks VERSA-PRO bolster bench seats with passenger seats with passenger seat skin featuring X package trims Steering Wheel Adjustable tilt steering Adjustable tilt steering Adjustable tilt steering Adjustable tilt steering					
Instrumentation DC outlet (10-A) DC outlet (10-A) DC outlet (10-A) Lighting Front lighting output 140-W LSB Port (10-A) x 2 USB Port (10-A) x 2 Winch N/A Front lighting output 140-W ED tail lights Front lighting output 140-W Seat VERSA-PRO bench seat with passenger seats flipping up VERSA-PRO bolster bench seats with passenger seats (not punderside hooks, reinforced) VERSA-PRO bolster bench seats with passenger seats (not punderside hooks, reinforced) VERSA-PRO bolster tits steering VERSA-PRO bolster bench seats with passenger seats (not punderside hooks, reinforced) VERSA-PRO bolster tits steering VERSA-PRO bolster bench seats with passenger seats (not punderside hooks, reinforced) VERSA-PRO bolster bench seats with passenger seats (not punderside hooks, reinforced) VERSA-PRO bolster bench seats with passenger seats (not punderside hooks, reinforced) VERSA-PRO bolster bench seats with passenger seats (not punderside hooks, reinforced) VERSA-PRO bolster bench seats with passenger seats (not punderside hooks, reinforced) VERSA-PRO bolster bench seats with passenger seats (not punderside hooks, reinforced) VERSA-PRO bolster bench seats with passenger seats (not punderside hooks, reinforced) VERSA-PRO bolster bench seats with passenger seats (not punderside hooks, reinforced) VERSA-PRO bolster bench seats with passenger seats (not punderside hooks, reinforced) VERSA-PRO bolster bench seats with passenger seats (not punderside hooks, reinforced)				12-V (30 amp/h)	
Version Version <t< th=""><th></th><th>Magneto</th><th>650-W</th><th>650-W</th><th>650-W</th></t<>		Magneto	650-W	650-W	650-W
Verse LED tail lights LED tail lights LED Signature LED tail lights Vinch N/A 4,500 lb (2,041 kg) winch with roller fairlead Relocated 4,500 lb (2,041 kg) winch with synthet and roller fairlead Seat VERSA-PRO bench seat with passenger seats flipping up Underside hooks VERSA-PRO bolster bench seats with passenger with passenger seats w				USB Port (10-A) x 2	USB Port (10-A) x 2
Steering Wheel Adjustable tilt steering Adjustable tilt steering Adjustable tilt steering Adjustable tilt steering Adjustable tilt steering Adjustable tilt steering		Lighting			LED Signature
Steering Wheel Adjustable tilt steering Adjustable tilt steering Adjustable tilt steering Adjustable tilt steering Adjustable tilt steering Adjustable tilt steering	URES	Winch	N/A	4,500 lb (2,041 kg) winch with roller fairlead	Relocated 4,500 lb (2,041 kg) winch with synthetic rope and roller fairlead
XT seat skin seat skin featuring X package trims Steering Wheel Adjustable tilt steering Adjustable tilt steering	FEAT	Seat	up	flipping up	VERSA-PRO bolster bench seats with passenger seats flipping up Adjustable driver seat, underside hooks, reinforced
		a		XT seat skin	seat skin featuring X package trims
		-	· · · · ·		
Protection Integrated front steel bumper XT Front bumper Heavy-duty front steel bumper HMWPE central skid plate HMWPE full skid plate HMWPE full skid plate HMWPE full skid plate Full hard roof Full hard roof Mudguards		Protection		HMWPE full skid plate	HMWPE full skid plate Aluminum rock sliders
Hitch Type 2 in hitch receiver 2 in hitch receiver 2 in hitch receiver		Hitch Type	2 in hitch receiver	2 in hitch receiver	-



Compass Green

TRAXTER



TRAXTER XT HD10






65 hp / 59 lb-ft , Rotax® 976 cc, V-twin, liquid cooled y Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI) n PRO-TORQ CVT with Quick Response System (QRS), high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P Selectable Turf Mode / 2WD / 4WD with Visco-Lok† auto-locking front differential	82 hp / 69 lb-ft, Rotax [®] 976 cc, V-twin, liquid cooled Intelligent Throttle Control (iTC [™]) with Electronic Fuel Injection (EFI) PRO-TORQ CVT with Quick Response System (QRS),	82 hp / 69 lb-ft, Rotax® 976 cc, V-twin, liquid cooled Intelligent Throttle Control (iTC™) with Electronic Fuel
Injection (EFI) PRO-TORQ CVT with Quick Response System (QRS), high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P Selectable Turf Mode / 2WD / 4WD with Visco-Lok† auto-locking front differential	Injection (EFI)	Intelligent Throttle Centrel (ITOIN) with Electronic Evel
high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P Selectable Turf Mode / 2WD / 4WD with Visco-Lok† auto-locking front differential	PRO-TORQ CVT with Quick Response System (QRS),	Injection (EFI)
auto-locking front differential	high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P	PRO-TORQ CVT with Quick Response System (QRS), high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P
	Selectable Turf Mode / 2WD / 4WD with Visco-Lok† auto-locking front differential	Selectable 4WD / 6WD auto-Locking front differential
stance CVT Engine Braking ECO™ / ECO™ Off / Work modes Speed Limiter	CVT Engine Braking ECO™ / ECO™ Off / Work modes Speed Limiter	CVT Engine Braking ECO™ / ECO™ Off / Work modes Speed Limiter
ing Dynamic Power Steering (DPS™)	Dynamic Power Steering (DPS™)	Dynamic Power Steering (DPS™)
nsion Double A-arm / 10 in. (25.4 cm) suspension travel	Arched double A-arm / 11 in. (27.9 cm) suspension travel	Arched double A-arm / 11 in. (27.9 cm) suspension travel
s Twin tube gas charged shocks	Twin tube gas charged shocks	Twin tube gas charged shocks
nsion TTA with external sway bar / 10 in. (25.4 cm) suspension travel	Arched TTA with external sway bar / 11 in. (27.9 cm) suspension travel	Arched TTA with external sway bar / 11 in. (27.9 cm) suspension travel
Twin tube gas charged shocks	Twin tube gas charged shocks	Twin tube gas charged shocks
Tires XPS Trail Force 2 7 x 9/11 x 14 in.	XPS Trail King 27 x 9/11 x 14 in.	XPS Trail King 27 x 9/11 x 14 in.
14 in. cast-aluminum	14 in. cast-aluminum	14 in. cast-aluminum
Dual 220 mm disc brakes with hydraulic twin-piston calipers	Dual 220 mm disc brakes with hydraulic twin-piston calipers	Dual 220 mm disc brakes with hydraulic twin-piston calipers
Dual 220 mm disc brakes with hydraulic single-piston calipers	Dual 220 mm disc brakes with hydraulic single-piston calipers	Dual 220 mm disc brakes with hydraulic twin-piston calipers
N/A	Brake holding mechanism	N/A
Profiled cage. ROPS approved	Profiled cage. ROPS approved	Profiled cage. ROPS approved
ry 1,541 lb (699 kg)	1,623 lb (736 kg)	1,953 lb (886 kg)
121 x 62 x 76 in. (307.1 x 157.5 x 193 cm)	125.7 x 64 x 80 in. (319,4 x 162.5 x 203.2cm)	154.1 x 64 x 78 in. (391.5 x 162.5 x 198.1 cm)
83 in. (211.5 cm)	83 in. (211.5 cm)	115.5 in. (294 cm)
arance 11 in. (28 cm)	13 in. (33 cm)	13 in. (33 cm)
imen- 38 × 54.5 × 12 in. (96.5 × 138.4 × 30.5 cm)	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)	72 x 54.5 x 10 in. (180,3 x 138.4 x 25.4 cm)
apacity 1,000 lb (454 kg)	1,000 lb (454 kg)	1,000 lb (454 kg)
ad N/A d 250 lb (113.4 kg)	N/A 250 lb (113.4 kg)	N/A 250 lb (113.4 kg)
2 200 D (113.4 Kg)	230 ID (113.4 Kg)	230 ID (113.4 kg)
acity Total: 10.4 gal (39.5 L)	Total: 16.2 gal (61.3 L)	Total: 10.4 gal (39.5 L)
acity 2,500 lb (1134 kg)	2,500 lb (1134 kg)	3,000 lb (1360.8 kg)
hacity 1,500 lb (680 kg)	1,500 lb (680 kg)	1,700 lb (771 kg)
ty 10.6 gal (40 L)	10.6 gal (40 L)	10.6 gal (40 L)
acity 3	3	3
4.5 in. wide digital display	4.5 in. wide digital display	4.5 in. wide digital display 12-V (30 amp/h)
		650-W
	DC outlet (10-A)	DC outlet (10-A)
650-W DC outlet (10-A)	Front lighting output 140-W LED tail lights	Front lighting output 140-W LED tail lights
650-W	4,500 lb (2,041 kg) winch with roller fairlead	N/A
650-W tion DC outlet (10-A) Front lighting output 140-W		VERSA-PRO bench seat with passenger seats flipping up Underside hooks
650-W tion DC outlet (10-A) Front lighting output 140-W LED tail lights	VERSA-PRO bolster bench seats with passenger seats flipping up Adjustable driver seat, underside hooks, reinforced XT seat skin	
650-W tton DC outlet (10-A) Front lighting output 140-W LED tail lights N/A VERSA-PRO bench seat with passenger seats flipping up	flipping up Adjustable driver seat, underside hooks, reinforced XT	Adjustable tilt steering
650-W ttion DC outlet (10-A) Front lighting output 140-W LED tail lights N/A VERSA-PRO bench seat with passenger seats flipping up Underside hooks	flipping up Adjustable driver seat, underside hooks, reinforced XT seat skin	Adjustable tilt steering Integrated front steel bumper HIMWPE central skid plate
	DC outlet (10-A) Front lighting output 140-W LED tail lights	650-W 650-W DC outlet (10-A) DC outlet (10-A) USB Port (10-A) x 2 Front lighting output 140-W Front lighting output 140-W LED tail lights Front lighting output 140-W VERSA-PRO bench seat with passenger seats flipping up Underside hooks VERSA-PRO bolster bench seats with passenger seats flipping up Adjustable driver seat, underside hooks, reinforced XT

TRAXTER ACCESSORIES

Roofs	10
Cabs	11
Windshields & Mirrors	12
Rear Wind Protection	14
Doors	15
Seat Accessories	17
Aluminum Skid Plates	18
Bumpers & Guards	19
LinQ: Easy On, Easy Off Cargo	22
Cargo & Storage	27
Racks & Holders	30
Lights	33
Audio & Communication Systems	36
Electronic Accessories	37
Winches & Hitches	40
Performance	43
Apache Track Systems	45
ProMount Plows	48
Covers & Add-Ons	52



BUNDLE UP TO GET IT ALL DONE. YOUR TRAXTER BUNDLES.

STEP 1: Choose y	OUR ESSENTIAL BUNDLE	Traxter	Traxter MAX	Traxter PRO and 6x6
	Sport Roof	715002430	715003038	715002430
	Flip Windshield – Hardcoated	715002442	715002442	715002442
STARTER	Rear Polycarbonate Window	715007081	715007081	715007081
	Side Mirror	715008101	715008101	715008100
	Dash Storage Compartment Nets	715003129	715003129	715003129
	LinQ Tailgate Extension/Divider	715002464	715002464	715005412
	LinQ Cargo Rack for Long Box	715006140	715006140	715006140
	Cargo Bed Protectors & Tie Rails	N/A	N/A	715005415
ADVANCED	LinQ 12 Gal (45 L) Cargo Box	715003879	715003879	715003879
	Rear Accessory Bar	715005450	715005450	715005450
	LinQ Adapter	715003058	715003058	715003058
	Rear View Mirror and Camera Monitor	715009410	715009410	715009410
	LinQ Tool Holder	715007358	715007358	715007358
PEAK	Fender Flares	715006821	715006821	715005409 6x6 715006001 Pro
	Center Underseat Storage Bin	715003446	715003446	715003446

STEP 2: PICK YOUR ADD-ON BUNDLE

LIPU IO	UK AVV-VN DUNVLE	Traxter	MAX	PRO and 6x6
	Can-Am Audio Roof	715005206	N/A	715005206
	Can-Am Audio Roof MAX	N/A	715006879	N/A
AUDIO	USB Power Outlet Kit	219400510	219400510	219400510
	Auxiliary Battery Installation Kit	715006035	715006035	715006035
	Dual Gun Holder	715005265	715005265	715005265
HUNT	Rock Sliders	715006671	715006721	715006721
	LinQ 8 Gal (30 L) Cooler Box	715004778	715004778	715004778
	Deluxe Headache Rack	715002423	715002423	715002423
	LinQ Front Rack	715006064	715006064	715006064
WORK	Front Bumper	715005754	715005754	715005754
	LinQ Tool & Gun Holder	715005466	715005466	715005466
	Front Soft Doors	715008059	715008059	715008059
	Rear Soft Doors	N/A	715006318	N/A
WINTER	Defrost, Heat & Ventilation System	715008093 715008095	715008093 715008095	715008093 715008095
	Tonneau Cover	715008306	715008306	N/A

Traxter

Traxter

ROOFS

		Traxter	715002430		
Sport Roof		Traxter MAX	715003038		
	Robust injection-molded po Provides added protection f	lypropylene construction. for rider and passenger from the elements.			
		Traxter	715002511		
Deluxe Sport Roof		Traxter MAX	715003039		
Complete roof kit provides and also diminishes noise		to the seal kit and the liners included.	Includes - Sport Roof - Sport Roof Seal Kit - Front Roof Liner - Rear Roof Liner		
		Traxter	715003126		
Sport Roof Seal Kit (Not illustrated)		Traxter MAX	715003583		
Bimini Roof with Sun Visor Traxter MAX • Heavy-duty canvas made of UV-resistant polyester. • Soft top comes with a hard visor that allows for storage of rolled-up soft top an • Quick and easy installation.			T15003030 · Black		
Front Roof Liner		Traxter, Traxter MAX	715008226		
		roof-mounted lights and audio systems. of Windshield Wiper and Washer Kit.			
		Traxter [†]	715006334		
Rear Roof Liner		Traxter MAX [‡] (Not illustrated)	715006391		
	Quick and easy vehicle enhancement. Allows better integration of other accessories installed on the roof. Seal Kit necessary when installing with Sport Roof. Not compatible with: 715002920, 715006680, 715003249, 715002852.				
	†Needs to be installed with Sport Roof (715002430). ‡Needs to be installed with Sport Roof (715003038).				

CABS

Hard Cabs

		Traxter (all model years) (except X mr models)	715007269
Clear Rigid Cab		Traxter MAX 2022 & up (except X mr models)	715007270
	 Includes: Front Clear Rigid Doors Sport Roof Flip Glass Windshield 		
0-0-0	 Rear Polycarbonate Window Sport Roof Seal Kit 	N.	

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

NEW Deluxe Cab Enclosure		Traxter (all model years) (except Traxter MAX 2022 & up (mode after January 18, 2021) (except	ls produced	715009904 715009905	
	Provides driver and passenger with the best protection from the elements and the cold, and features the most complete top-of-the-line accessories our product lineup has to offer.	Includes: Deluxe Sport Roof Kit Flip Glass Windshield with Wiper and Washer Kit	 Front Delux with key loo latches Rear Glass Sliding Pan 	king door Window with	 Wiper and Powered Windows Cable Roof Power Cable Color Panels required (sold separately)

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Soft Cabs		
	Traxter (all model years)	715008063
Soft Cab Enclosure (Not illustrated)	Traxter MAX 2018 & prior, Traxter MAX 2022 & up (models produced after January 18, 2021)	715008064
Included:		

- Sport Roof - Full Hardcoated Windshield

- Soft Doors

- Rear Polycarbonate Window

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

	Deluxe Cab Enclosure	Deluxe Cab Enclosure MAX	Clear Rigid Cab	Clear Rigid Cab MAX	Soft Cab Enclosure	Soft Cab Enclosure MAX
Kit	715009904	715009905	715007269	715007270	715008063	715008064
Windshield	715002441	715002441	715002942	715002942	715002432	715002432
Rear Window	715007080	715007080	715007081	715007081	715007081	715007081
Roof	715002430	715003038	715002430	715003038	715002430	715003038
Front Doors	715009906	715009906	715006261	715006261	715008059	715008059
Rear Doors	-	715009907	-	715006262	-	715006318
Others	715004462	715004462	715003126	715003583	-	-
	715003094	715003094				
	715003126	715003583				
	715008226	715008226				
	715006334	715006391				

WINDSHIELDS & MIRRORS

Windshields

owerflip Windshield	Traxter, Traxter MAX	715003885	
	 The PowerFlip Windshield is equipped with electric cylinders that allow the rider to adjust the windshield opening at the touch of a button. 	 Can be fully opened for optimal visibility and ventilation fully closed for maximum protection from the elements and in between, you have an infinite number of opening 	
	 Windshield is made of hardcoated polycarbonate with a rubber seal contour and a tinted top section. 	possibilities depending on protection, visibility and air flow preferences.	
-	 Allows you to quickly adapt to changing conditions by adjusting the windshield as you go. 	 Compatible with Can-Am roofs and windshield wiper a washer kit. 	

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Flip Glass Windshield		Traxter, Traxter MAX		715002942
لمحصي	Curved and laminated glass in metal frame.		located at the	ssisted operation and pivots on 2 hinges top of the windshield.
	 Provides excellent optical classification Seals firmly against the cage passenger from the element controlled air flow. 	e and protects rider and		dy conditions. with Windshield her Kit (715001638).
	 3-position flip can be set at full 	ly closed, ¼ open, or fully open.		

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Flip Glass Windshield With	Wiper & Washer Kit	Traxter, Traxter MAX	715002441
	 Curved and laminated glas frame. Provides excellent optical of Seals firmly against the cag passenger from the element controlled airflow. Flip windshield can be set according to your preferent 	clarity. ge and protects rider and nts while allowing for fully closed or fully open	 Ideal for muddy conditions. Gas-shock-assisted operation and pivots on 2 hinges located at the top of the windshield. Single-speed wiper with washer fluid dispenser. Requires Wiper and Power Cables: If equipped with the Sport Roof, Power Cables 710004462 & 715003094 are required. If equipped with the Audio Roof, Power Cables 715008781 & 715003094 are required.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Flip Windshield – Hardcoated		Traxter, Traxter MAX		715002442	
	polycarbonate full windshield in metal frame. or • Provides excellent optical clarity and better abrasion • Ga		or fully open • Gas-shock-a • Ideal for muc	Gas-shock-assisted operation. Ideal for muddy conditions.	
Glass Windshield		Traxter, Traxter MAX		715001303	
				d with Windshield Wiper & Washer Kit to maintain clear visibility during severe ions.	
	Installation of some accessor for information.	ies shown may impact vehicle	compliance with	some regulations. Consult your local dealer	
Full Windshield – Hardcoated		Traxter, Traxter MAX		715002432	
	0 1				

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Full Windshield		Traxter, Traxter MAX	715002431
	 High-impact-resistant full windshield. Formulated to be non- non-cracking with exco optical clarity. 		Protects driver and passenger fro
	Installation of some acc for information.	essories shown may impact vehicle	compliance with some regulations. Consult your local deale
Half Windshield		Traxter, Traxter MAX	715002433
	optical clarity.	vellowing, non-crazing, ellent UV resistance and	 Protects driver and passenger from the elements. Features reverse angle lip to deflect air flow. Quick and easy tool-less installation or removal. Not compatible with Soft Doors.
	for information.	1	
ProVent Windshield		Traxter, Traxter MAX	715005276
	closes to eliminate air	dshield. with Full Cab Enclosure. nanage air flow. abin, defogs windshield, fully flow.	 2 lower vents and one upper vent (pre-filter installed). Provides excellent optical clarity and better abrasion resistance. Protects driver and passenger from the elements. Quick and easy tool-less installation or removal. Not compatible with wiper kits.
Vindshield Wiper & Washer		Traxter, Traxter MAX	715001638
	windshields frame mo Must be used with the Flip Glass Windshield Windshield (71500388 Installation of some acc	wiper, washer fluid dispenser and unt. Glass Windshield (715001303) or (715002942) or Powerflip 5).	Sport Roof, Power Cables 710004462 & 715003094 are required. If equipped with the Audio Roof, Power Cables 715008781 & 715003094 are required.
Niper & Power Window Cab	for information.		
Not illustrated)			79) with the following accessories: Flip Glass Windshield wi her Kit (715001638) and Front Deluxe Full doors (71500990
Niper & Power Windows Ca	ble	Transfer Territor MAY	710004462
Not illustrated)	 Required to install From (715001638). 	Traxter, Traxter MAX nt Deluxe Full Doors (715009906 or	715009913) and/or windshield wiper & washer kit
	Necessary if you want	to build your own cab enclosure fro	m modular components.
Manual Wiper Kit		Traxter, Traxter MAX	715008755
	Easy to install system t Large ergonomic hanc Compatible with glass	hat can be used to clear windshield of hat requires no electrical hookup. Ile provides a good grip over the ent and hardcoated windshields that us essories shown may impact vehicle	ire sweeping surface.
Side Wind Deflectors		Traxter, Traxter MAX	715005081
	 Clear polycarbonate ai the cage. Not compatible with File Sold in pairs. Compatible with all with 		 Can be adjusted at three different positions for cabin air flow control when a full windshield is installed: 1. Outside deflection to reduce cabin air flow and turbulence. 2. Inside deflection to increase air flow in the cabin. 3. Windshield ventilation to reduce fog.


Mirrors

Side Mirrors	Traxter, Traxter MAX	715008100 · Black
	 Rugged black nylon 6/6 construction with coated cast-aluminum mount. Dual adjustment (horizontal and vertical) will suit any rider. Convex optics deliver optimal field of view (FOV). Spring-loaded pivots let mirrors fold back completely. 	 Fit with and without doors and half doors. Sold in pairs. Not compatible with Soft Doors and Soft Cab Enclosures.

Side Mirror	· · · · · · · · · · · · · · · · · · ·	Traxter MAX (2022 & up) Traxter MAX (2021 & prior)	715008101* 715002459	
	 Molded heavy-duty aluminum mirror. Stays in place on rough trails. Ball-joint design for steady multi-angle 	• Fits	for road use. either side. d individually.	
	outstanding vision. Use with or without any roof, windship 	eld or doors.	compatible with the Half Doors (715006314 & 715006316).

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Rear View Mirror & Camera Monitor	Traxter, Traxter MAX	715009410
Fully waterproof rearview mi	irror and monitor kit.	



- This unit replaces the stock rearview mirror (the screen is integrated in the unit's replacement rearview mirror).
- The camera uses infrared light for night vision capabilities.

Panoramic Center Mirror		Traxter, Traxter MAX	715003638	
	Wide-angle convex mirror.			

- Offers enhanced visibility.
- · Can be used with or without roof or windshield and with cab enclosures.

REAR WIND PROTECTION

6

Rear Glass Window with Slidi	ng Panel	Traxter, Traxter MAX (except X mr models)		715007080	
	 Made of high-strength tempered glass. Ideal for preventing backdraft of dust or rain in harsh environments. Sliding panel for enhanced ventilation. Quick and easy installation. 		 Sport Roof (715002430 or 715003038) required for installation. Not compatible with Snorkel Kit. 		
Rear Glass Window		Traxter, Traxter MAX (except X mr models)		715009915 · Tinted NEW	
	 Ideal for preventing backdra environments. Quick and easy installation. 	Quick and easy installation. Sport Roof (715002430 or 715003038) required for		 Not compatible with Snorkel Kit. Tinted glass 14% VLT (visual light transmission). Rear Wind Protection Installation Seal Kit (71500670 required for installation on 2020 Traxter models. 	
Rear Polycarbonate Window		Traxter, Traxter MAX (except X mr models)		715007081	
	 High-impact-resistant polyc Ideal for preventing backdra in harsh environments. Quick and easy installation. 		for installation	715002430 or 715003038) required nn. ble with Snorkel Kit.	

Rear Wind Screen		Traxter, Traxter MAX		715002851
	 Full rear mesh screen reduc added cabin comfort. Installs quickly and easily or White Can-Am logo at top, to 	n roll cage.	r	
Soft Rear Window		Traxter, Traxter MAX		715003249
	 Clear, flexible window made Resists cold cracking to -4°F Blocks windshield backdraft entering, for added cabin co 	- (-20°C). t or dust and rain from	•	k and easily on roll cage. m logo at top, to help maintain clear view.

DOORS

NEW Front Deluxe Full Doors	3	Traxter (except X mr models), Traxter MAX (except X mr mod	els)	☐ 715009906 · Clear 715009913 · Tinted
	 New key locking door latche Premium doors made from n Offer excellent protection fr Tinted glass 55% VLT (visual Easy to remove on hot and s Convenient integrated stora Doors' curved design provid Rear-hinge wide opening for cockpit. Power window delivers added 	robust polyethylene. om the elements. Il light transmission). sunny days. ge areas. des even more room. r ease of ingress/egress in the	 Require Wipe Roof Power ((715003126) Color Door T 	with all BRP windshieds. er & Power Windows Cable (710004462), Cable (715003094), Sport Roof Seal Kit rims are required (sold separately). install the Door Trim is included.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

NEW Rear Deluxe Full Doors		Traxter MAX 2022 & up (mod after January 18, 2021) (exce	lels produced pt X mr models)	☐ 715009907 · Clear ■ 715009914 · Tinted	
	 New key locking door latches. Premium doors made from robust polyethylene. Offer excellent protection from the elements. Tinted glass 14% VLT (visual light transmission) Easy to remove on hot and sunny days. Convenient integrated storage areas. Doors' curved design provides even more room. Rear-hinge wide opening for ease of ingress/egress in the cockpit. 		 Roll-Down Window delivers added ventilation. Require Front Deluxe Full Doors (715009906 or 715009913), Wiper & Power Windows Cable (710004462), Roof Power Cable (715003094), Sport Roof Seal Kit (715003583 for MAX vehicle). Color Door Trims are required (sold separately). Hardware to install the Door Trim is included. 		
Front Deluxe Half Doors		Traxter and Traxter MAX 202	2 & up	715007201	
	 Premium color matching do polyethylene. Premium fit and finish. Slim with interior pockets. Rear hinge wide opening for in the cockpit. 	r ease of ingress/egress	Color accent Hardware to	exterior handles. t panels are required (sold separately). install the Door Trim is included. n some regulations. Consult your local dealer	

Rear Deluxe Half Doors		Traxter MAX 2022 & up		715007202
	 Premium color matching do polyethylene. Premium fit and finish. Slim with interior pockets. Rear hinge wide opening fo in the cockpit. 		 Color accent 	exterior handles. t panels are required (sold separately). install the Door Trim is included.
NEW Front Trims		Front Deluxe Full Doors & Fron	nt Deluxe Half Do	ors
	, ,	adding color-matched door pan 5009906), Front Deluxe Full Do 15007201) are required.		dows (715009913) or
	Front Left Door Trim		Front Right Do	oor Trim
antesting and a	 705801565 · Dusty Navy 705801303 · Stealth Black 705801330 · Compass Gre 705801504 · Timeless Black 705801340 · Fiery Red 705801344 · WildLand Ca 705801408 · Hyper Silver 	NEW een NEW ok	70580130 70580133 70580150 70580134 70580134 70580134	6 · Dusty Navy NEW 5 · Stealth Black NEW 1 · Compass Green NEW 5 · Timeless Black 1 · Fiery Red 5 · WildLand Camo 9 · Hyper Silver
NEW Rear Trims		Rear Deluxe Full Doors & Rear	r Deluxe Half Doo	rs
	 Customize your Traxter by adding color-matched door panels. Rear Deluxe Full Doors (715009907), Rear Deluxe Full Doors - Tinted Glass (715009914) or Rear Deluxe Half Doors (715007202) are required. 			
	Rear Left Door Trim		Rear Right Do	por Trim
0000	 705801567 · Dusty Navy 705801307 · Stealth Black 705801332 · Compass Gre 705801506 · Timeless Bla 705801342 · Fiery Red 705801346 · WildLand Ca 705801410 · Hyper Silver 	NEW een NEW ok	705801303 705801333 705801503 705801343 705801343	B · Dusty Navy NEW Stealth Black NEW · Compass Green NEW · Timeless Black · Fiery Red · WildLand Camo I · Hyper Silver
Front Clear Rigid Doors		Traxter (all model years) (except Traxter MAX 2022 & up (except	: X mr models), X mr models)	715006261
	 Sturdy and compact steel-f open field of view. Lower hardcoated polycarb maximizes visibility around Upper portion composed o windows for unmatched air <i>Installation of some accesso</i> for information. 	onate transparent panel your unit. f two tempered-glass sliding circulation and versatility.	you to remove cabin space Sealed contra- in all weather Lockable do	our allows for improved rider comfort
Rear Clear Rigid Doors		Traxter (all model years) (exce models), Traxter MAX 2022 & models)	ept X mr up (except X mr	715006262
	 Sturdy and compact steel-f open field of view. Lower hardcoated polycarb maximizes visibility around Upper portion composed o windows for unmatched air 	onate transparent panel your unit. f two tempered-glass sliding	you to remove cabin space Sealed content weather.	HVA-compliant for optimal safety, allowing ve the stock side protection bar for increased our allows for improved rider comfort in all ors for peace of mind.

	Traxter (2 doors)	715006314
Half Doors	Traxter MAX (4 doors)	715006316
		i

- Half doors made of plastic.
- · Metal frame for a higher level of fit and finish and rigidity.
- Rear hinge wide opening for ease of ingress/egress in the cockpit.
- $\boldsymbol{\cdot}$ Interior pockets and liners for more comfort.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

		Traxter, Traxter MAX (all mode	el years)	715008059 · 2 front doors
Soft Doors		Traxter MAX 2018 & prior, Traxter MAX 2022 & up (mode after January 18, 2021)	els produced	715006318 · 2 rear doors
	Weather-resistant soft doors offer good protection from t Made of heavy-duty UV-resi resistance to tear and abras Rear hinge wide opening for	he elements. stant canvas for excellent ion. r ease of ingress/egress.	material for Easily remove Compatible Soft Door In required for Traxter mod	ndows made of laminated polished vinyl added ventilation. vable on hot sunny days. with roofs and mirrors. stallation Kit (715006238/2X for MAX) is installation of 2019 & prior doors, on 2020 els. n some regulations. Consult your local dealer
	Installation of some accessor for information	ries shown may impact vehicle	compliance with	n some regulations. Consult your local deale

Traxter, Traxter MAX

for information.

715009951

NEW Front Deluxe Door Locks



- Allows you to upgrade your deluxe doors with integrated door locks.
- Includes a pair of locks for front doors.
- Included on Deluxe Doors and Deluxe Cab kits 2025 and over.
- 2 keys included.

NEW Front & Rear Deluxe	Door Locks	Traxter MAX	715009952
	Allows you to upgrade your	deluxe doors with integrated door locks.	
	 Includes 4 locks for front an 	d rear doors.	




- Included on Deluxe Doors and Deluxe Cab kits 2025 and over.
- 2 keys included.

SEAT ACCESSORIES

Central Headrest		Traxter, Traxter MAX	715005163	
	 Front Headrests are availabl 	ter-seating position on 3-seated models and for rear-center-seating position on MAX models. ailable separately for front passengers on MAX models. I for all passengers on some regulated trails.		
ঁ ঁ	Headrests are required for all passengers on some regulated trails.			
Front Headrests		Traxter MAX	715005164	
	Central Headrest is available Headrests are required for a Not EC compliant.	aree front-seating positions on MAX models. e separately for rear-center-seating positions or Ill passengers on some regulated trails.	n MAX models.	
ँ ^छ छ	Headrests are required for all pass	sengers on some regulated trails.		

ALUMINUM SKID PLATES



For ultimate durability and strength, all our Aluminum Skid Plates are made with High Strength 5052 H32 Aluminum ¾" (4.5 mm) thick.

Ultimate durability

High strength

TRAXTER, TRAXTER MAX

	2019 8	& prior		2020 & up	
Offer your Traxter the full protection kit or get parts individually	Base, DPS, XT, XT-P, XT Cab 2017 & prior & Hunting Edition	XT Cab 2018-2019, Lone Star Edition & X mr	62" Base, DPS (HD5, HD7, HD8, HD9), XT (HD7, HD8, HD9), XU (HD7 T-cat), PRO (HD8)	64" PRO (DPS, XT) or 6x6 (DPS, XT), DPS (HD10), XT (HD10), XT-P, XU (HD10 T-cat) 2021 & up, XU (HD9 T-cat)	65" XT Cab, DPS Cab, Hunting Edition, Lone Star Edition, Limited & X mr
Full Protection Kit					
Aluminum Skid Plate Protection Kit	715003711 (except MAX)	715006977 (3-up)	715006694 (except MAX)	715006696 (3-up & 6x6)	715006979 (3-up 2020 to 2021 only)
	715003712 (MAX only)	715006978 (MAX)	715006695 (MAX only)	715006697 (MAX & PRO)	715006980 (MAX 2020 to 2021 only)
Individual Aluminum Skid Plates					
 Front A-Arm Protectors Extra underside protection for your vehicle's steering mechanism and suspension (A-arm). Sold in pairs. Not compatible with Apache Track Systems. 	715008274	715006975	715008274	715008275	715008275 (2022 & up) 715006975 (2020 to 2021 only)
 Front Skid Plate Protects the front underside of your vehicle when riding in rough terrain conditions. Adds style to the front of your vehicle. 	715002447	715002447	715002447	715002447	715002447
 Central Skid Plate Central Skid Plate Kit includes central and lateral skid plates. Ultra-durable protection for the underside of your vehicle. Makes work easy in more demanding terrain. Must be used with Underbelly Skid Plate Kit. 	715003467 (MAX only)	715003467 (MAX only)	715003467 (MAX & PRO only)	715003467 (MAX & PRO only)	715003467 (MAX & PRO only)
Underbelly Skid Plate Kit Ultra-durable protection for the underside of your vehicle. Makes work easy in more demanding terrain. Kit includes central, lateral and rear skid plates.	715002446	715002446	715007982	715007982	715007982
 Rear A-Arm Protectors Extra underside protection for your vehicle's suspension (A-arm). Sold in pairs. Not compatible with Apache Track Systems. 	715002445	715006976	715002445	715004388	715004388 (2022 & up) 715006976 (2020 to 2021 only)

BUMPERS & GUARDS

Bumpers

Front Bumper		Traxter, Traxter MAX (2019 & p Traxter, Traxter MAX (2020 & u	,	715002418 715005754
	construction. • Required to i		ounting points for lights. nstall the Xtreme Front Bumper Plates, Front Front Corner Protectors.	
		Traxter, Traxter MAX (2019 & p	prior)†	715003005
Xtreme Front Bumper Plates		Traxter, Traxter MAX (2020 & u	ıp)‡	715005777
		y-gauge steel with rubber pads osion coating with durable pow protection.		otection.
	†Require Front Bumper (715002418) for installation. ‡Require Front Bumper (715005754) for installation.			

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Front Corner Protectors		Traxter, Traxter MAX (2019 & p Traxter, Traxter MAX (2020 & p		715002833 715005774		
	Provide enhanced protection	Heavy-duty 1.25" (3.2 cm) diameter steel-tube construction. Provide enhanced protection for front corners. nside and outside anti-corrosion coating with durable powder coat finish. Nold in pairs				
		Rumper (715002418) for installation Rumper (715005754) for installation.				
Rancher Front Bumper		Traxter, Traxter MAX		715005410		
	 The low front-end protectio your vehicle within cattle he both the vehicle and the ani The flat front portion facilita pushing light objects, e.g., c The full frontage coverage e layer of defense to your hea Inside and outside anti-corr powder coat finish. Installation of some accession for information. 	erds and guard the safety of imals. Ites gently prodding cattle or closing a fence. extends to provide an extra idlights and radiator. rosion coating with durable	Improved ap Compatible tire and track	er MAX (2020 & up) oproach angle. with front rack, snow plows, k kits, winches. h some regulations. Consult your local dealer		
XT Front Bumper		Traxter, Traxter MAX (2019 & p	orior)	715004407		
	 1.5" (3.8 cm) diameter steel Provides light-duty protection Inside and outside anti-corr powder coat finish. Light-kit compatible. 	on.	 Not compati 	XT and XT Cab models 2018 and 2019. ble with Xtreme Front Bumper Plates, Front ectors or LinQ Front Rack.		
X mr Front Bumper		Traxter, Traxter MAX		715006143 · Black		
	 Heavy-duty 1.5" (3.8 cm) dia construction. Inside and outside anti-corr finish. Provides additional front bo Integrated winch support pi higher position for easier ac for auxiliary lights. 	rosion coating with durable dy protection.	 Includes a fr Standard on Winch sold s 	X mr models.		

Cargo Bed Protectors & Tie R	ails	Traxter 6x6 & PRO models		715005415
	 Heavy-duty 1.5" (3.8 cm) dia construction. Reliable cargo box protectic point to secure large loads. 			n coating with durable powder coat finish. stay in place when cargo bed side walls are
Rear Bumper		Traxter, Traxter MAX		715008109
	 Heavy-duty 1.5" (3.8 cm) dia integrated tubular design. Increased protection of rear while allowing normal tailgat 	r box and lower box corner	powder-coat	utside anti-corrosion coating with durable finish. nstall Rear Body Side Protector (715003055).
Rear Bumper Adapter (Not illustrated)		Traxter 6x6& PRO models		715006060
	Required to install the Rear	Bumper on Traxter models wit	th the long box.	
Rear Body Side Protectors		Traxter, Traxter MAX (except	6x6 & PRO)	715003055
	 Heavy-duty 1.5" (3.8 cm) dia construction. Reliable cargo box protectic Inside and outside anti-corr powder coat finish. 	on.	 Integrated br 	with fender flares. rush and low-lying branch deflector. Bumper for installation.

Body Side Protectors

QT

1 00 3

Front Body Side Protectors	Traxter, Traxter MAX	715003450
	 Heavy-duty 1.25" (3.2 cm) diameter steel-tube construction. Front side protection for farm, ranch and forestry applications. Offer complete front body protection. Inside and outside anti-corrosion coating with durable powder coat finish. 	 Sold in pairs. Require Front Bumper (715002418 or 715005754) with Front Corner Protectors (715002833 or 715005774) and Rock Slider (715002569 or 715003040 for MAX models) for installation.

Front Rancher Body Side Pro	tectors	Traxter, Traxter MAX		715003617
	 Heavy-duty 1.25" (3.2 cm) d construction. Front side protection for far applications. Offer complete front body p 	m, ranch and forestry	powder coat • Sold in pairs.	

Fender Flares

Fender Flares

Traxter (except 6x6 & PRO), Traxter MAX Traxter 6x6 Traxter PRO

715006821 715005409 715006001

- Robust injection-molded polypropylene construction.
- Perfect for keeping mud and debris outside the vehicle.
- Include front and rear extension, and all mounting hardware.
- Ideal for track equipped vehicles.



Sport Fender Flares		Traxter (except 6x6 & PRO), Traxter MAX	715003898
	 Sleek fender flares just the r 	ight size to reduce mud and debris kick-up fro	n your tires.
	 Robust injection-molded po 	lypropylene construction.	
	 Include front and rear exten 	sion and all mounting bardware	

Include front and rear extension, and all mounting hardware.

Rock Sliders

Rock Sliders		Traxter Traxter MAX, Traxter PRO	■ 715006671 · Black ■ 715006721 · Black
	 with an integrated step for e Protect vehicle's sides and u Lodge tight up against vehic Not compatible with other ro Sold in pairs. 	undercarriage against large obstacles. cle body for better clearance from obstacles.	
Rock Sliders		Traxter, Traxter 6x6 Traxter MAX, Traxter PRO	715002569 715003040

- Protect vehicle's sides and undercarriage against large obstacles.
- Made of heavy-duty 1.5" (3.8 cm) diameter steel tubing.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Integrated step for easy cargo box access.
- Sold in pairs.

Mud Flaps

Mud Flaps		Traxter, Traxter MAX	715003041
	 Keep mud and debris out of or vehicles behind you. Add aesthetic appeal to you Made of EPDM rubber. Require Rear Bumper for ins 	r vehicle.	
Ref.	 Sold in pairs. 		

LINQ: EASY ON, EASY OFF CARGO

TRAXTER'S LINQ ACCESSORIES

Mounting location and requirements

 No tools needed: Quickly install and remove accessories by hand. Equip your Can-Am for specialized tasks in no time. Sturdy mounting system that holds up to the roughest terrain. 	Cargo Bed LinQ Cargo Rack (long box bed LinQ) 715006140		Adventure Roof Rack 715003870 / 715004391
LinQ Accessories with 16" Base	 Lower loading capacity that 	nches apart, center-to-center. n the LinQ with 36" base acce IV and SxS vehicles, Can-Am S i-Doo snowmobiles.	ssories.
LinQ 11.4 US Gal (43L) Cooler 715007825 • Black 715009276 • Gray		No compatibility	No compatibility
LinQ 4.2 Gal Cooler 295100698 • White 219400964 • Black		LinQ Base Installation Kit 715008125	
LinQ Tool Kit 715006829			
LinQ Tool Box 715008111	LinQ Base Installation Kit		
LinQ SR 5.5 Gal (21 L) Bag 860202449	715008125		No further requirements
LinQ 4.5 Gal (17 L) Sport Bag 860202447		No further requirements	
LinQ Modular Box 715005494 • (10 L) 715007112 • (20 L) 715006830 • (30 L)			
LinQ Roll-Top Bag 715008110			No compatibility
LinQ Accessories with 36" Base		used by Can-Am ORV vehicles an the LinQ with 16" base acce ORV vehicles.	
LinQ 12 Gal (45 L) Cargo Box 715003879			
LinQ 23 Gal (86 L) Trunk Box 715004923			No further requirements
LinQ 11.5 Gal (43 L) Audio Cargo Box 715003018			
LinQ 8 Gal (30 L) Cooler Box 715004778 • Black 715004698 • Gray	No compatibility	No further requirements	No compatibility
LinQ Premium Storage Bag by OGIO [†] 715002923 • Black			
LinQ Heavy Duty Basket 715001215			No further requirements
LinQ Low Profile Basket 715004282			
LinQ Holders			
LinQ Gear Grips 715005340	No further requirements	No further requirements	Side wall installation LinQ Adapters
LinQ Tool Holder 715007358			715003058

LinQ Accessories with 16" Base

NEW LinQ 11.4 US Gal (43L)	Cooler	Traxter, Traxter MAX		■ 715007825 · Black 715009276 · Gray
	Versatile LinQ 16" configura	tion fits many vehicles.	Dry-basket in	cluded to protect items.



- High quality injection-molded impact resistant polypropylene outer shell for exceptional durability.
 High quality insulation for optimal ice retention.
- Thicker insulation on bottom to isolate vehicle heat.
- 11.4 US gal (43L) capacity.
- LinQ-mounted for fast, easy, secure storage.
- Locks in place with only a quarter turn.
- Rigid handles make transportation easy.
- Horizontal locking handles allow installation of LinQ Lite
- accessories.

- Drain plug at the bottom to evacuate water.New ergonomic and secure latch system offers
- excellent sealing.
- Possibility to lock the cooler with a padlock.
- See table for installation location and requirements.

		715005494 · (10 L)
		715007112 · (20 L)
LinQ Modular Box	Traxter, Traxter MAX	715006830 · (30 L)

Allows stacking	ig of other modula	r haves to always	have the right of	ar accessible



- Always have the right box size to fit everything.Can be installed on any LinQ base with a 16" width.
- See table for installation location and requirements.

Thermal Insert for LinQ Mo	odular Box (10 L)	Traxter, Traxter MAX	219401110
	 Insulated liner. Fits very well in the LinQ Mo 	odular Box (10 L).	
The	Can contain seven 355 ml c	ans.	
	 Keeps ice cold for one day. 		

Interior dimensions: 9" L x 17" W x 2½" H.

LinQ Tool Box		Traxter, Traxter MAX	715008111		
	 High precision injected HD 	PE construction provides rigidity an	d durability.		
	• 5 gal (19 L) maximum capacity.				
	Weather-resistant, sealed and lockable cover.				
	Easy one-second on/off tool-less system.				
	 All the benefits of LinQ—simple, fast and secure. 				
	 See table for installation loc 	cation and requirements.			

LinQ Tool Kit		Traxter, Traxter MAX	715006829	
	 Includes: Cutter pliers Long-nose pliers Locking pliers Ratchet wrench %" drive 6" ratchet extension Integrated CVT belt storage location (belt not included) 	 Long-socket 19 mm %" drive - 6 pts Socket 18 mm %" drive Long-socket 17 mm %" drive - 6 pts Socket 15 mm %" drive Socket 13 mm %" drive Socket 10 mm %" drive Socket 8 mm %" drive 	 Socket Torx T40 %" drive Socket Torx T30 %" drive Socket Torx T20 %" drive Breaker bar %" drive Combination Wrench set: Wrench 19 mm Wrench 18 mm Wrench 15 mm 	 Wrench 13 mm Wrench 10 mm Wrench 8 mm See table for installation location and requirements

LinQ 4.2 Gal (16 L) Cooler		Traxter, Traxter MAX		219400964 · Black 295100698 · White
	 All the benefits of LinQ—sin Rotomolded construction for and durability. Premium-quality foam insul- ice retention. Uses LinQ mounting system (Patent US 8777531 and US) 	n exceptional rigidity ation for optimal	Can contain Keeps ice co Exterior dime Interior dime	cond on/off tool-less system. twenty 355 ml cans. old for three days. ensions: 13" L x 20" W x 10" H. ensions: 9" L x 17" W x 7" H. r installation location and requirements.

LinQ SR 5.5 Gal (21 L) Bag		Traxter, Traxter MAX		860202449
	 Semi-rigid expandable bag. All the benefits of LinQ—sir Easy one-second on/off too Requires LinQ Base Installa 5.5 gal (21 L) capacity. See table for installation loc 	I-less system. tion Kit.		
LinQ 4.5 Gal (17 L) Sport Bag		Traxter, Traxter MAX		860202447
	 All the benefits of LinQ—simple, fast and secure. 17 liter (4.5 US gallon) capacity. Thermoformed bag base in HDPE (High Density Polyethylene) providing rigidity and durability. Rigid bottom, semi-rigid top. Easy one-second on/off tool-less system. See table for installation location and requirements. 			
LinQ Roll-Top Bag		Traxter, Traxter MAX		715008110
	 LinQ mounted using heavy- High capacity storage solution Bottom foam liner for addition 	ion (40 L). onal equipment protection. ransportation on/off the vehicle adjustable H.		nent.
LinQ Explorer Bag		Traxter, Traxter MAX		295101016
	 26 gal (100 L) of watertight s Installs in seconds with tool Dedicated essentials compation license, insurance and more Exclusive D.E.S.S. key storag External quick-access pock and wallets. 	I-less LinQ accessory system. artment for registration, e. ge.	 Collapsible if 	backback when you get off your machine. not fully packed with straps on both sides. 26" L x 18" W x 14" H.

LinQ Accessories with 36" Base

LinQ 12 Gal (45 L) Cargo Box

Holds cargo safely	and secure	ly while riding.

- · LinQ mounted for easy-on, easy-off installation.
- See table for installation location and requirements.

LinQ 23 Gal (86 L) Trunk Box		Traxter, Traxter MAX	715004923
	Lockable and weather-resis Holds cargo safely and secu See table for installation loc	urely while riding.	

Traxter, Traxter MAX

LinQ 11.5 Gal (43 L) Audio Cargo Box		Traxter, Traxter MAX	715003018
	An affordable and quick solu	ution for adding music and storage to your next	ride.
The rear installation d		ot use up any cab space and allows easy listening the second second second second second second second second s	ng at an average speed.

- Mounts on/off easily to hold/carry cargo safely and securely.
- The Bluetooth enabled receiver and 6.5" (16.5 cm) speakers are smartly concealed and integrated in the cover.

715003879

- Automatic shut-off function protects your battery by turning the system off after 10 minutes of inactivity.
- Backlit control panel perfect for night riding.
- · Water-resistant speakers.
- See table for installation location and requirements.

LinQ 8 Gal (30 L) Cooler Box		Traxter, Traxter MAX		■ 715004698 · Gray ■ 715004778 · Black
		rovides exceptional rigidity and lation for optimal ice retention. compartment protects food. the cover tightly closed.	durability.	
LinQ Premium Storage Bag by	OGIO	Traxter, Traxter MAX		■ 715002923 · Black
	 17.2 gal (65 L) capacity sem 	al bag organization.	ng anything you	-
LinQ Heavy-Duty Basket		Traxter, Traxter MAX		715001215
	 Made of high-strength, low See table for installation loc 			
LinQ Low Profile Basket		Traxter, Traxter MAX		715004282
	Low profile, open basket ind Perfect for easy access to te Multiple bungee cord and t Made of impact-resistant in See table for installation loc	ools, rope, winch and plow acce ie-down anchor points. jected polypropylene. cation and requirements.	ssories.	
		Traxter, Traxter MAX (except 6x6 and PRO models)		715002464
LinQ Tailgate Extension	 Adds rear cargo capacity w Steel-tubing-system-style b bed walls using the easy, to Can be mounted to serve as locations along the bed wal from falling off the back. 	arrier mounts on top of the ol-less LinQ system.	protection si front bed wa • Anti-corrosic • Not compati	715005412 / out of the way and offers additional cab area nce it can be mounted upside down on the II as a mini headache rack. on coating with durable powder coat finish. ble with hard rear windows on Traxter MAX fore January 2021.
LinQ Tire Holder		Traxter (except 6x6 & PRO mod MAX	dels), Traxter	715003448
Connan	 Cargo box spare-tire holder Heavy-duty steel constructi Inside and outside anti-corr powder coat finish. Mounts on top of the bed w LinQ system. 	on. rosion coating with durable	 Uses BRP sta included). Accommoda 	with Bed Wall Extender. andard wheel bolt pattern to mount tire (nuts ates BRP tires up to 28" (wheel not included). ws installation in multiple positions thanks to tem.
LinQ Cargo Rack		Traxter, Traxter MAX		715006140
	 Allows the installation of Lin 2 racks can be installed at t 		 Multiple bun Kit includes 	argo securely in place. gee cord and tie-down anchor points. LinQ Base. re usable space in the cargo box.

LinQ Front Rack		Traxter, Traxter MAX		715006064
	and provides additional s • Heavy-duty 1.25" (3.2 cm) construction.	diameter steel-tube	use with LinQ Kit includes Lip 	stallation of LinQ accessories (especially fo Low Profile Basket (715004282)). inQ Base. Jee cord and tie-down anchor points.
	 Inside and outside anti-co powder coat finish. Flip-up configuration prov service area. 	prrosion coating with durable vides easy access to	(715002418 o	cher Bumper (715005410) or Front Bumpe r 715005754) for installation. to store tools while working in the field.
LinQ Holders				
LinQ Tool Holder		Traxter, Traxter MAX		715007358
	 Suitable for installation or Loadout Rack. 	llows tools to be stored in any orier	che Rack, Bed W	all Extender, Adventure Roof Rack and Lir lapter is required for installation.
LinQ Gear Grips		Traxter, Traxter MAX		715005340
ŶŶ	 Heavy-duty design for car Quick-release button ope Heavy-duty base system I 	provide a custom fit for a variety o rrying bows, fishing poles, rakes, fa ns grip quickly for easy access to g puilt for the toughest adventures. pols a snap by combining the Gear	arm tools and mo gear.	ore.
LinQ Mounting				
LinQ Adapter		Traxter, Traxter MAX		715003058
) •) •[the LinQ Tool Holder to the Bed Wa	all Extender,	
LinQ Lock		Traxter, Traxter MAX		860201968
- I area	 Simple way to securely loci Lock cover protects lock friend Corrosion resistant. Pack of 1, includes 2 keys. Not compatible with LinQ 4 		Box, LinQ Tool H	older or LinQ Gear Grips.
LinQ Base Installation Kit		Traxter, Traxter MAX		715008125
	Unique mounting fastene Included: 2 LinQ Cargo Ba	r usable on any LinQ system acces ases and hardware.	ssory.	
LinQ Replacement Part		Traxter, Traxter MAX		715001707

CARGO & STORAGE

Loadout Rack		Traxter, Traxter MAX	715005447
	 Adjustable height that goe: Modular basket adapts to o Multiple hooks and holes to Basket accommodates mu 	create a hanging storage net below the basket	
Hanging Storage Box Kit		Traxter, Traxter MAX	715005449
	along the sidewall, and out • Includes Can-Am branded	an be tailored to hold the crates in multiple pos side the box along the side wall.	•
Can-Am Storage Box			
(Not illustrated)		Traxter, Traxter MAX	708303237
	Perforated bottom allows v	stic storage box with Can-Am branding. vater and debris to escape.	
Exterior Cargo Reinforceme (Not illustrated)	ent Panel		715006198
		ed side to further support and protect bed wall hanging storage box and/or gun and tool holde).	
Deluxe Headache Rack		Traxter, Traxter MAX	715002423
	 Protects cab components Increases box capacity wh Required to install the Bed Compatible with gear rail. 	en used in tandem with the Bed Wall Extender	(715002421).
		Traxter, Traxter MAX (except Traxter 6x6 & Traxter PRO)	715002421
Bed Wall Extender		Traxter 6x6 & PRO models	715005411
	 Increases box capacity. Quick and easy tool-less modularity. Easily removable rear door can be latched open. Variable full or half height settings. Foldable top panels come off in seconds. Requires Deluxe Headache Rack (715002423). 		
Toppeau Cover		Traxter 2018 & up (except Mossy Oak Break-Up Country Camo models), Traxter MAX (except 5% and PPO models)	715009206

Tonneau Cover	Traxter MAX (except 6x6 and PRO models)	715008306
 Prevents splash from entering Rolls up to the front. Easily removable for quick as 		

Removable Storage Bin		Traxter, Traxter MAX	715004344
	 Provides 1.7 gal (6.3 L) of st 	tool box will make sure you have your critical e orage and clips on and off in a snap. our contents remain safe and dry. ept Base.	quipment where you need it.
Removable Storage Bin – Pass	senger	Traxter, Traxter MAX	715003314
F		underseat storage. gal (14 L) storage capacity bin. a snap and comes with an integrated handle.	
Driver Underseat Storage Bin		Traxter, Traxter MAX	715003399
	Front opening for quick and	al (15 L) capacity bin fits securely under the drive l easy access. sistant items, such as ropes, tow straps and wi	
enter Underseat Storage Bin		Traxter, Traxter MAX	715003446
	 Polypropylene-injected 2 ga Watertight design keeps ice Easy to drain and wash by r Accessible by lifting center 	e and drinks cold. emoving it with integrated handle.	
argo Bed Rails		Traxter (except 6x6 & PRO), Traxter MAX	715003444
Can-an	 Added cargo box protection Inside and outside anti-corr Heavy-duty 1" (2.5 cm) dian 	rosion coating with durable powder coat finish. neter steel-tube construction. wall and serve as a tie-down anchor for ropes, s	
Cargo Bed Net		Traxter (except 6x6 & PRO), Traxter MAX	715003445
	 Solid net designed to hook Keeps items tightly against 	to the bottom of the cargo box for secure and c the bed floor.	compact confinement of your cargo.
Dash Storage Compartment No	et for Heating System	Traxter, Traxter MAX (2019 & prior)	715003544
	 Perfect for securing items i To be installed when Lower 	n the dash storage area. Dashboard for Heating System is installed.	·
Lower Dashboard for Heating	System	Traxter, Traxter MAX (2019 & prior)	715003441
	 Replaces the dashboard the passenger to conveniently set. To be installed when the Department of the passenger to be an address the passenger to be addr	at comes stock with the vehicle, and features a store small items in the dash. afrost, Heat & Ventilation System is installed. Storage Compartment Net for Heating System teapt from falling.	

Dash Storage Compartment N	lets	Traxter, Traxter MAX (except Limited models)	715003129
	•	is in the dash storage area. rost, Heat & Ventilation System.	
Bed Tool Box		Traxter, Traxter MAX	715003028
	 Rotomolded constructio Features cup holders and Sized to give you the option 	tifunction weather-resistant tool box designed for n provides exceptional rigidity and durability. d integrated groove for pipe or 2x4 cutting. ion of installing 2 tool boxes in the cargo bed (qu ith lockable covers and rubber latches.	C C C C C C C C C C C C C C C C C C C
Soft Storage Bag		Traxter, Traxter MAX	715003759
	 3 sections. Weatherproof. 		
Backrest Rear Storage		Traxter MAX	715003019
	 Netting installs easily. Made from polyester that Sold in pairs. 	t won't discolor.	
Storage 2.6 Gal (10 L) Bag		Traxter, Traxter MAX	269502121
0	Roll-top dry bag for fully	protecting your cargo from the elements.	
Passenger Storage Seat Bag		Traxter, Traxter MAX	715008080
	 Traxter, Traxter MAX This weather-resistant bag holds your gear safely and securely while you ride. Bag settling on the passenger seat to increase the vehicle's cargo capacity. This bag features a 14.5 gal (55 L) storage capacity and is divided into two compartments. The top compartment is insulated to keep your beverages cold and includes two cup holders. Additional pocket inside for additional storage, such as a cell phone. The bottom compartment is accessible from both sides and serves as a large pocket for storing various items. 		ity. o compartments. des two cup holders.

• The detachable pocket at the front of the bag can be used as a garbage bag.

-

RACKS & HOLDERS

Rear Accessory Bar		Traxter, Traxter MAX	715005450
SZA	Holes for carabiners, duck of the second secon	ng installation or hanging items off the back. lecoy hangers or other items. ion of many LinQ accessories.	
		Traxter Loads of up to 40 lb (18 kg). Traxter MAX	715003870
Adventure Roof Rack		Loads of up to 75 lb (34 kg).	715004391
	 Built with heavy-duty 1.25" (Modular LinQ support plate Integrated mounting points 	eeparately. ne Cargo Box Elastic Net cargo in the rack.	essories.
Spare Tire Ratchet Tie-Downs	5	Traxter, Traxter MAX	280000955
E M B	 Adjustable to accommodate Ratchet and junction ring m 	trap with loop ends. pare tires on accessories equipped with integr e most common UTV tire sizes. ade of durable zinc-plated steel. hment on Adventure Roof Rack.	ated spare tire attachment points.
LinQ Tool & Gun Holder		Traxter, Traxter MAX	715005466
	 Includes 5 locations to security with gunstock shaped mold Easy to remove, install or re Can be attached at multiple 	sed both on the job or on the hunt. irrely hold tools and guns using rubber grips and ing at the bottom. position using our simple and secure LinQ syst positions along the cargo bed walls, facing ins the Exterior Cargo Reinforcement Panel (71500	em. ide or outside the bed.
LinQ Gun Case		Traxter, Traxter MAX	715009240
	 Adapts to different weapon LinQ-mounted for efficient a 	to store shotguns and rifles up to 52" (132 cm) shapes and features with foam cushions that c and secure storage, locked in place with only a it (715006443) is required for installation.	an be repositioned.
LinQ Gun Case Mounting Kit		Traxter, Traxter MAX	715006443
4 4 0 4	Required to install the LinQ Allows you to install up to tw Includes one pair.	Gun Case on a Traxter and Traxter MAX. vo LinQ gun cases.	

Gun Boot 6.0 [†] Impact by Kolp	in [†]	Traxter, Traxter MAX	715001419
	 Easily fits firearms up to 5 Provides ample room for 2 Hatchback design allows Snap-close cover with loc Ergonomically designed h Designed to accommodat Requires Gear Rail and Gu Includes removable, shock for superior interior protect 	2.4" (60 mm) scopes. easy access. king capability. andle and molded attachment points for sling. re left- and right-hand bolt-action rifles and shote un Boot Mount by Kolpin for installation. k-absorbing foam and nylon Impact liner	guns.
Gun Boot Mount by Kolpin		Traxter, Traxter MAX	715001420
	 Fits one Kolpin Gun Boot 6 Lightweight and extremely Easily adjustable without t Offers precision gun angle Requires Gear Rail for inst 	y durable. the use of any tools. e adjustability.	
Dual Gun Holder		Traxter, Traxter MAX	715005265
	 Rubber pads provide gun Can be removed to allow a Anti-corrosion coating wit Comes with all hardware f Keeps your weapons with 	r board between driver and passenger. protection. a center passenger. h durable powder coat finish.	
Gear Rail		Traxter, Traxter MAX (except X mr models)	715003391
	 Universal mounting option Rail is made with heavy-du Mounts on roll bar. Includes one versatile Gea 	cially designed for your side-by-side vehicle. hs for many Kolpin accessories like Gear Grips a uty 7-gauge extruded anodized black aluminum. ar Rail Mount by Kolpin. he Rack (715002423) or Gear Rail Adapter (7150	
Gear Rail Adapter		Traxter, Traxter MAX (except X mr models)	715003392
	Allows the installation of g	year rails directly onto the cargo box without the	need for a headache rack.
Gear Rail Mount by Kolpin		Traxter, Traxter MAX	715001422
	Accessory bracket for more Includes C-clamp and mere	unting additional accessories to the Gear Rail. tal mounting brackets.	

N

Double Gun Bag		Traxter (except XT Cab, X mr models), Traxter MAX (except XT Cab and Limited package)	715003133 · Black			
Can-on	 Shell constructed with heavy-duty, weather-resistant polyester to shelter guns from dust and other outdoor elements, while the thick interior padding protects the guns from shocks. Fits perfectly on rear cage and guns are readily accessible from both sides of vehicle. Design features include a removable center pocket that can be mounted on both sides of the bag and extra front storage pockets for hunting gear. Solid, quick installation. Not compatible with rear wind protection, headache racks and gear rails. May interfere with the tilt function of the Traxter 6x6 or Traxter PRO models' beds. 					
Universal Saw Press by Kolpin		Traxter, Traxter MAX (except X mr models)	715001423			
	 Heavy-duty, black powder-o Rubber pads provide cushio Hinged design for quick ren 	noval. on or 45° angle in either direction.	, ,			
LinQ Gear Grips		Traxter, Traxter MAX	715001421			
ŲĮ	cm) in diameter.Heavy-duty design for carryQuick-release button opensHeavy-duty base system but	ion and protect while providing a custom fit for ring bows, fishing poles, rakes, farm tools and m a grip quickly for easy access to gear. ilt for the toughest adventures. racks, extension racks, brackets or bumpers.				

LIGHTS

1 Choose your	2 Find your	3 Choose your lights							
mount point	platform	10" (25 cm) Double Stacked LED Bar	15" (38 cm) Double Stacked LED Bar	39" (99 cm) Double Stacked LED Bar	4" (10 cm) Round LED LIGHTS (Sold in pairs)	3.5" (9 cm) LED Lights (Sold in pairs)			
Front Bumper Rancher Bumper (T Front Bumper	Traxter Traxter MAX 2019 & prior	715002933 PLUS 715002454 (Light Power Cable)	715002934 PLUS 715002454 (Light Power Cable)	N/A	715002935 (4" Round), 715009774 (3.5" Flood) or 715003666 (3.5" Spot) PLUS 715002454 (Light Power Cable)				
(mr Front Bumper w/o winch) TP Front Bumper	Traxter Traxter MAX 2020 & up	715002933 PLUS 715006034 (Light Power Cable)	LUS PLUS 06034 715006034		715002935 (4" Round), 715009774 (3.5" Flood) or 715003666 (3.5" Spot) PLUS 715006034 (Light Power Cable)				
Light Rack or Light Bars Roof Power Cable and Front Roof Liner may not be required	Traxter & Traxter MAX (except XT Cab)	715002933 PLUS 715003094 (Roof Power Cable) & 715008226 (Front Roof Liner)	715002934 PLUS 715003094 (Roof Power Cable) & 715008226 (Front Roof Liner)	715006226 (Light Bar Support) PLUS 715004007 (39" Light Bar) PLUS 715005822 (Power Cable) & 715008226 (Front Roof Liner)	715002935 715009774 or 715003666 PLL 715003094 (Roc & 715008226 (Fre	(3.5" Flood) r (3.5" Spot) JS of Power Cable)			
la leady into its life with other accessories.	Traxter Traxter MAX XT Cab Limited	715002933	715002934	715006226 (Light Bar Support) PLUS 715004007 (39" Light Bar) PLUS 715005822 (Power Cable)	715002935 715009774 or 715003666	(3.5" Flood)			
Adventure Roof Rack Roof Power Cable may not be quired if already installed with ther accessories.	Traxter & Traxter MAX (except XT Cab Limited)	N/A	Front only: 715002934 PLUS 715003417 (Power Cable) & 715003094 (Roof Power Cable) & 715008226 (Front Roof Liner)	Front only: 715004007 PLUS 715005822 (Power Cable) & 715003094 (Roof Power Cable) & 715008226 (Front Roof Liner)	Front of 715002935 715009774 00 715003666 PLL 715003417 (f & 715003094 (Roc & 715008226 (Fr	(4" Round), (3.5" Flood) (3.5" Spot) JS Power Cable) of Power Cable)			
	Traxter, Traxter MAX XT Cab Limited		Front only: 715002934 PLUS 715003417 (Power Cable)	Front only: 715004007 PLUS 715005822 (Power Cable)	Front or Rear: 715002935 (4" Round), 715009774 (3.5" Flood) or 715003666 (3.5" Spot) PLUS 715003417 (Power Cable)				
4 Order		*Note: When ins	Order all part	numbers in int	ersecting box	g kit is required.			
oof Power Cable		Traxter, T	raxter MAX	71	5003094				

 Brings power from the battery. 	
--	--

Light Kit Power Cable	Traxter, Traxter MAX (2019 & prior)	715002454
(Not illustrated)	Traxter, Traxter MAX (2020 & up)	715006034
Power cable for installation	on of compatible Can-Am light kits at front bumpe	r location.


0" (25 cm) Double Stacked LED Light Bar (60 W)	Traxter, Traxter MAX					715002933						
		00										
Company By By B (B)	5,400	20 m 0										
333333	lumens	-20		_			_	-				
4 <i>F</i>			0 10	0 2	00	300	400	500	600	700) 800	m
Equipped with twelve 5 W Cree LEDs.	Requires lig	ht powe	^r cable f	or ins	tallati	on.						
5,400 lumens.	 Lights up to 		an 1,500) ft (46	60 m)	in fro	nt of th	e vehi	icle aı	nd arc	ound 6	5 ft (20 m)
Packs a big punch for its size.	wide on eac											
Rugged and waterproof.	 Not EC corr See table for 	•	tion loc	ation	and re	auiro	monte					
Can be installed on front bumpers, sport roof and Bimini roof with sun visor.		n mətana		ation		quire	mento					
5" (38 cm) Double Stacked LED Light Bar (90 W)	Traxter, Traxte	er MAX					7150	02934	1			
		20 m										
AAAAAAAAA	8,400 lumens	0										
C. STONE		-20								-		
.			0 10	0 2	00	300	400	500	600	700) 800	m
Equipped with 18 5 W Cree LEDs.	Lights up to		an 1,900) ft (58	30 m)	in fro	nt of th	e vehi	icle a	nd arc	ound 6	5 ft (20 m)
8,400 lumens.	wide on eac • Not EC com											
Complements the Light Racks and most bumpers. Rugged and waterproof.	See table for	•	tion loc	ation	and re	auire	ments	_				
nuggeu anu waterproof.												
9" (99 cm) Double Stacked LED Light Bar (270 W)	Traxter, Traxte	er MAX					7150	04007	7			
		20 m							-			
	24,300 Jumens	20 m 0							1			
21111111111111111111111111111111111111	24,300 lumens											
222222222222222222222222222222222222222		0 -20	0 10	0 2	00	300	400	500	600	700	9 800	m
		0 -20		_			400	500	600	700	0 800	m
Equipped with 54 5W Cree LEDs.	lumens	0 -20 on the A	dventur	e Roc	of Racl	k.			600	700	0 800	l m
Equipped with 54 5W Cree LEDs. 24,300 lumens. Lights up to more than 2,900 ft (900 m) in front of the vehicle and	Compatible Compatible See table for	0 -20 on the A with Flip or installa	dventur Windsl	e Roc nields	of Racl and F	k. Full W	indshie	elds.	600	700) 800	Im
Equipped with 54 5W Cree LEDs. 24,300 lumens. Lights up to more than 2,900 ft (900 m) in front of the vehicle and around 115 ft (35 m) wide on each side.	Compatible Compatible	0 -20 on the A with Flip or installa	dventur Windsl	e Roc nields	of Racl and F	k. Full W	indshie	elds.	600	700	0 800	l m
Equipped with 54 5W Cree LEDs. 24,300 lumens. Lights up to more than 2,900 ft (900 m) in front of the vehicle and around 115 ft (35 m) wide on each side.	Compatible Compatible See table for	on the A with Flip or installa	dventur Windsl	e Roc nields	of Racl and F	k. Full W	indshie	elds.		700	0 800	m
Equipped with 54 5W Cree LEDs. 24,300 lumens. Lights up to more than 2,900 ft (900 m) in front of the vehicle and around 115 ft (35 m) wide on each side.	Compatible Compatible Compatible See table fo Not EC com Traxter, Traxter	on the A with Flip or installa	dventur Windsl	e Roc nields	of Racl and F	k. Full W	indshie	elds.		700	0 800	m
Equipped with 54 5W Cree LEDs. 24,300 lumens. Lights up to more than 2,900 ft (900 m) in front of the vehicle and around 115 ft (35 m) wide on each side.	Compatible Compatible See table fo Not EC com	0 -20 on the A with Flip or installa apliant er MAX	dventur Windsl	e Roc nields	of Racl and F	k. Full W	indshie	elds.		700	0 800	m
Equipped with 54 5W Cree LEDs. 24,300 lumens. Lights up to more than 2,900 ft (900 m) in front of the vehicle and around 115 ft (35 m) wide on each side.	Compatible Compatible Compatible See table fo Not EC com Traxter, Traxte 1,800	0 -20 on the A with Flip or installa ppliant er MAX 20 m	dventur Windsl	e Roc nields	of Racl and F	k. Full W	indshie	elds.		700		m
Equipped with 54 5W Cree LEDs. 24,300 lumens. Lights up to more than 2,900 ft (900 m) in front of the vehicle and around 115 ft (35 m) wide on each side.	Compatible Compatible Compatible See table fo Not EC com Traxter, Traxte 1,800	0 -20 on the A with Flip or installa opliant er MAX 20 m 0	dventur Windsl	e Roc nields	of Racl and F	k. Full W equire	indshie	elds.			0 800	m
Equipped with 54 5W Cree LEDs. 24,300 lumens. Lights up to more than 2,900 ft (900 m) in front of the vehicle and around 115 ft (35 m) wide on each side. I'' (10 cm) Round LED Lights (2 x 25 W)	Compatible Compatible Compatible See table fo Not EC com Traxter, Traxte 1,800	0 -20 on the A with Flip or installa apliant er MAX 20 m 0 -20	dventur Windsl tion loc:	e Roc nields	of Racl and F	k. Full W equire	rindshie ments 7150	elds.				m
Equipped with 54 5W Cree LEDs. 24,300 lumens. Lights up to more than 2,900 ft (900 m) in front of the vehicle and around 115 ft (35 m) wide on each side. " (10 cm) Round LED Lights (2 x 25 W) 25 W LED spotlights. 1,800 lumens.	Compatible Compatible Compatible See table fo Not EC com Traxter, Traxter 1,800 lumens Requires lig Sold in pairs	0 -20 on the A with Flip r installa ppliant er MAX 20 m 0 -20 htt power s.	dventur Windsl tion loc:	e Roc nields	of Racl and F	k. Full W equire	rindshie ments 7150	elds.				m
Equipped with 54 5W Cree LEDs. 24,300 lumens. Lights up to more than 2,900 ft (900 m) in front of the vehicle and around 115 ft (35 m) wide on each side. I'' (10 cm) Round LED Lights (2 x 25 W) 25 W LED spotlights. 1,800 lumens. Rugged and waterproof.	Compatible Compatible Compatible See table fo Not EC com Traxter, Traxte Insoo Iumens Requires lig Sold in pairs Not EC com	0 -20 on the A with Flip r installa ppliant er MAX 20 m 0 -20 htt power s. mpliant.	dventur Windsh tion loca	e Roc hields ation a	of Raci	k. Full W equire	7150	02935				m
Equipped with 54 5W Cree LEDs. 24,300 lumens. Lights up to more than 2,900 ft (900 m) in front of the vehicle and around 115 ft (35 m) wide on each side. T (10 cm) Round LED Lights (2 x 25 W) Course of the second state of the	Compatible Compatible Compatible See table fo Not EC com Traxter, Traxter 1,800 lumens Requires lig Sold in pairs	0 -20 on the A with Flip r installa ppliant er MAX 20 m 0 -20 htt power s. mpliant.	dventur Windsh tion loca	e Roc hields ation a	of Raci	k. Full W equire	7150	02935				m
Equipped with 54 5W Cree LEDs. 24,300 lumens. Lights up to more than 2,900 ft (900 m) in front of the vehicle and around 115 ft (35 m) wide on each side. " (10 cm) Round LED Lights (2 x 25 W) 25 W LED spotlights. 1,800 lumens. Rugged and waterproof. Includes basic wiring and switch. Can-Am branded grill.	Compatible Compatible Compatible See table fo Not EC com Traxter, Traxte Insoo Iumens Requires lig Sold in pairs Not EC com	0 -20 on the A with Flip r installa pliant 20 m 0 -20 htt power s. opliant. or installa	dventur Windsh tion loca	e Roc hields ation a	of Raci	k. Full W equire	7150		5			m
Equipped with 54 5W Cree LEDs. 24,300 lumens. Lights up to more than 2,900 ft (900 m) in front of the vehicle and around 115 ft (35 m) wide on each side. " (10 cm) Round LED Lights (2 x 25 W) 25 W LED spotlights. 1,800 lumens. Rugged and waterproof. Includes basic wiring and switch. Can-Am branded grill.	Compatible Compatible Compatible See table fo Not EC com Traxter, Traxter 1,800 Iumens Requires lig Sold in pairs Not EC com See table fo	0 -20 on the A with Flip r installa pliant 20 m 0 -20 htt power s. opliant. or installa	dventur Windsh tion loca	e Roc hields ation a	of Raci	k. Full W equire	r1500		5			m
Equipped with 54 5W Cree LEDs. 24,300 lumens. Lights up to more than 2,900 ft (900 m) in front of the vehicle and around 115 ft (35 m) wide on each side. I '' (10 cm) Round LED Lights (2 x 25 W) 25 W LED spotlights. 1,800 lumens. Rugged and waterproof. Includes basic wiring and switch.	Compatible Compatible Compatible See table fo Not EC com Traxter, Traxter 1,800 Iumens Requires lig Sold in pairs Not EC com See table fo	0 -20 on the A with Flip r installa ppliant 20 m 0 -20 ht power s. opliant. or installa er MAX	dventur Windsh tion loca	e Roc hields ation a	of Raci	k. Full W equire	r1500		5			m
Equipped with 54 5W Cree LEDs. 24,300 lumens. Lights up to more than 2,900 ft (900 m) in front of the vehicle and around 115 ft (35 m) wide on each side. " (10 cm) Round LED Lights (2 x 25 W) 25 W LED spotlights. 1,800 lumens. Rugged and waterproof. Includes basic wiring and switch. Can-Am branded grill.	Iumens • Compatible • Compatible • See table fo • Not EC com Traxter, Traxter 1,800 Iumens • Requires lig • Sold in pairs • Not EC com • See table fo • Traxter, Traxter	0 -20 on the A with Flip r installa pliant er MAX 20 m 0 -20 ht power s. upliant. r installa	dventur Windsh tion loca	e Roc hields ation a	of Raci	k. Full W equire	r1500		5			m
Equipped with 54 5W Cree LEDs. 24,300 lumens. Lights up to more than 2,900 ft (900 m) in front of the vehicle and around 115 ft (35 m) wide on each side. " (10 cm) Round LED Lights (2 x 25 W) 25 W LED spotlights. 1,800 lumens. Rugged and waterproof. Includes basic wiring and switch. Can-Am branded grill.	Compatible Compatible See table fo Not EC corr Traxter, Traxte I,800 Iumens Requires lig Sold in pairs Not EC corr See table fo Traxter, Traxte I,260	0 -20 on the A with Flip r installa ppliant 20 m 0 -20 ht power s. opliant. or installa er MAX	dventur Windsl tion loc: 0 r cable.	e Roc hields ation a	and re	k. Full W quire	indshii ments 71500 00 ments 71500		5	21		
Equipped with 54 5W Cree LEDs. 24,300 lumens. Lights up to more than 2,900 ft (900 m) in front of the vehicle and around 115 ft (35 m) wide on each side. T (10 cm) Round LED Lights (2 x 25 W) 25 W LED spotlights. 1,800 lumens. Rugged and waterproof. Includes basic wiring and switch. Can-Am branded grill. 5.5" (9 cm) LED Driving Lights (2 x 14 W)	Iumens • Compatible • Compatible • See table fo • Not EC com Traxter, Traxter 1,800 Iumens • Requires lig • Sold in pairs • Not EC com • See table fo • Traxter, Traxter 1,260 Iumens	0 -20 on the A with Flip r installa pliant er MAX 20 m 0 -20 ht power s. ppliant. r installa er MAX 15 m 0 -15	dventur Windsl tion loca o cable. tion loca	ation a	and re	k. Full W quire	indshiimments 71500 000 mments 71500 71500 71500 75		5 5	20	000 m	
Equipped with 54 5W Cree LEDs. 24,300 lumens. Lights up to more than 2,900 ft (900 m) in front of the vehicle and around 115 ft (35 m) wide on each side. " (10 cm) Round LED Lights (2 x 25 W) (10 cm) Round LED Lights (2 x 25 W) (25 W LED spotlights. 1,800 lumens. Rugged and waterproof. Includes basic wiring and switch. Can-Am branded grill. .5" (9 cm) LED Driving Lights (2 x 14 W) (9 cm) LED Driving Lights (2 x 14 W) (10 cm) LED Driving Lights (2 x 14 W)	Compatible Compatible See table fo Not EC corr Traxter, Traxte I,800 Iumens Requires lig Sold in pairs Not EC corr See table fo Traxter, Traxte I,260	0 -20 on the A with Flip r installa ppliant 20 m 0 -20 ht power s. npliant. r installa er MAX 15 m 0 -15	dventur Windsl tion loc: 0 cable. tion loc: 0 tion loc:	ation a	and re	k. Eull W quire 1 equire 60 attack	indshii ments 71500 00 ments 71500 75		5 5	20	000 m	
Equipped with 54 5W Cree LEDs. 24,300 lumens. Lights up to more than 2,900 ft (900 m) in front of the vehicle and around 115 ft (35 m) wide on each side. " (10 cm) Round LED Lights (2 x 25 W) 25 W LED spotlights. 1,800 lumens. Rugged and waterproof. Includes basic wiring and switch. Can-Am branded grill.	Compatible Compatible Compatible See table fo Not EC com Traxter, Traxte I,800 Iumens Requires lig Sold in pairs Not EC com See table fo Traxter, Traxte I,260 Iumens · Features tw	0 -20 on the A with Flip r installa ppliant er MAX 20 m 0 -20 ht power s. npliant. r installa er MAX 15 m 0 -15 ro attachi annel poi	dventur Windsl tion loc: 0 cable. tion loc: 0 tion loc:	ation a	and re	k. Eull W quire 1 equire 60 attack	indshii ments 71500 00 ments 71500 75		5 5	20	000 m	
Equipped with 54 5W Cree LEDs. 24,300 lumens. Lights up to more than 2,900 ft (900 m) in front of the vehicle and around 115 ft (35 m) wide on each side. "(10 cm) Round LED Lights (2 x 25 W) (10 cm) Round LED Lights (2 x 25 W) (10 cm) Round LED Lights (2 x 25 W) (10 cm) Round LED Lights (2 x 25 W) (25 W LED spotlights. 1,800 lumens. Rugged and waterproof. Includes basic wiring and switch. Can-Am branded grill. (3 cm) LED Driving Lights (2 x 14 W) (5 cm) LED Driving Lights (2 x 14 W) (14 W LED lights producing 1,260 lumens each. Spot lens for a narrow and long light beam spread, ideal when	Compatible Compatible Compatible See table fo Not EC com Traxter, Traxte I,800 Iumens Requires lig Sold in pairs Not EC com See table fo Traxter, Traxte I,260 Iumens · Features tw the next cha	0 -20 on the A with Flip r installa ppliant er MAX 20 m 0 -20 ht power s. npliant. or installa er MAX 15 m 0 -15 ro attachi annel poi s.	dventur Windsl tion loc: 0 cable. tion loc: 0 tion loc:	ation a	and re	k. Eull W quire 1 equire 60 attack	indshii ments 71500 00 ments 71500 75		5 5	20	000 m	

3.5" (9 cm) LED Flood Lights	(2 x 14 W)	Traxter, Traxter MAX	715009774
		1,260 lumens 0 -15 0 15	5 30 45 60 75 90 105 m
14 W LED lights producing 1,260 lumer Flood lens for a wide light beam spread applications like plowing or cornering. S riding conditions. Equipped with six high-power LEDs in a aluminum housing.	, ideal for working Suitable for dusty or foggy	 Features two attachment point and the next channel point and the sold in pairs. ECE certified. See table for installation loc 	
Light Bar Support		Traxter, Traxter MAX	715006226
	 Low and forward mountin Compatible with all winds 	hields, roofs and doors. patible with the Can-Am Audio R	- · · ·
Light Rack		Traxter, Traxter MAX	715002456
	 Lights not included. Front Roof Liner is require Power Cable, Sport Roof, 	d for installation on the roof (exc	ection for accessory light systems. cept Cab models or with Deluxe Sport Roof). i for MAX required for installation. s.
Rear Cargo Light		Traxter, Traxter MAX (2020 & u	up) 715007077
	Not EC compliant.	-	
RAM [†] LED Spotlight		Traxter, Traxter MAX (2019 & p	prior) 710005423
	double ball and socket sys	stem. ories shown may impact vehicle	uipped with 1" (2.5 cm) diameter rubber-coated
Dome Light		Traxter, Traxter MAX	715002455
	LED array integrates perfe Wiring included. Can be installed on cage o Not compatible with Traxt	or roof, with or without roof liner.	
LED Signature Lights		Traxter, Traxter MAX (2020 & u	up) 715006896
	The stylish LED set puts the stylish LED set puts the set put set p		r, accentuating its aggressive stance.

AUDIO & COMMUNICATION SYSTEMS

Can-Am Audio Roof		Traxter	715005206
	 Full roof with sleek built-in a Fully sealed and waterproo Easy to install: one wire corelectronics. Four 7.7" speakers, one 280 weatherproof source unit s Speakers include LED light designed to uniformly illum A 3" full-color LCD display, lighting themes for visibility AM/FM tuner. 	f. Innects the roof to the vehicle's Watt amplifier, and one upplied by JL Audio ⁺ . ing integrated into the grille, inate with an RGB glow. with separate day/night	 To install the Audio Roof with the following accessories, the Power Harnesses 715003094 and 715008781 are required: Flip Glass Windshield With Wiper and Washer Kit (715001638), Front Deluxe Full Doors (715009906), Rear Deluxe Full Doors (715009907). Not compatible with Adventure Roof Rack or Headache Rack. Not compatible with 39 in. (99 cm) Double Stacked LED Light Bar (270 W) (715004007) and Light Bar Support (715006226).
Can-Am Audio Roof MAX		Traxter MAX	715006879
	 vehicle's electrical system. Weatherproof components watt amplifier and 70 watt I AM/FM tuner. Expertly tuned for exceptio Traxter MAX. 	f components and ector connects the roof to the Six 7.7" coaxial speakers, 280 Mediamaster® source unit. nal sound on the move in your e RGB LED cone illumination, ur smartphone. equipped with 3" full-color	 Designed to not drain the battery. Specific to the type of riding. To install the Audio Roof with the following accessories, the Power Harnesses 715003094 & 715008781 are required: Flip Glass Windshield With Wiper & Washer Kit (715002441 Windshield Wiper & Washer Kit (715001638), Front Deluxe Full Doors (715009906), Rear Deluxe Full Doors (715009907). Not compatible with Adventure Roof Rack. Not compatible with 39 in. (99 cm) Double Stacked LED Light Bar (270 W) (715004007) & Light Bar Support (715006226).
NEW Can-Am JL Audio Sub	woofer & Amplifier Kit	Traxter, Traxter MAX	715010050 715010342 · Sub only
	 Orchestrated for outstandir Designed to be tough in the Easy to install, this 10" (254 experience. Includes the MX 500/1 am When combined with the C 	e most demanding riding condi mm) under-seat 250 W subwo blifier with 715010050. an-Am Audio Roof (715005206	to enhance your audio experience. tions. ofer enhances both the driver's and the passenger's) or with the Can-Am Audio Roof MAX (715006879), und experience (only compatible with JL Audio Roofs).
NEW Can-Am Audio Roof F	lip Kit	Traxter, Traxter MAX	715007133
	 Not compatible with the Ro 	dio Roofs (715005206 & 71500 of Rack. Bar when installed directly on t	
Wetsound Stealth XT 6 Can	Am Edition Sound Bar	Traxter, Traxter MAX	715008282
	 Built-in Bluetooth connective Built-in Broadcast mode. Backlit control panel with Ir lights. Integrated LED Dome. IP67 rated RF wireless remutes a statement of the s	ntegrated LED RGB cabin	 4 marine-rated 3" full range drivers. 2 marine-rated 1" tweeters. Operating voltage: 12 V. IP rated: IP67. Length: 21.31" Width: 4.04" Height: 3.85"

Sound Bar Mounting Kit		Traxter, Traxter MAX	715007840
PQ	Required to install th	e Wetsound Stealth XT 6 Can-Am Edition Sou	ind Bar on a Traxter and Traxter MAX.
Overhead Audio System			
	System offers multi- (iPod® and iPhone® • Convenient white LE • Stream from any Blu MP3 player).	source input: AM/FM/WB and USB pre- ready). Sep :D-backlit LCD display and buttons. UV- etooth-enabled device (smartphone, plifier with remote turn-on.	programmable AM/FM stations with auto-store/ -set scan. arate RCA audio output and input. resistant finish/corrosion-resistant components. juires Sport Roof (715002430) or Front Roof Liner 5008226) and Power Cable (715003094).
IEW Complete Overhead A	udio System	Traxter, Traxter MAX	715009764
•	-	a-sturdy outdoor speakers (2 front and 2 rear)	and 4 black speaker boxes.
IEW Overhead Front Audic	System	Traxter. Traxter MAX	715000765
TEW Overnead Front Addit	Josstein	Traxter, Traxter MAX	715009765
ELECTRONIC		a-sturdy front outdoor speakers and black spe	eaker box.
	C ACCES	SORIES	
	C ACCES	Traxter, Traxter MAX	Paker box.
	C ACCES ra Kit • Fully waterproof real • The camera is one o mm lens with 130° vi • Features 18 infrared to light intensity chai • 7" (17.78 cm) digital • The camera can be r cargo box for hitchin	Traxter, Traxter MAX Traxter, Traxter MAX Tryiew camera and monitor kit. If the clearest and sharpest available on the m iewing angle. Iights that allow up to 50 ft. (15.24 m) visibility nges and an adjustable sunshade. TFT LCD color monitor comes with power har foof mounted to monitor your cargo load or to	715003834 arket, with 250,000 pixel image resolution and a 2.1 r in complete darkness, an auto iris sensor that adap rness and can support up to two camera inputs. see farther behind, and it can be mounted under the
	C ACCES ra Kit • Fully waterproof real • The camera is one o mm lens with 130° vi • Features 18 infrared to light intensity chai • 7" (17.78 cm) digital • The camera can be r cargo box for hitchin	Traxter, Traxter MAX r view camera and monitor kit. f the clearest and sharpest available on the m iewing angle. lights that allow up to 50 ft. (15.24 m) visibility nges and an adjustable sunshade. TFT LCD color monitor comes with power har coof mounted to monitor your cargo load or to ig purpose. Defrost Heat and Ventilation System or HVAC Traxter (except 6x6), Traxter MAX	715003834 arket, with 250,000 pixel image resolution and a 2.1 r in complete darkness, an auto iris sensor that adap rness and can support up to two camera inputs. see farther behind, and it can be mounted under the
Back-Up Monitor and Came	C ACCES ra Kit • Fully waterproof real • The camera is one o mm lens with 130° vi • Features 18 infrared to light intensity chai • 7" (17.78 cm) digital • The camera can be r cargo box for hitchin	Traxter, Traxter MAX Traxter, Traxter, Traxter MAX Traxter, Traxter, Traxter MAX Traxter, Traxter, Traxter MAX Traxter, Traxter, Traxte	715003834 arket, with 250,000 pixel image resolution and a 2.1 y in complete darkness, an auto iris sensor that adap rness and can support up to two camera inputs. see farther behind, and it can be mounted under the c.
ELECTRONIO Back-Up Monitor and Came	C ACCES ra Kit • Fully waterproof rear • The camera is one o mm lens with 130° vi • Features 18 infrared to light intensity char • 7" (17.78 cm) digital • 7" camera can be r cargo box for hitchin • Not compatible with	Traxter, Traxter MAX rview camera and monitor kit. f the clearest and sharpest available on the m iewing angle. lights that allow up to 50 ft. (15.24 m) visibility nges and an adjustable sunshade. TFT LCD color monitor comes with power han roof mounted to monitor your cargo load or to g purpose. Defrost Heat and Ventilation System or HVAC Traxter (except 6x6), Traxter MAX (2020 & up), Traxter PRO	715003834 arket, with 250,000 pixel image resolution and a 2.1 r in complete darkness, an auto iris sensor that adap rness and can support up to two camera inputs. see farther behind, and it can be mounted under the 2. 715007096 715007204



3-Mode Switch		Traxter, Traxter MAX (2019 & prior)		715004445
		•		iced load impact.
Cellphone Holder		Traxter, Traxter MAX		715008786
	 Features capacitive and res Spring system in back plate Fits all cellphones within 7.2 Works with almost all charg Does not include cellphone 	or charging wires.		sions. d for the Cellphone Holder to be supported
RAM GPS Mount				715003325
	Allows for GPS integration c Standard AMPS hole patter			
Digitally Encoded Security S	System (D.E.S.S.™) Keys	Traxter, Traxter MAX (2023 & prior), Traxter MAX 2024 (with HD9 & HD1	Traxter &	715002458
30-30-	 Top-security anti-theft prote Encrypted chip technology vehicle's electronic ignition One vehicle/one code. A vibration/shock-resistant ensures a reliable connection 	restricts access to your - system ball-and-socket design that	but does not Normal mod and 50% tor	ble modes: Limits vehicle speed to 40 kph (25 mph) t limit engine torque. le: Limits vehicle speed to 70 kph (44 mph) que reduction. e mode: No restrictions.
Digitally Encoded Security D.E.S.S.™) Keys	System	Traxter, Traxter MAX 2024 (with HD7 engine	e)	715009300
	 Top-security anti-theft prote The encrypted chip technol unit's electronic ignition sys One code per vehicle. Features a vibration/shock- design that ensures a reliab 	ogy restricts access to the - tem. resistant ball-and-socket - le connection.	Work key: cc 30 kph (18 m not limit eng Normal key: and 10% tor	nree programmable keys, including: onfigurable vehicle speed limit between nph) and maximum vehicle speed that does ine torque. limits vehicle speed to 70 kph (44 mph) que reduction on Traxter models. e key: no restrictions.
	10.	Traxter, Traxter MAX (2019 & prior)		715003758
Auxiliary Battery Installatio		Traxter, Traxter MAX (2020 & up)		715006035
E	 Allows you to add a second battery setup that will give y to power auxiliary electrical system or winch. Additional battery sold sepa 	ou the extra juice you'll need we components like a sound du	ill prevent yo raining your it includes a	n an integrated smart battery isolator that our auxiliary electrical components from starting battery. n additional battery junction block, all ing and the battery holder.
USB Power Outlet Kit		Traxter, Traxter MAX (2020 & up)		219400510
	Recharges your electronic o Dual port USB connectors.	levices while riding [*] (smartphone, M	1P3, heating	gear, etc.).
(USB)		of recharging all device types while riding.		

Defrost, Heat & Ventilation	System	Traxter, Traxter MAX 2019 & p (not compatible with HD5 Mo	torization)	715004917
	speed and in-dash adju • Adjustable/directional v • 10 vents specially positi	•	the Lower I	ce air filter. lled, you might want to add storage space wit Dashboard for Heating System and Dash ompartment Net for Heating System.
	Traxter, Traxter MAX 2020	(except Traxter PRO & HD5 models)	715005904
	Traxter, Traxter MAX 2022		/	715008093
	Traxter, Traxter MAX 2022	& up (XU models only)		715008095
	Traxter, Traxter MAX 2021	(except models wiht ABS & HD5)		715007353
	Best integrated in-dash speeds and adjustable t Adjustable/directional v concentrate heat at spe	vents can be closed to	 Includes th for the heat 	rvice air filter. he replacement lower dashboard compartmer ting system.
	•	illy positioned for windshield and	 Dash Stora recommen 	ige Compartment Net for Heating System is ided.
Heated Seat		Traxter, Traxter MAX		715006112
	 High/low temperature s desired degree of warm 	rbon fiber seat heater, foam sheet	required fo • Heated Acc required fo Limited mo • Heated Acc	cessories Wiring Harness (710005757) is r installation on front seat. cessories Wiring Harness (715006036) is r installation on Traxter XT Cab, PRO and dels. cessories Wiring Harness (715006004) is r installation on rear seats on MAX models.
Heated Seat Harness for M	AX Model	Traxter MAX		715006004
	Electric harness require	ed to hook up and operate rear hea	ted seats.	
Heated Visor Outlet		Traxter, Traxter MAX		715001246
	 Strategically positioned Optional visor outlet that Quick and easy installatt Sold individually. Heated Visor not included 	ion.		
		Traxter, Traxter MAX (models heat & ventilation system), All Traxter PRO models	with defrost,	715006036
Heated Accessories Wiring (Not illustrated)	J Harness	Traxter, Traxter MAX (models without defrost, heat ventilation system)	&	710005757
	Electric harness require	(models without defrost, heat	accessories.	

WINCHES & HITCHES

Can-Am HD Winches

Can-Am HD 4500 Winch		Traxter, Traxter MAX		715006416
C 1 300	 Ergonomic clutch handle. Rugged all-steel gears and bushings for more torque and durability. Automatic 100% load-holding brake. Sealed solenoid for all-weather protection. Weather sealed corded remote and dash mounted switch. EC compliant. 		 Pulling strength capability of 4,500 lb (2,041 kg). 43' of ¹⁵⁄₆₄" (13.1 m of 6.3 mm) wire steel cable. Heavy-duty 4-way roller fairlead. Winch Electrical Harness (715007078) is required for installation on a Traxter 2021 and prior. Winch Electrica Harness (715008152) is required for installation on a Traxter Base and DPS 2022 and up. 	
Can-Am HD 4500-S Winch		Traxter, Traxter MAX		715006417
	 Ergonomic clutch handle. Rugged all-steel gears and b durability. 	oushings for more torque and	• 50' of ¼" (15.	gth capability of 4,500 lb (2,041 kg). 2 m of 6.35 mm) synthetic rope. oof aluminum hawse fairlead.

Automatic 100% load-holding brake.


switch.

 Sealed solenoid for all-weather protection. Weather sealed corded remote and dash mounted

- Corrosion-proof aluminum hawse fairlead.
 - Winch Electrical Harness (715007078) is required for installation on a Traxter 2021 and prior. Winch Electrical Harness (715008152) is required for installation on a Traxter Base and DPS 2022 and up.

WARN[†] VRX Winches

Cargo Bed Winch		Traxter, Traxter MAX		715006355
WARKA WARKA	 Extreme IP68-rated waterprovelements out. Durable all-metal construction Black powder-coated finish a for corrosion resistance. Robust new clutch design be WARN 4 WD hub lock know- Load-holding brake for great Smooth and reliable all-meta train. 	on. and stainless steel fasteners ased on 70+ years of how. : control.	 Limited lifetin (electrical). Pulling stren 50' of ¼" (15 Cast aluminu Winch Electrinstallation o 	ed rocker control. me warranty (mechanical), 3-year warranty gth capability of 4,500 lb (2,041 kg). m of 6.3 mm) synthetic rope. um hawse fairlead. rical Harness (715007078) is required for in a Traxter 2021 and prior. Winch Electrical 5008152) is required for installation on a & up.
WARN VRX 45-S Winch		Traxter, Traxter MAX (except XT Cab 2018-2019, Lo X mr, Limited, DPS Cab & Hur 2020 & up)	one Star Edition, hting Edition	715006111
	 Extreme IP68-rated waterprovelements out. Durable all-metal construction Black powder-coated finish a for corrosion resistance. Robust new clutch design backwark wark and wark wark of the standard standard standard wark of the standard s	on. and stainless steel fasteners ased on 70+ years of how. : control.	 Limited lifetin (electrical). Pulling stren 50' of ¼" (15 Roller fairlea Winch Electr installation o 	rical Harness (715007078) is required for n a Traxter 2021 and prior. Winch Electrical 5008152) is required for installation on a
WARN VRX 45 Winch		Traxter, Traxter MAX (except XT Cab 2018-2019, Lc X mr, Limited, DPS Cab & Hur 2020 & up)		715006110



Not available in Europe.

		Can-Am HD Winch	715006430
Synthetic Winch Cable*		WARN Winch	715007783
			cable to avoid damage and premature wear of the
		Can-Am HD Winch	705014978
Replacement Wire Rope*		WARN Winch	715006699
	 43' of ¹⁵/₆₄" (13.1 m of 6.3 m) 4,500 lb (2,041 kg) pulling s 		
\sim	*Ask your dealer or visit canamof	•	
Synthetic Cable Extension		715001120	
		liameter, easy to handle and won't rat ble to provide additional 50' (15.2 m) o ne capacity.	-
NARN Hawse Fairlead*		With WARN winch	715007785
	 Double-powder-coated cor Required to use the Synthe To be used with synthetic w 	tic Winch Cable (715007783) on WAF	RN winches.
Can-Am HD Hawse Fairlead		With Can-Am HD winch	715006426
		a corner of a roller fairlead and from v	orrosion-proof aluminum hawse fairlead will prevent wearing prematurely due to the rough surface of the
Roller Fairlead		With Can-Am HD winch	710007082
	 Suggested when changing Heavy-duty replacement fa 		

Wired Remote Control		With Can-Am HD winch	715006504
	Works in conjunction with t	rs to add the hand-held remote to vehicles v he mini-rocker switch. ction socket are included with Can-Am HD v	
Vireless Remote Control		With WARN winch	715002542
	mounting hardware.	sy to install, thanks to a wiring harness with winch from anywhere within a 50' (15.2 m) r erproof.	
ower Front Receiver Hitch		Traxter, Traxter MAX	715002519
	Expand and enhance funct	g) towing capacity 2" (5 cm) receiver hitch. ionality by pairing it with Higher Front Rece m its standard mounting position).	iver Hitch and Removable Winch Mounting Kit
ligher Front Receiver Hitch		Traxter, Traxter MAX (except Limited mode	els) 715003109
		g) towing capacity 2" (5 cm) receiver hitch. from its standard mounting position.	
		Traxter, Traxter MAX (2019 & prior)	715003093
Vinch Electrical Harness		Traxter, Traxter MAX (2020 & 2021)	715007078
Not illustrated)		Traxter, Traxter MAX 2022	715008152
	Required to install a winch	on a Traxter without a factory-installed wind	sh.
ront and Rear Hitch Drawba	r	Traxter, Traxter MAX	715008350
	 Standard on 2" (5 cm) receiption 		
	It offers 1,650 lb (750 kg) of	towing capacity.	
	 Hitch ball not included. Forged steel. 		
	Installation of some accesso for information.	ries shown may impact vehicle compliance	with some regulations. Consult your local dea
Rubber Receiver Plug			705204503
HITTE ATTE	Rubber cap for 2" (5 cm) Re	eceiver Hitch.	

PERFORMANCE

		Traxter and Traxter MAX (2019 & prior	705402353
Performance Half Shaft		-except X mr, XT-P and XT CAB 2018-2019) Traxter, Traxter MAX XT Cab 2018-2019, Lone Star Edition 2019 & prior	705402353
	desert riding.	deal for off-road use, with superior wheel power	Ċ,
Brake Holding Mechanism		Traxter, Traxter MAX	715004733
	 Maintains constant pressur the transmission in P (park) Standard equipment on T-c 		loving on sloped terrain, without having to pu
Heavy-Duty Spring Kit		Traxter (Base, DPS (HD5, HD7, HD8 & HD9), XT (HD7, HD8 & HD9) & PRO (HD8)). (Except Traxter MAX, 6x6 and Traxter PRO).	715005084
	 Perfect for reducing vehicle clearing. Complete kit of 4 springs. 	s will stiffen your suspension. overall sag when shocks are under heavy dem HD5, HD10, XT CAB, Mossy Oak Edition & X m	
850 W Magneto Kit		Traxter, Traxter MAX (2020 & up except HD5 & HD7)	715007122
	 Increases the magneto out; Includes rotor, stator and re 		·
Emergency Kit		Traxter, Traxter MAX	715006102
	powersport enthusiasts car	compressor, tire repair kit, first aid kit, ratchet t	

Air Intakes & Exhaust

			1
Snorkel Kit		Traxter, Traxter MAX 2018 & up (except Traxter HD5, HD7, Traxter Limited and Traxter PRO)	715003727
	 the engine. Not compatible with Heada Washer Kit. Snorkel Extension Kit is ava Standard on Traxter X mr mediate 	CVT air intakes so vehicle can be semi-submers che Racks, Gear Rail equipment, DragonFire Ca ilable for roof level air intake and CVT exhaust. odels. <i>ries shown may impact vehicle compliance with</i>	argo Bed Roll Bar and Windshield Wiper &
Sealed Air Box		Traxter, Traxter MAX 2017 & prior	707801033
	 Required when installing the Standard on Traxter 2018 ar 	e Snorkel Kit (715003727) on Traxter and Traxte nd up models.	er MAX 2017 and prior models.
Snorkel Pre-Filter		Traxter, Traxter MAX (except Traxter PRO)	715005597
AB	 Helps keep air filter cleaner. Filter blocks particles larger Necessary to maintain vehic 	r engine in harsh riding conditions.	
Air Intake Pre-Filter		Traxter (except X mr models), Traxter MAX	715003483
	 Helps keep air filter cleaner. Filter blocks particles larger Easy, tool-less installation. Necessary to maintain vehice 	than 0.007" (0.19 mm). cle warranty when tracks are installed. he and Backcountry Track Systems.	
Foam Air Filter by Twin AIR †		Traxter, Traxter MAX	715003630
	The best choice for the hars Multiple staged oiled filterir Washable and reusable.	shest conditions. Ig foam for superior dust retaining capacity wit	h high air flow.
		Traxter, Traxter MAX (without Snorkel Kit)	703501210
CVT Air Intake Relocation Kit		Traxter, Traxter MAX (X mr models or models with Snorkel Kit)	703501211"
		n kit is MANDATORY for track-equipped 2020 t conditions and highly recommended for other	
A REAL	Mandatory on all MY20 and up Tra	MY23; inspect the vehicle to confirm. axter and Traxter HD10 models equipped with a snork or models with Snorkel Kit, it temporarily relocates CV	

APACHE TRACK SYSTEMS

Apache XC LT

Limited Warranty*

NEW Apache XC LT Track Syst	tem	Traxter, Traxter MAX (except 6)	x6)	715007719
	with the rolling band of the t mounted tandem.Better steering precision be alignment due to good group	thanks to the to the alignment of the wheels rack and the shaft damper cause of this wheel and track nd contact. front and in the back for better rear 15".	 Additional shaft dampers, tandem dampers, and wheel layout significantly reduce NVH (vibration harshness). Central guide for optimized track alignment occurrences of detracking. Optimized track layout with increased angle better obstacle crossing and snow performa Stamped and welded steel frame for improv and durability. Easy maintenance with replaceable hub and bearings. Main hub is oil bath with 3 bearings inside for lubrication. DPS module and engine and CVT pre-filter r Mounting kit sold separately. 	noise and reduced of attack for ances. red strength d wheel or consistent

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

NEW Apache XC LT Mounting Kit

(Not illustrated)	Traxter, Traxter MAX (except 6x6).	715008612
Requirect	I for installation of the Apache XC LT Track System.	
DPS mod	dule and Engine Pre-Filter not included.	
	air intake relocation kit is MANDATORY for track-equipped 2020 and up Traxter r as and highly recommended for other models.	models HD10 used in snow
This kit is	s sold separately.	
See table	e for fit, compatibility and requirements.	

Traxter, Traxter MAX (except 6x6)

*Comes from the factory on some 2023 and up models, inspect the vehicle to confirm. Mandatory on all 2020 and up Traxter models HD10 equipped with a snorkel.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Apache Backcountry

Apache Backcountry LT Track Kit

Tracks designed to deliver the best snow performance on the market with unmatched flotation level and traction on snow surface.

- Large contact patch, 37% bigger than the Apache 360 LT.
- Impressive added ground clearance of 7" (18 cm) helps
- keep the vehicle over the snow.
- Lightweight snowmobile-inspired rail design.
- Aggressive track design with 2" (5 cm) lug height for maximum traction on snow.
- Apache Backcountry LT Mounting Kit, Track DPS Module and Engine Pre-Filter are required and sold separately.

Limited Warranty*

715006891

715005891

 The CVT air intake relocation kit is MANDATORY for track-equipped 2020 to 2022 and some 2023' Traxter and
Traxter HD10 models and highly recommended for other
models. This kit is sold separately.

- For winter use only.
- Track installation will affect vehicle width and length.
- Fine-tune your track system using extra Idler Wheels,
- Sliders with Vespel Inserts and Rail Ice Scratcher.

*Comes from the factory on some MY23, inspect the vehicle to confirm.

Mandatory on all MY20 and up Traxter and Traxter HD10 models equipped with a snorkel.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Apache Backcountry LT Mount I (Not illustrated)	Kit See table for fit, compatibility and requirements.	715005888 715005493 715006196			
•	Required for installation of the Apache Backcountry Track LT System.				
•	 DPS Module and Engine Pre-Filter are required and sold separately. 				
	 The CVT air intake relocation kit is MANDATORY for track-equipped 2020 to 2022 and some 2023[°] Traxter and Traxter HD10 models and highly recommended for other models. This kit is sold separately. 				
*(Comes from the factory on some MY23, inspect the vehicle to confirm.				
M	Mandatory on all MY20 and up Traxter and Traxter HD10 models equipped with a snorkel.				
	stallation of some accessories shown may impact vehicle compliance with some regulations. Consult y r information.	our local dealer			

*The limited warranty is subject to the exclusions, limitations of liabilities and all other terms and conditions of BRP's standard limited warranty.

Apache 360			Limited Wa	arranty*
Apache 360 LT Track System		Traxter, Traxter MAX (except 6	x6)	715005103
	 and to fit on most Can-Am off-road vehicles. Extra contact patch adjustment for better performance over rough terrain. Contact patch is 7 to 9% bigger than the Apache 360's. Average ground clearance of 16" (41 cm). 1" (2.5 cm) lugs in the front and 1.25" (3.2 cm) in the back. 		 The CVT air intake relocation kit is MANDATORY for track-equipped 2020 to 2022 and some 2023' Traxter Traxter HD10 models used in snow conditions and his recommended for other models. This kit is sold separately. 	
			*Comes from the factory on some MY23, inspect the vehic. confirm. Mandatory on all MY20 and up Traxter and Traxter HD10 n	
	 EC compliant. Apache 360 LT Mounting Kit, Track DPS Module and Engine Pre-Filter Kit are required and sold separately. 			
	Installation of some accessor for information.	ies shown may impact vehicle	compliance with some regulations. Consult you	ır local dealer
Apache 360 LT Mounting Kit (Not illustrated)		See table for fit, compatibility a	and requirements.	715004832 715004831 715005492
	Required for installation of the	e Apache 360 LT Track System.	This kit is sold separately	i.
	 DPS module and Engine Pre-Filter not included. The CVT air intake relocation kit is MANDATORY for track-equipped 2020 to 2022 and some 2023' Traxter and Traxter HD10 models used in snow conditions and highly recommended for other models. 			
	Installation of some accessor for information.	ies shown may impact vehicle	compliance with some regulations. Consult you	ır local dealer

Apache Accessories		
Track DPS Module (Not illustrated)		

An innovative DPS module that ensures speedometer accuracy and optimized steering assist, which make for perfect track control and riding ease.

Required to install the Apache and Backcountry Track Systems.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Rail Ice Scratchers		Apache Backcountry and Backcountry LT Track Systems	860201728		
 Provide additional lubrication in hard and icy conditions and extend slider life. Rail mounted, small, light. Design expands on coil concept to allow reversing without damage. Easily stored when not in use. 					
Extra Wheel Kit		Apache Backcountry LT Wheel Kit	715006293		

		Apache Backcountry Li Wheel Kit	715006293
	Additional wheel kit for Bac	kcountry LT rear tracks.	
	 Reduces drag and rolling re 	sistance in hard snow conditions or when transporting heavier loads.	
	Extends slider life in hard sr	low conditions.	
10 00	 Includes two wheels, cross 	shaft and mounting hardware per kit to service one track corner.	
	 Up to two kits per rear track 	can be installed.	
North Contraction of the Contrac			

*The limited warranty is subject to the exclusions, limitations of liabilities and all other terms and conditions of BRP's standard limited warranty.

APACHE TRACK SYSTEMS FITTING GUIDE

Apache XC LT

Model Year		Vehicle Width	Track	Track Mount	Track DPS Module	CVT Pre-Filter	Engine Pre-Filter
2019 & Prior	Traxter: Base, DPS, Hunting Edition, M.O. Hunting Edition, XT, XT Cab, XT-P Traxter MAX: Base, DPS, XT, XT Cab	62"					
2020 & Up	Traxter: Base, DPS, XT Traxter MAX: Base, DPS (HD8 & HD9), XT (HD8 & HD9)	62"	715006891			703501210	
2020 to 2022	Traxter, Traxter MAX: DPS (HD10), XT (HD10), XT-P, Traxter PRO: DPS (HD10), XT (HD10)	64"	715007719		715007338	(w/o Snorkel Kit) 703501211 (w/ Snorkel Kit)	715003483 (w/o Snorkel Kit) 715005597
2023 & Up	Traxter, Traxter MAX: DPS (HD10), XU (HD9, HD10 T-cat), XT (HD10), Limited, X mr Traxter PRO: DPS (HD10), XU, XT (HD10), Limited	64" and 65"	-	715008612			(w/ Snorkel Kit)
2024 & Up	Traxter: Base (HD7), DPS (HD7), XT (HD7)	62"		715006891	715006266	Not Required	

Apache Backcountry LT

Model Year ,	/ Model	Vehicle Width	Track	Track Mount	Track DPS Module	CVT Pre-Filter	Engine Pre-Filter
2019 & Prior	Traxter Base, DPS, XT, XT Cab 2017 & Hunting Edition, XT-P	62"		715005888			
2019 & Prior	Traxter XT Cab 2018-2019, Lone Star Edition & X mr	65"	-	715006196			
2020 & Up	Traxter Base, DPS (HD5, HD7, HD8, HD9), DPS (HD10 T-cat 2020), XT (HD8, HD9), XU (HD7 T-cat), PRO T-cat 2020 (HD8, HD10)	62"	-	715005888			
2020 & Up	Traxter DPS (HD10 except T-cat 2020), XT (HD10), XU (HD9 T-cat), XU (HD10 T-cat) 2021 & up, XT-P, PRO DPS, PRO XU	64"	715005891	715005493	715007338	703501210 (w/o Snorkel Kit) 703501211 (w/ Snorkel Kit)	715003483 (w/o Snorkel Kit) 715005597 (w/ Snorkel Kit)
2020 to 2022	Traxter XT Cab, XT Cab Limited, DPS Cab, Hunting Edition, Lone Star Edition, X mr, PRO Limited, PRO Lone Star	65"	-	715006196			
2023 & Up	Traxter DPS Cab, XT Cab Limited, Hunting Edition, Lone Star Edition, X mr, PRO Limited, PRO Lone Star	65"		715005493			
2024 & Up	Traxter HD7	62"	-	715005888	715006266		

Apache 360 LT

Model Year	/ Model	Vehicle Width	Track	Track Mount	Track DPS Module	CVT Pre-Filter	Engine Pre-Filter
2019 & Prior	Traxter Base, DPS, XT, XT Cab 2017 & Hunting Edition, XT-P	62"		715004831			
2019 & Prior	Traxter XT Cab 2018-2019, Lone Star Edition & X mr	64"		715004832	-		
2020 & Up	Traxter Base, DPS (HD5, HD7, HD8, HD9), DPS (HD10 T-cat 2020), XT (HD8, HD9), XU (HD7 T-cat), PRO T-cat 2020 (HD8, HD10)	62"		715004831	-		
2020 & Up	Traxter DPS (HD10 except T-cat 2020), XT (HD10), XU (HD9 T-cat), XU (HD10 T-cat) 2021 & up, XT-P, PRO DPS, PRO XU	64"	715005103	715005492	715007338	703501210 (w/o Snorkel Kit) 703501211 (w/ Snorkel Kit)	715003483 (w/o Snorkel Kit) 715005597 (w/ Snorkel Kit)
2020 to 2022	Traxter XT Cab, XT Cab Limited, DPS Cab, Hunting Edition, Lone Star Edition, X mr, PRO Limited, PRO Lone Star	65"		715004832	-		
2023 & Up	Traxter DPS Cab, XT Cab Limited, Hunting Edition, Lone Star Edition, X mr, PRO Limited, PRO Lone Star	65"		715005492	-		
2024 & Up	Traxter HD7	62"		715004831	715006266		

PROMOUNT PLOWS

Can-Am ProMount Flex2 Plow Kit

Can-Am ProMount Flex2 72" (183 cm) Blade Plow Kit Traxter, Traxter MAX

715008170

• Blade height of 17" (43 cm).

ī.

further enhance plow versatility.

Compatible with Can-Am ProMount Blade accessories to

- These kits include:
- Can-Am ProMount Flex2 Blade
- Push Frame with Quick-Attach System
- Mounting Plate

Can-Am ProMount Flex2 Blades

Can-Am ProMount Flex2 66" (168 cm) Blade	Fits ProMount Push Frame		715006265
	absorbing material preve accidental impact occur • Replaceable wear blade	asy blade rotation to eliminate	 Clears 60" (1 Blade height Compatible 	n provides best snow roll-off at any angle. 52 cm) when plow is fully angled. of 17" (43 cm). with Can-Am ProMount Blade accessories to nce plow versatility.
Can-Am ProMount Flex2 72"	(183 cm) Blade	Fits ProMount Push Frame		715004485
	 Plow blade made of UHMWPE, flexible and impact absorbing material prevents damaging your plow when 		0	n provides best snow roll-off at any angle. 68 cm) when plow is fully angled.

accidental impact occurs.

- Replaceable wear blade.
- Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.

Can-Am ProMount Steel Plow Kit

A. S. P.

Can-Am ProMount Steel 72	r" (183 cm) Blade Plow Kit	Traxter, Traxter MAX	715008172 · Black 715008171 · Yellow
	 These kits include: Can-Am ProMount Steel Bl 	ade	

- Push Frame with Quick-Attach System
- Mounting Plate

Can-Am ProMount S	teel Blades			
Can-Am ProMount Steel 66"	' (168 cm) Blade	Fits ProMount Push Frame		715006337 · Black
	 Plow blade made from 12-g Replaceable wear blade. Large pin designed for easy snow buildup at pivot point. Blade design provides best 	blade rotation to eliminate	 Clears 60" (152 cm) when plow is fully angled. Blade height of 17" (43 cm). Compatible with Can-Am ProMount Blade accessories further enhance plow versatility. Not compatible with S3 High Clearance Front A-Arm. 	
Can-Am ProMount Steel 72"	' (183 cm) Blade	Fits ProMount Push Frame		■ 715004474 · Black ■ 715006021 · Yellow
GEN-UM	 Plow blade made from 12-g Replaceable wear blade. Large pin designed for easy snow buildup at pivot point. Blade design provides best 	blade rotation to eliminate	 Blade height Compatible further enha 	68 cm) when plow is fully angled. of 17" (43 cm). with Can-Am ProMount Blade accessories to nce plow versatility. ble with S3 High Clearance Front A-Arm.

ProMount Plow Kits – Reference Charts								
	66" Black Steel	66" Yellow Steel	66" Flex2	72" Black Steel	72" Yellow Steel			
Plow Kit	-	-	-	715008172	715008171			
Blade	715006337	-	715006265	715004474	715006021			
Push Frame	715008116	715008116	715008116	715008116	715008116			

Can-Am ProMount Angle Plows

Mounting Plate

Can-Am ProMount 66" (168 State Blade	8 cm) Steel Oneway	Fits ProMount Push Frame		715007263
and n out or • Wing	 Make the job easier with the and make the task easier by out of the way. 		 One-way "winged" state plow designed to throw sr higher. Rubber Flap (715007299) designed to keep snow a 	
	 Wing end of plow measures down to 16" (41 cm). 	26" (67 cm) high and tapers		er is offered as accessory (sold separately).

Can-Am ProMount 72" (183 State Blade	cm) Steel Oneway	Fits ProMount Push Frame		715007264
	 Make the job easier with the and make the task easier by out of the way. Wing end of plow measures down to 16" (41 cm). 	sending the snow further	snow higher. • Rubber flap (715007299) designed to keep snow away er is offered as accessory (sold separately).

Can-Am ProMount Plow Accessories

Can-Am ProMount Edge Markers	Traxter, Traxter MAX	715004206
 Help locate the edges of you Height: 24" (60 cm). Sold in pairs. Compatible with Can-Am Problades with or without Blade Can-Am ProMount Steel 54 	roMount Steel and Flex2 e Extensions (except for the	
Can-Am ProMount 66" (168 cm) Plastic Wear Blade	Traxter, Traxter MAX	715004482
Can-Am ProMount 72" (183 cm) Plastic Wear Blade	Traxter, Traxter MAX	715004483
To help prevent scratches of markable surfaces.	n smooth driveways and	

Can-Am ProMount Drift Cutte	rs	Traxter, Traxter MAX	715006258
Bit Fri Fri Fri	 Help keep snow in the plow. Dimensions: 17" x 13" (43.2 Sold in pairs. Compatible with Can-Am Pr blades with or without Blade the Can-Am ProMount Steel 	cm x 33 cm). oMount Steel and Flex2 e Extensions (except for	

72" Flex2

	tensions	Traxter, Traxter MAX		715005319 · Yellow
	Longer Wear Blade ca	Am ProMount Blades (except for Can n be installed to further extend the ex	ktra length alrea	
Back Drag Blade		ProMount Plows (60" and more	a)	715007794
	 ¼ thick steel swivel sc Lifts up when the vehi affect the scraping. Increased capacity to More aggressive scrap 	raper. cle is moving forward so as not to pull snow.	 Lifts the scra Adjustable in 72" blades. 	aper off the ground so that it scrapes evenly n length for compatibility with 60", 66" and with ProMount blades (Flex and Steel).
Can-Am ProMount Push Fra vith Quick-Attach System	ame	Traxter, Traxter MAX		715008116
	roughest use. • Mid-mount carriage pr traction. • Designed for maximur • Features a self aligning	s designed to withstand the rovides ultimate push strength and m plow lift height. g quick-attach system, an easy foot ergonomic handle for plow angle	lifespan. • Can-Am Pro installation. • Blade swivel • Large pin de	witch recommended to extend winch cable Mount Mounting Plate required for Is left or right, 5 positions. esigned for easy blade rotation to eliminate w buildup at pivot point.
Can-Am ProMount Push Fra	me Extension			
		e extension required when plow is in:	stalled with Apa	715006257 ache Track Systems.
	• 12" (30 cm) push fram	e extension required when plow is in:		ache Track Systems.
T	 12" (30 cm) push frame 99 Plate Required to install the Mounting plate preciss Comes with the Plow frame 	e extension required when plow is in: Traxter, Traxter MAX (2021 & p Can-Am ProMount Push Frame with ion-designed to stay on year round w	rior) Quick-Attach S ithout compron	2 ache Track Systems. 715007743 ystem.
Can-Am ProMount Mountin	 12" (30 cm) push frame 99 Plate Required to install the Mounting plate precisis Comes with the Plow I Not compatible with S 	e extension required when plow is in: Traxter, Traxter MAX (2021 & p Can-Am ProMount Push Frame with ion-designed to stay on year round w Roller Fairlead.	rior) Quick-Attach S ithout compron 03784).	2 ache Track Systems. 715007743 ystem.
Can-Am ProMount Mountin	 12" (30 cm) push frame 99 Plate Required to install the Mounting plate precisis Comes with the Plow I Not compatible with S 99 Plate Required to install the Mounting plate precisis Comes with the Plow I 	e extension required when plow is in: Traxter, Traxter MAX (2021 & p Can-Am ProMount Push Frame with ion-designed to stay on year round w Roller Fairlead. 3 Front High Clearance A-Arm (7150) Traxter, Traxter MAX (2022 & u Can-Am ProMount Push Frame with ion-designed to stay on year round w	rior) Quick-Attach S ithout compron 03784). p) Quick-Attach S ithout compron	Track Systems. 715007743 ystem. nising ground clearance. 715007745 ystem.
Can-Am ProMount Mountin	 12" (30 cm) push frame 99 Plate Required to install the Mounting plate precisis Comes with the Plow I Not compatible with S 99 Plate Required to install the Mounting plate precisis Comes with the Plows I Not compatible with S 	e extension required when plow is in: Traxter, Traxter MAX (2021 & p Can-Am ProMount Push Frame with ion-designed to stay on year round w Roller Fairlead. 3 Front High Clearance A-Arm (7150) Traxter, Traxter MAX (2022 & u Can-Am ProMount Push Frame with ion-designed to stay on year round w Roller Fairlead.	rior) Quick-Attach S ithout compron 03784). p) Quick-Attach S ithout compron	Track Systems. 715007743 ystem. nising ground clearance. 715007745 ystem.

ProMount Plow Limit Switch (Not illustrated)		Traxter, Traxter MAX	715006259
	 For controlling the cable ter Prevents winch, plow push Sensor relocated for optimal 	-	
Plow Roller Fairlead		Traxter, Traxter MAX	715001223
	 Cylindrical roller fairlead. Larger diameter lower rolle Cap be used with all ProMeter for the second second	r reduces wear on wire rope for plow applicatio	n.

Can be used with all ProMount plows.

Super-Duty Plow System

Super-Duty 72" (183 cm) Blade Plow Kits	Traxter, Traxter MAX		715003416
 angling. Ultra-durable 72" (183 cm with integrated reinforce tubes to tackle the most Requires a winch for rais Convenient disconnect so installation or removal. 	sing and lowering.	- Super-Duty	es: n) Super-Duty Plow. Plow Push Frame. Plow Mounting Kit.
	Traxter, Traxter MAX (2019 & p	orior)	715002840
Super-Duty Plow Hydraulic Angling Kit	Traxter, Traxter MAX (2020 & u	(qu	715006038

Super-Duty Plow Hydraulic Angling Kit

 Pre-assembled, it comes with everything you need to turn your Super-Duty Plow into a quick, easy-to-control unit from the driver's seat. Using one hand to control all plow motions with the supplied joystick will allow you to easily concentrate and manage your plowing tasks. With this commercial grade kit, you will send snow exactly where you want reliably all winter long. Winch and plow sold separately.

Exter ы. - I- **F**. -


Super-Duty Plow Push Fra	me Extension	Super-Duty Plow	715001221	
	Comes with Plow Magneti	r-Duty Plow with the Apache 360 LT Tr c Switch and Plow Pulley. Front Accessory Bar for installation.	ack System.	
Plow Blade Extensions		Super-Duty Plow	715001217	
	 Side extensions for wideni Include rubber flaps for ex Sold in pairs. 	ng your plow blade by 6" (15 cm) on ea tension parts.	ach side.	
Plow Edge Markers (Not illustrated)		Super-Duty Plow	715001216	
	 For a more accurate view of Allows you to work closely 	• •		
Plow Drift Cutter (Not illustrated)		Super-Duty Plow	715001218	
	 Keeps snow securely in th Allows you to cut a cleane Sold individually. 	•		

Sold individually.

Plow Rubber Flap (Not illustrated)	Super-Duty Plow	715001219	\$114.99
• Ke	eeps snow away from the driver and helps snow to roll in fron	t of the plow.	
Plow Pulley (Not illustrated)	Super-Duty Plow	715002042	
- He	or use with the Super-Duty Plow. elps winching efficiency. equires Front XT Bumper.		
Plow Magnetic Switch (Not illustrated)	Super-Duty Plow	715001995	
	agnetic switch that stops the winch to prevent cable, winch a or use with Super-Duty Plow.	and frame damage.	

COVERS & ADD-ONS

	Trax	ter, Traxter 6x6, Traxter PF	RO	715004453	
Trailering Cover	Trax	Traxter MAX		715004454	
polyester.		during stor ndshield and colored panels reinforced with a double Can-Am ac		easy installation. to perfectly fit your vehicle with or without	
Bolt-On [†] Retractable Rat	cheting Tie-Downs			295101072	
	 Perfect for transporting your pow securing loads. Mounts easily: Bolts on any flat su frame). 1" x 6' (2.5 cm x 1.8 m) tie-down s stitching that delivers a 500 lb (22 strength and 1,500 lb (680 kg) bree 	irface (e.g., truck bed or trap with heavy-duty 6 kg) working load	slackens, sp mechanism vehicle or loa • Rubber ratch	retractable push button automatically ools and stores away strap, while the ratchet tightens the strap snugly to secure your ad into place. heting handle provides firm grip, and the hook ed to protect whatever surface it hooks into.	
Ratchet Tie-Downs				715008309 · Black/Gray	
	 400 lb (181 kg) safe working load. 1" x 10' (2.5 cm x 3 m) strap with 5 Deluxe ratchet with rubber handle Coated S hooks. Pack of 2. 	Sea-Doo, Ski-Doo and Ca	n-Am logos.	·	
Heavy-Duty Ratchet Tie-	Down			715008308	
	 1,000 lb (454 kg) safe working loa 1.5" x 6' (38 mm x 1.8 m) strap wit Deluxe ratchet with rubber handle Black-coated clip hooks. 12" (300 mm) webbing included. Pack of two. 	h BRP brands.		·	



PARTS AND MAINTENANCE

Keep an Eye on These Parts	55
XPS Tires	56
XPS Oil & Oil Change Kits	57
Maintenance Products	58

BLENDING PERFORMANCE AND SAFETY

can-am

Trust genuine Can-Am parts to keep your vehicle performing at its best.

ONE-YEAR WARRANTY*

Precisely engineered. Rigorously tested. Factory approved.

*Covers parts and labor when fitted at an authorized dealer.

CAN-AM TRAXTER



To make sure your Traxter performs as you expect, **keep an eye on these components**:**

OIL FILTER

ENGINE OIL*

4T 10W-50 Synthetic Oil 1 quart / 946 ml	9779234
1 US gallon / 3.785 L	9779235
4T 0W-40 Synthetic Oil	
1 quart / 946 ml	9779139
1 US gallon / 3.785 L	9779140
5W-40 Synthetic Oil	
1 quart / 946 ml	9779492
1 US gallon / 3.785 L	9779493
OIL CHANGE KIT*	
5W-40 Synthetic Oil	
500 cc or more V-twin engine	9779488
5W-40 Synthetic Oil	
ACE 650 cc Single Cylinder	9779480
0W-40 Synthetic Oil	
500 cc or more V-twin engine	9779259
0W-40 Synthetic Oil	
ACE 650 cc Single Cylinder	9779481
10W-50 Synthetic Oil	
500 cc or more V-twin engine	9779252
5W-40 Synthetic Oil	
450 cc or less	9779487
0W-40 Synthetic Oil	
450 cc or less	9779257

EMISSION CONTROL

420256188

Fuel tank vent breather filter	
(Non-EVAP models)	709001120
Canister vent pre-filter (CARB and EVAP models)	513034047
AIR FILTER	715900394
CVT AIR FILTER	
HD9, HD10	706600419
DRIVE BELT	
HD10 Premium (Stock)	422280652
HD9 Premium (Stock)	422280656
HD7 Premium (Stock)	422280225
Performance (Upgrade): see Reference Chart for upgra	de
BRAKE PAD KITS	
Front brake pads (4 pads + hardware) Traxter (All models)	703501198
Rear brake pads (4 pads + hardware) Traxter HD7-HD9-HD10 Traxter MAX-PRO-6X6	703501200 703501199

СУ ВООТ КІТЅ

Front Wheel Side	705401345
Front Differential Side	705401355
Rear	705501864
WHEEL BEARINGS	293350150
FRONT A-ARM BUSHING KIT	703500875
BALL JOINTS	
Upper	706202044
Lower	706202045
SPARK PLUG	
HD10	715900244
HD9	715900642
HD7	715900785
BATTERY	
18 Amps. Wet (YTX20L-BS)	296000444

* For Europe, please check correspondent PNs on page 57. **Refer to periodic maintenance chart for proper intervals.

XPS TIRES

SHOP BY USAGE





ROCK



		All-terrain radial tire.		705403026 · 26X8R14
the second	4£4	 8-ply rated construction. 		705503322 · 26X10R14
		 Versatile and suitable for many types of terrain. 		705402754 · 27X9R14
		 Aggressive tread pattern for better traction on dirt, mud a Tread depth: 20 mm (0.78"). 	and rocky terrains.	705503103 · 27X11R14
(PS Trail King				
	۸	All-terrain radial tire.	705402713 · 26X8R12*	705503355 · 27X11R14
115252	<u>چ</u>	 8-ply rated construction. 	705503073 · 26X10R12*	705402825 · 28X9R14
	@	 Aggressive tread pattern for tougher terrains. An almost continuous center tread offers a smoother trail ride. Tread depth: 26 mm (1.02"). 	705403081 · 27X9R14 [•] 6 ply rating	705503181 · 28X11R14
(PS Trail King 2				
	•	All-terrain radial tire.		705403398 · 26X8R14
MERRIC	₽₹₹	6-ply rated construction.		705503518 · 26X10R14
195		• Tire excels in various terrains from loose to hard packed.		705403397 · 27X8R14
	<u>وم</u>	 Non directional tread pattern with optimized construction ensuring maximum grip and low rolling resistance Tread depth: 20 mm (0.78"). 	n providing precision handling	705503517 · 27X10R14
(PS Trac Force				
Relation -	4~~	 All-terrain light truck style radial tire. 	705403080 · 30X9R14	705403370 · 30X10R15
1 Cree	≥ ₄	8-ply rated construction.	705403369 · 30X9R15	705403416 · 32X10R16 UT
	<u>@</u>	 Central tread for good grip and comfort on compact terrain. Tread depth: 18 mm (0.71"). 	705503354 · 30X10R14 705403586 · 30X10R14 UT*	705403587 · 32X10R15 UT '6 ply rating
(PS Hammer Force				
	Å\$ @}	 Light truck-inspired tire. 8-ply rated construction. Rock-crawling tread pattern with unique contact patch. Aggressive sidewall for maximum traction when faced w Tread depth: 15 mm (0.59"). 	ith technical terrains.	705402918 · 30X10R15
(PS Swamp Force				
	4<^	Hybrid radial tire for mud and trail.		705403201 · 30X9R14
	بر ال	 8-ply rated construction. Unique tread pattern allowing good grip in mud and mud Center tread provides for comfortable trail riding. Tread depth: 36-38 mm (1.41"-1.49"). 	ejection.	705503387 · 30X11R14
KPS Swamp King				
	@	Bias tires for mud and trail.		705403028 · 28X8X14
		 6-ply rated construction. Ultimate performance in mud without sacrificing good tra Tread depth: 38 mm (1.49"). 	ail handling.	705503324 · 28X10X14
KPS Swamp King XL				
	:0	Bias ply for mud and trail		705503687 · 30X9X14
		 6-ply rated construction. 		705403381 · 30X10X14

- Deep V grooved Lugs with extended shoulder tread for max traction in deep ruts
- that also help eject mud faster.
- Tread depth: 38 mm (1.49") center, max depth 52 mm (2.05").

LUBRICANT & OIL CHANGE KIT

Lubricant

ÿ +40° C +104° F

żŏ

+40° C +104° F

-35° C -31° F

9779234 (US) · 1 qt / 946 ml XPS 4T 10W-50 Synthetic Oil 9779240 (Europe) · 1 qt / 946 ml 9779235 · 1 US gal / 3.785 L · Engineered for heavy-duty and high-performance 4-stroke engines, including turbocharged, supercharged :ö: +50° C +122° F and racing engines. · Formulated using carefully selected and strenuously tested base stocks and custom additives. -25° C -13° F · Offers thick film strength to protect bearings, and a proven high-temp detergency to minimize deposits, prevent shear, provide thermal stability, and combat fuel dilution to ensure maximum performance from your engine. 310W-50 9779140 (US) · 1 US gal / 3.785 L 9779139 (US) · 1 qt / 946 ml 9779287 (Europe) · 1 US gal / 3.785 L

- XPS 4T 0W-40 Synthetic Oil 9779286 (Europe) · 1 qt / 946 ml
 - Powersport formula with premium anti-wear and anti-corrosion additives.
 - The best choice for high-performance snowmobile, ATV and SXS 4-stroke engines used in cold weather.
 - · Provides superior engine and transmission protection against heat, rust and corrosion.
 - · Delivers optimal performance in high and low temperatures.

-45°C -49°F	
XPS 4T 5W-40 Synthetic Oil	9779492 (US) · 1 qt / 946 ml 9779900 (Europe) · 1 qt / 946 ml

9779493 (US) · 1 US gal / 3.785 L 9779901 (Europe) · 1 US gal / 3.785 L

- · Off-road formula with premium anti-wear and anti-corrosion additives.
- · Designed for high-performance off-road, on-road and PWC 4-stroke engines, including turbo or supercharged powersports engines.
- Provides superior engine and transmission protection against rust and corrosion, even in extreme conditions.



Engine Oil Change Kit

- · Ultra-convenient "all-in-one" Engine Oil Change Kit saves time and money. Includes XPS Synthetic or Synthetic Blend Oi
- oil filter, O-rings and washer.

	Models	
	5W-40 Synthetic Oil / 450 cc or less	9779487 (US) 9779954 (Europe)
il,	0W-40 Synthetic Oil / 450 cc or less	9779257 (US) 9779409 (Europe)
	5W-40 Synthetic Oil / 500 cc or more V-twin engine	9779488 (US) 9779953 (Europe)
	0W-40 Synthetic Oil / 500 cc or more V-twin engine	9779259 (US) 9779406 (Europe)
	10W-50 Synthetic Oil / 500 cc or more V-twin engine	9779252 (US) 9779401 (Europe)
	0W-40 Synthetic Oil / 650 ACE	9779481 (US) 9779417 (Europe)
	5W-40 Synthetic Blend Oil / 650 ACE	9779480 (US) 9779952 (Europe)
	5W-40 Synthetic Oil / 900 ACE	9779489 (US) 9779955 (Europe)
	10W-50 Synthetic Oil / 900 ACE	9779261 (US) 9779411 (Europe)
	5W-40 Synthetic Oil / 999T	9779500 (US) 9779959 (Europe)
	10W-50 Synthetic Oil / 999T	9779501 (US) 9779960 (Europe)



XPS 30W-40

MAINTENANCE PRODUCTS

		75W-90	9779158 (US) · 1 qt / 946 ml 9779212 (Europe) · 1 qt / 946 ml
Synthetic Gear Oil		75W-140	9779160 (US) · 1 qt / 946 ml 9779215 (Europe) · 1 qt / 946 ml
	 Allows higher loads, superi 	l rovide the best performance in Visc or shear stability and reduced oxida n and superior performance at all o	co-Lok™ and Smart-Lok™ differentials. ation.
PS Synthetic DCT Fluid			9779710 (US) · 1 qt / 946 ml 9779473 (Europe) · 1 qt / 946 ml
	 Meets or exceeds API GL-4 ind Formulated for dual clutch sys Enhanced cooling capabilities Anti foaming agents for smoot 	tem. for optimal clutch functionality.	
Extended Life Pre-Mixed C	coolant		9779150 · 1 qt / 946 ml 619590728 (Scandinavia) · 1 qt / 946 ml
	BRP cooling systems. Long-life, 5-year formula speci Superior heat transfer. 	e correct dilution and the necessar ally formulated for BRP vehicles. that normally use a 2-year antifreez	y additives to prevent corrosion and inhibit cavitation ir ze/coolant (green).
Anti-Corrosive Lubricant			9779701 · 120 oz / 340 g 619590733 (Scandinavia) · 120 oz / 340 g
		n also be used to prevent rust, corr dditives that work as an all-around	lubricant for just about anywhere lubrication is needed
xtreme Duty Suspension	Grease		9779708 · 14 oz / 400 g
	It is highly stable and offers op	with the components found in Can- timal lubrication at both extreme co isture, as well as corrosion under ex	old and high temperatures while protecting suspension
XPS Spline Grease			9779704 (US) · 4 oz / 115 g 9779472 (Europe) · 4 oz / 115 g
	 Enhanced rust and corrosion Protects against seizure, heat 	resistance. t-freeze, galling, rust and corrosion.	
DOT 4 Brake Fluid			9779151 (US) · 12 fl. oz. / 355 ml 9779207 (Europe) · 12 fl. oz. / 355 ml
S H		nd DOT4 brake fluid requirements. ists fade and also conditions seals	and O-rings in braking system.
Racing Brake Fluid RS600			9779152 · 12 fl. oz. / 355 ml
	 Extreme, 579-degree boiling p Will not harm seals or braking Should be added only to a cleated only to a cleated be added only to a slow with the slows with th		emand competition conditions to combat brake fade. and diminished performance. tiple heat cycles.
Fuel Stabilizer			9779171 (US) · 8 fl. oz. / 236 ml 9779183 (Europe) · 8 fl. oz. / 236 ml
	hesitation and poor run quality	y. re, this product contains powerful a	rom breaking down and causing hard starting, throttle
	CE		






BRP REIMAGINES THE WAY YOU ACCESS YOUR WORLD

Can-Am is one of many success stories from BRP, the global company behind some of the most daringly innovative products and experiences that move you. Because it's not about the destination, it's about the journey — yours.

Discover our brands:

SKI-DOO LYNX SEN-200 CAN-AM ROTAX ALUMACraft MANITOL QUINTREX.

www.brp.com



CANAMOFFROAD.COM



CF

0

0

. 0

