

TABLE OF CONTENTS

VEHICLE SPECIFICATIONS		PARTS AND MAINTENANCE		
BRP Limited Warranty	5	Genuine Can-Am Parts	24	
Can-Am Origin®	6	XPS Maintenance Products	26	
Can-Am Origin '73	8			
Can-Am Pulse®	10	ADDADEL		
Can-Am Pulse '73	12	APPAREL		
		Sizing Chart	29	
ACCESSORIES		Protective Gear	32	
MUULOOUNILO		Riding Gear	34	
Seats and Backrests	17	Sportswear	39	
Windshields	18			
Protection	18			
Cargo and Storage	19			
Lights and Electrical Accessories	20			
Covers	21			

CANAMMOTORCYCLES.COM



VEHICLE SPECIFICATIONS

١	٨	I	A	R	R	A	N	T۱	Y
- 1									

BRP Limited Warranty 5

CAN-AM ORIGIN

Can-Am Origin 6 Can-Am Origin '73 8

CAN-AM PULSE

Can-Am Pulse 10 Can-Am Pulse 73 12



IF WE SELL IT, WE STAND BY IT.

BRP Limited Warranty* for new riding parts, accessories and riding gear.

1-YEAR LIMITED WARRANTY**

Genuine BRP Parts and Accessories installed by you or your authorized BRP dealer

Aftermarket Products sold through BRP Riding Gear

4-YEAR LIMITED WARRANTY**

Helmets

GET ALL THE DETAILS FROM YOUR CAN-AM MOTORCYCLE DEALER

- *Purchased at an authorized BRP dealership/distributor or on a BRP-authorized online store. Other exclusions may apply; see complete limited warranty or contact your Can-Am motorcycle authorized dealer.
- **Unless otherwise stipulated or required by law.
- This limited warranty does not apply to factory-installed accessories. This limited warranty does not apply to Evinrude parts and accessories.

2025 CAN-AM ORIGIN®



CAN-AM ORIGIN

- Dual-sport electric motorcycle
- Versatile motorcycle designed for On and Off-Road riding
- Available in 11kW and 35kW
- · Lightweight design for excellent handling

PACKAGE HIGHLIGHTS

- 10.25 in. touchscreen display with BRP Connect* and Apple CarPlay*
 Liquid-cooled system: battery, inverter, motor and on-board charger
 Charging from 20-80 % in only 50 minutes
 Single-sided swingarm with chaincase

- Active and Passive RegenReverse function

COLOR

- LinQ* integration for accessorization
 Full KYB† suspension with 255 mm of suspension travel

*BRIGHT WHITE MODEL SHOWN



Туре	ROTAX* E-POWER, liquid-cooled
Power	47 hp peak (35 kW) / 27 hp continuous (20 kW) (Also available in 11 kW / 15 hp version - A1 driving license)
Torque Motor	Peak: 72 Nm from 0 to 4600 RPM
Top Speed/Sustained	80 mph (129 km/h)
Acceleration	4.3 seconds: 0-60 mph (0-100 km/h)
BATTERY	
Туре	Integrated, lithium-ion
Capacity	8.9 kWh
Cooling System	Liquid-cooled: battery, inverter and on-board charger
Estimated Range (when fully charged)	City: 90 miles (145 km) Combined (WMTC*): 71 miles (115 km) Sustained 50 mph (80 km/h): 52 miles (84 km)
Function	Active Regen, Passive Regen
Charger	On-board charger: 6.6 kW (Level 1 & Level 2 compatible)
Connector	Type 2 IEC 62196
Charging Time: Mode 3 (240 V)	50 min. (20–80%) 1 hour 30 min. (0–100%)
Charging Time: Mode 2 (120 V)	3 hours 10 min. (20–80%) 5 hours 15 min. (0–100%)
DRIVETRAIN	
Transmission	Clutchless direct drive
Final Drive	Chaincase with silent chain
Function	Reverse function
CHASSIS	
Swingarm	Single-sided swingarm
Rake	30°
Trail	118 mm (14.6 in.)
Front Suspension/ Travel	KYB 43 mm inverted fork / 255 mm (10 in.)
Rear Suspension/ Travel	KYB HPG shock with adjustable preload, compression and rebound / 255 mm (10 in.)
Front Brake	J.Juan [†] 2-piston floating caliper, 320 mm disc
Rear Brake	J.Juan 1-piston floating caliper, 240 mm disc
Front Tire	Dunlop [†] D605 90/90 R21 (with tube)
Rear Tire	Dunlop D605 120/80 R18 (with tube)
Wheels	Spoked wheel, Carbon black
Front Wheel Size	533 x 47 mm (21 x 1.85 in.)
Rear Wheel Size	457 x 63.5 mm (18 x 2.5 in.)

Bright White	
Carbon Black	
DIMENSIONS	
L x W x H (with mirrors)	2,204 x 861 x 1,414 mm(86.8 x 33.9 x 55.7 in.)
Wheelbase	1,503 mm (59 in.)
Seat Height	865 mm (34 in.)
Ground Clearance	274 mm (10.8 in.)
Curb Weight	187 kg (412 lb)
Maximum Vehicle Load	151 kg (333 lbs)
INSTRUMENTATION	
Туре	10.25 in. touchscreen display with BRP Connect
Navigation System	Apple CarPlay
Drive Modes	Normal, ECO, Rain, Sport, Off-Road, Off-Road+
Handlebar Control	Backlit handlebar control module
SAFETY & SECURITY	
ABS	Anti-Lock Braking System
MTC	Motorcycle Traction Control
WARRANTY	
Vehicle Warranty	2 years
Battery Warranty	5 years / 31,068 miles (50,000 km)
FEATURES	·
	LED headlight Glove box with USB port LinQ anchor points Skid plate

^{*}WMTC: World Motorcycle Test Cycle

Feature highlights



1 Liquid-cooled system

Industry-leading cooling system: battery, inverter, onboard charger and motor are liquid-cooled. Liquid cooling offers a more efficient cooling process, optimizing charging speed and performance in almost any conditions compared to an air-cooled system.



2 10.25 In. Touchscreen display with BRP Connect and Apple Carplay

A high-resolution infotainment system that puts an interactive, informative and customizable experience that's both seamless and simple, right at your fingertips.



3 Chaincase

The chaincase protects the high-quality silent chain from the elements and keeps it lubricated with oil. An automatic tensioner ensures perfect chain tension without the need for regular maintenance.



*CARBON BLACK MODEL SHOWN



4 Passive and Active Regen

When the accelerator is released, Passive Regen gives back some energy to the battery while decelerating. Active Regen gives up to 4 time more power to the battery and offer greater deceleration. Both Regen can be adjusted depending on your preference.



5 Lightweight architecture

The battery is an integral part of the chassis, reducing the number of parts and the overall weight of the motorcycle, making it very agile and easy to handle.



6 Off-Road performance

Front and rear KYB suspension with 255 mm (10 in.) of suspension travel to absorb the difficult terrain combined with the standard riding position that helps standing up to overcome obstacles in control.

Key accessories



Full LinQ and LinQ Nano integration



LinQ Sport Windshield (219401217)



3 LinQ Top Case (36 L) (219401202)



5 Passenger Seat (219401216) (Standard on Carbon Black and '73 models)



LinQ Nano Tank Bag (219401203)



4 LinQ Saddlebags (22 L) (219401197)

©2024 Bombardier Recreational Products Inc. (BRP). All rights reserved. ®, TM and the BRP logo are trademarks of BRP or its affiliates. In the USA, products are distributed by BRP US Inc. †All other trademarks are the property of their respective owners. BRP reserves the right to discontinue or change specifications, prices, designs, features, models or equipment without incurring obligation. Some models shown may include optional equipment. Product performance may vary depending on external factors. See your authorized BRP dealer for details and visit canammotorcycles.com.



7

2025 CAN-AM ORIGIN® '73



CAN-AM ORIGIN '73

- Dual-sport electric motorcycle
- Versatile motorcycle designed for On and Off-Road riding
- Available in 35kW
- · Lightweight design for excellent handling

PACKAGE HIGHLIGHTS

- 10.25 in. touchscreen display with BRP Connect* and Apple CarPlay*
 Liquid-cooled system: battery, inverter, motor and on-board charger
 Charging from 20-80 % in only 50 minutes
 Single-sided swingarm with chaincase

- Active and Passive RegenReverse function

- LinQ* integration for accessorization
 Full KYB† suspension with 255 mm of suspension travel
 Premium package with exclusive coloration and trims



Type	ROTAX* E-POWER, liquid-cooled
Power	47 hp peak (35 kW) / 27 hp continuous (20 kW)
Torque Motor	Peak: 72 Nm from 0 to 4600 RPM
Top Speed/Sustained	80 mph (129 km/h)
Acceleration	4.3 seconds: 0-60 mph (0-100 km/h)
BATTERY	
Туре	Integrated, lithium-ion
Capacity	8.9 kWh
Cooling System	Liquid-cooled: battery, inverter and on-board charger
Estimated Range (when fully charged)	City: 90 miles (145 km) Combined (WMTC*): 71 miles (115 km) Sustained 50 mph (80 km/h): 52 miles (84 km)
Function	Active Regen, Passive Regen
Charger	On-board charger: 6.6 kW (Level 1 & Level 2 compatible)
Connector	Type 2 IEC 62196
Charging Time: Mode 3 (240 V)	50 min. (20–80%) 1 hour 30 min. (0–100%)
Charging Time: Mode 2 (120 V)	3 hours 10 min. (20–80%) 5 hours 15 min. (0–100%)
DRIVETRAIN	
Transmission	Clutchless direct drive
Final Drive	Chaincase with silent chain
Function	Reverse function
CHASSIS	
Swingarm	Single-sided swingarm
Rake	30°
Trail	118 mm (14.6 in.)
Front Suspension/ Travel	KYB 43 mm inverted fork / 255 mm (10 in.)
Rear Suspension/ Travel	KYB HPG shock with adjustable preload, compression and rebound / 255 mm (10 in.)
Front Brake	J.Juan [†] 2-piston floating caliper, 320 mm disc
Rear Brake	J.Juan 1-piston floating caliper, 240 mm disc
Front Tire	Dunlop [†] D605 90/90 R21 (with tube)
Rear Tire	Dunlop D605 120/80 R18 (with tube)
Wheels	Spoked wheel, Carbon black
Front Wheel Size	533 x 47 mm (21 x 1.85 in.)
Rear Wheel Size	457 x 63.5 mm (18 x 2.5 in.)

tin
2,204 x 861 x 1,414 mm(86.8 x 33.9 x 55.7 in.)
1,503 mm (59 in.)
865 mm (34 in.)
274 mm (10.8 in.)
187 kg (412 lb)
151 kg (333 lbs)
10.25 in. touchscreen display with BRP Connect
Apple CarPlay
Normal, ECO, Rain, Sport, Off-Road, Off-Road+
Backlit handlebar control module
Anti-Lock Braking System
Motorcycle Traction Control
2 years
5 years / 31,068 miles (50,000 km)
LED headlight Glove box with USB port LinQ anchor points Skid plate LinQ Windshield Signature LED lights Vehicle cover Exclusive '73 package color and trims

^{*}WMTC: World Motorcycle Test Cycle

Feature highlights



1 Liquid-cooled system

Industry-leading cooling system: battery, inverter, onboard charger and motor are liquid-cooled. Liquid cooling offers a more efficient cooling process, optimizing charging speed and performance in almost any conditions compared to an air-cooled system.



2 10.25 In. Touchscreen display with BRP Connect and Apple Carplay

A high-resolution infotainment system that puts an interactive, informative and customizable experience that's both seamless and simple, right at your fingertips.



3 Chaincase

The chaincase protects the high-quality silent chain from the elements and keeps it lubricated with oil. An automatic tensioner ensures perfect chain tension without the need for regular maintenance.





4 Passive and Active Regen

When the accelerator is released, Passive Regen gives back some energy to the battery while decelerating. Active Regen gives up to 4 time more power to the battery and offer greater deceleration. Both Regen can be adjusted depending on your preference.



5 Lightweight architecture

The battery is an integral part of the chassis, reducing the number of parts and the overall weight of the motorcycle, making it very agile and easy to handle.



6 Origin '73 package

Premium package with exclusive coloration, trims and additional features such as a LinQ Windshield for added comfort and Signature LED lights.

Key accessories



Full LinQ and LinQ Nano integration



LinQ Adjustable Windshield (219401113)



LinQ Nano Tank Bag (219401203)



4 LinQ Saddlebags (22 L) (219401197)

3 LinQ Top Case (36 L)

(219401202)



©2024 Bombardier Recreational Products Inc. (BRP). All rights reserved. ®, TM and the BRP logo are trademarks of BRP or its affiliates. In the USA, products are distributed by BRP US Inc. †All other trademarks are the property of their respective owners. BRP reserves the right to discontinue or change specifications, prices, designs, features, models or equipment without incurring obligation. Some models shown may include optional equipment. Product performance may vary depending on external factors. See your authorized BRP dealer for details and visit canammotorcycles.com.



9

2025 CAN-AM PULSE®



CAN-AM PULSE

- Naked electric motorcycle with modern design
- · Nimble and agile for urban usage
- Available in 11kW and 35kW
- · Exciting and versatile

PACKAGE HIGHLIGHTS

- 10.25 in. touchscreen display with BRP Connect* and Apple CarPlay¹
 Liquid-cooled system: battery, inverter, motor and on-board charger
 Charging from 20-80 % in only 50 minutes
 Single-sided swingarm with chaincase
 Active and Passive Regen
 Reverse function

- LinQ® integration for accessorization

*BRIGHT WHITE MODEL SHOWN

ECO. / RAIN / SPORT / LINQ / BRP CONNECT MODE / + MODE / COMPATIBLE / APPLE CARPLAY

MOTOR

MOTOR	
Туре	ROTAX® E-POWER, liquid-cooled
Power	47 hp peak (35 kW) / 27 hp continuous (20 kW) (Also available in 11 kW / 15 hp version - A1 driving license)
Torque Motor	Peak: 72 Nm from 0 to 4600 RPM
Top Speed/Sustained	80 mph (129 km/h)
Acceleration	3.8 seconds: 0-60 mph (0-100 km/h)
BATTERY	
Туре	Integrated, lithium-ion
Capacity	8.9 kWh
Cooling System	Liquid-cooled: battery, inverter and on-board charger
Estimated Range (when fully charged)	City: 100 miles (160 km) Combined (WMTC*): 80 miles (130 km) Sustained 50 mph (80 km/h): 55 miles (89 km)
Function	Active Regen, Passive Regen
Charger	On-board charger: 6.6 kW (Level 1 & Level 2 compatible)
Connector	Type 2 IEC 62196
Charging Time: Mode 3 (240 V)	50 min. (20–80%) 1 hour 30 min. (0–100%)
Charging Time: Mode 2 (120 V)	3 hours 10 min. (20–80%) 5 hours 15 min. (0–100%)
DRIVETRAIN	
Transmission	Clutchless direct drive
Final Drive	Chaincase with silent chain
Function	Reverse function
CHASSIS	
Swingarm	Single-sided swingarm
Rake	27.2°
Trail	101 mm (3.97 in.)
Front Suspension/ Travel	KYB [†] 41 mm inverted fork / 140 mm
Rear Suspension/ Travel	SACHS twin-tube coil-over shock with preload adjustment / 140 mm
Front Brake	J.Juan [†] 2-piston floating caliper, 320 mm disc
Rear Brake	J.Juan 1-piston floating caliper, 240 mm disc
Front Tire	Dunlop† Sportmax GPR-300 110/70 R17
Rear Tire	Dunlop Sportmax GPR-300 150/60 R17
Wheels	Cast wheel, Carbon Black
Front Wheel Size	431.8 x 88.9 mm (17 x 3.5 in.)

431.8 x 114.3 mm (17 x 4.5 in.)

COLOR

Bright White	
Carbon Black	
DIMENSIONS	
L x W x H (with mirrors)	2,030 x 947 x 1,171 mm (79.9 x 37.3 x 46.1 in.)
Wheelbase	1,412 mm (55.6 in.)
Seat Height	784 mm (30.86 in.)
Ground Clearance	146 mm (5.7 in.)
Curb Weight	177 kg (390 lb)
Maximum Vehicle Load	151 kg (333 lbs)
INSTRUMENTATION	ı
Туре	10.25 in. touchscreen display with BRP Connect
Navigation System	Apple CarPlay
Drive Modes	Normal, ECO, Rain, Sport+
Handlebar Control	Backlit handlebar control module
SAFETY & SECURITY	Y
ABS	Anti-Lock Braking System
MTC	Motorcycle Traction Control
WARRANTY	
Vehicle Warranty	2 years
Battery Warranty	5 years / 31,068 miles (50,000 km)
FEATURES	
	LED headlight Glove box with USB port LinQ anchor points Skid plate

Rear Wheel Size

^{*}WMTC: World Motorcycle Test Cycle

Feature highlights



1 Liquid-cooled system

Industry-leading cooling system: battery, inverter, onboard charger and motor are liquid-cooled. Liquid cooling offers a more efficient cooling process, optimizing charging speed and performance in almost any conditions compared to an air-cooled system.



2 10.25 In. Touchscreen display with BRP Connect and Apple Carplay

A high-resolution infotainment system that puts an interactive, informative and customizable experience that's both seamless and simple, right at your fingertips.



3 Chaincase

The chaincase protects the high-quality silent chain from the elements and keeps it lubricated with oil. An automatic tensioner ensures perfect chain tension without the need for regular maintenance.



*CARBON BLACK MODEL SHOWN



4 Passive and Active Regen

When the accelerator is released, Passive Regen gives back some energy to the battery while decelerating. Active Regen gives up to 4 time more power to the battery and offer greater deceleration. Both Regen can be adjusted depending on your preference.



5 Lightweight architecture

The battery is an integral part of the chassis, reducing the number of parts and the overall weight of the motorcycle, making it very agile and easy to handle.



6 Reverse function

Reverse function to assist reversing and parking maneuvers. Simply press and hold the start button to activate the reverse function.

Key accessories



Full LinQ and LinQ Nano integration



1 LinQ Sport Windshield (219401217)

Tank Bag (219401204)





3 LinQ Top Case (36 L) (219401262)



5 Passenger Seat (219401200) (Standard on Carbon Black and '73 models)



©2024 Bombardier Recreational Products Inc. (BRP). All rights reserved. ®, TM and the BRP logo are trademarks of BRP or its affiliates. In the USA, products are distributed by BRP US Inc. †All other trademarks are the property of their respective owners. BRP reserves the right to discontinue or change specifications, prices, designs, features, models or equipment without incurring obligation. Some models shown may include optional equipment. Product performance may vary depending on external factors. See your authorized BRP dealer for details and visit canammotorcycles.com.



11

2025 CAN-AM PULSE® '73



CAN-AM PULSE '73

- Naked electric motorcycle with modern design
- · Nimble and agile for urban usage
- Available in 35kW
- Exciting and versatile

PACKAGE HIGHLIGHTS

- 10.25 in. touchscreen display with BRP Connect* and Apple CarPlay*
 Liquid-cooled system: battery, inverter, motor and on-board charger
 Charging from 20-80 % in only 50 minutes
 Single-sided swingarm with chaincase
 Active and Passive Regen
 Payerse function

- · Reverse function
- LinQ* integration for accessorization
 Premium package with exclusive coloration and trims
 LinQ gauge spoiler and Signature LED lights



MOTOR	
Туре	ROTAX® E-POWER, liquid-cooled
Power	47 hp peak (35 kW) / 27 hp continuous (20 kW)
Torque Motor	Peak: 72 Nm from 0 to 4600 RPM
Top Speed/Sustained	80 mph (129 km/h)
Acceleration	3.8 seconds: 0-60 mph (0-100 km/h)
BATTERY	
Туре	Integrated, lithium-ion
Capacity	8.9 kWh
Cooling System	Liquid-cooled: battery, inverter and on-board charger
Estimated Range (when fully charged)	City: 100 miles (160 km) Combined (WMTC*): 80 miles (130 km) Sustained 50 mph (80 km/h): 55 miles (89 km)
Function	Active Regen, Passive Regen
Charger	On-board charger: 6.6 kW (Level 1 & Level 2 compatible)
Connector	Type 2 IEC 62196
Charging Time: Mode 3 (240 V)	50 min. (20–80%) 1 hour 30 min. (0–100%)
Charging Time: Mode 2 (120 V)	3 hours 10 min. (20–80%) 5 hours 15 min. (0–100%)
DRIVETRAIN	
Transmission	Clutchless direct drive
Final Drive	Chaincase with silent chain
Function	Reverse function
CHASSIS	
Swingarm	Single-sided swingarm
Rake	27.2°
Trail	101 mm (3.97 in.)
Front Suspension/ Travel	KYB [†] 41 mm inverted fork / 140 mm
Rear Suspension/ Travel	SACHS twin-tube coil-over shock with preload adjustment / 140 mm
Front Brake	J.Juan† 2-piston floating caliper, 320 mm disc
Rear Brake	J.Juan 1-piston floating caliper, 240 mm disc
Front Tire	Dunlop† Sportmax GPR-300 110/70 R17
Rear Tire	Dunlop Sportmax GPR-300 150/60 R17
Wheels	Cast wheel, Carbon Black
Front Wheel Size	431.8 x 88.9 mm (17 x 3.5 in.)
D \M/I O'	404.0 444.0 (47 4.5 !:-)

431.8 x 114.3 mm (17 x 4.5 in.)

COLOR

COLOR				
Sterling Silver Satin				
DIMENSIONS				
LxWxH (with mirrors)	2,030 x 947 x 1,171 mm (79.9 x 37.3 x 46.1 in.)			
Wheelbase	1,412 mm (55.6 in.)			
Seat Height	784 mm (30.86 in.)			
Ground Clearance	146 mm (5.7 in.)			
Curb Weight	177 kg (390 lb)			
Maximum Vehicle Load	151 kg (333 lb)			
INSTRUMENTATION				
Туре	10.25 in. touchscreen display with BRP Connect			
Navigation System	Apple CarPlay			
Drive Modes	Normal, ECO, Rain, Sport+			
Handlebar Control	Backlit handlebar control module			
SAFETY & SECURITY				
ABS	Anti-Lock Braking System			
MTC	Motorcycle Traction Control			
WARRANTY				
Vehicle Warranty	2 years			
Battery Warranty	5 years / 31,068 miles (50,000 km)			
FEATURES				
	LED headlight Glove box with USB port LinQ anchor points Skid plate LinQ gauge spoiler Signature LED lights Vehicle cover Exclusive '73 package color and trims			

Rear Wheel Size

^{*}WMTC: World Motorcycle Test Cycle

Feature highlights



1 Liquid-cooled system

Industry-leading cooling system: battery, inverter, onboard charger and motor are liquid-cooled. Liquid cooling offers a more efficient cooling process, optimizing charging speed and performance in almost any conditions compared to an air-cooled system.



2 10.25 In. Touchscreen display with **BRP Connect and Apple Carplay**

A high-resolution infotainment system that puts an interactive, informative and customizable experience that's both seamless and simple, right at your fingertips.



3 Chaincase

The chaincase protects the high-quality silent chain from the elements and keeps it lubricated with oil. An automatic tensioner ensures perfect chain tension without the need for regular maintenance.





4 Passive and Active Regen

When the accelerator is released, Passive Regen gives back some energy to the battery while decelerating. Active Regen gives up to 4 time more power to the battery and offer greater deceleration. Both Regen can be adjusted depending on your preference.



Lightweight architecture

The battery is an integral part of the chassis, reducing the number of parts and the overall weight of the motorcycle, making it very agile and easy to handle.



Pulse '73 package

Premium package with exclusive coloration, trims and additional features such as a LinQ Gauge spoiler and Signature LED lights.

Key accessories



Full LinQ and LinQ Nano integration



LinQ Sport Windshield (219401217)





3 LinQ Top Case (36 L) (219401262)



5 Passenger Seat (219401200) (Standard on Carbon Black and '73 models)






4 LinQ Saddlebags (22 **L)** (219401261)

©2024 Bombardier Recreational Products Inc. (BRP). All rights reserved. ®, TM and the BRP logo are trademarks of BRP or its affiliates. In the USA, products are distributed by BRP US Inc. †All other trademarks are the property of their respective owners. BRP reserves the right to discontinue or change specifications, prices, designs, features, models or equipment without incurring obligation. Some models shown may include optional equipment. Product performance may vary depending on external factors. See your authorized BRP dealer for details and visit canammotorcycles.com.



13

		CAN-AM ORIGIN	CAN-AM ORIGIN '73	CAN-AM PULSE	CAN-AM PULSE '73		
	COLOR	Bright White Carbon Black	Sterling Silver Satin	Bright White Carbon Black	Sterling Silver Satin		
MOTOR	Type Power Torque Motor Top Speed/	47 hp peak (35 kW) / 27 hp continuous (20 kW) (Also available in 11 kW / 15 hp version - A1 driving license)	47 hp peak (35 kW) / 27 hp continuous (20 kW) Peak: 72 Nm fro	ER, liquid-cooled 47 hp peak (35 kW) / 27 hp continuous (20 kW) (Also available in 11 kW / 15 hp version - A1 driving license) m 0 to 4600 RPM	47 hp peak (35 kW) / 27 hp continuous (20 kW)		
	Sustained	4.3 seconds: 0-60	mph (0-100 km/h)		mph (0–100 km/h)		
	Top Speed/ Sustained			129 km/h)			
	Type Capacity			lithium-ion erter and on-board charger			
	Cooling System		·	kWh			
BATTERY	Estimated Range (when fully charged)						
ВАТ	Charger	On-board charger: 6.6 kW (Level 1 & Level 2 compatible)					
	Charging Time:			2 ICE (20–80%)			
	Charging Time: Mode 3 (240 V)		1 hour 30 m	in. (0–100%)			
	Charging Time: Mode 2 (120 V)		3 hours 10 n 5 hours 15 n	nin. (20–80%) nin. (0–100%)			
MIN	Transmission		Clutchless	direct drive			
DRIVETRAIN	Final Drive		Chaincase wi	th silent chain			
Д.	Function	Reverse function					
FETY &	ABS	Anti-Lock Braking System					
SE	мтс	Motorcycle Traction Control					
	Rake		0°		(2°		
	Trail Front Suspension/ Travel		(14.6 in.) fork / 255 mm (10 in.)		(3.97 in.) rted fork / 140 mm		
CHASSIS	Travel Rear Suspension/ Travel	KYB HPG shock with adjustable preload, compression and rebound / 255 mm (10 in.) SACHS twin-tube coil-over shock with preload adjustment / 140 mm					
5	Front Brake		J.Juan† 2-piston floatin	g caliper, 320 mm disc			
	Rear Brake		J.Juan 1-piston floatin	g caliper, 240 mm disc			
	Front Tire		90 R21 (with tube)		GPR-300 110/70 R17		
	Rear Tire L x W x H	· · · · · · · · · · · · · · · · · · ·	/80 R18 (with tube)		PR-300 150/60 R17		
	(with mirrors)		m(86.8 x 33.9 x 55.7 in.)		n (79.9 x 37.3 x 46.1 in.)		
SNC	Wheelbase Seat Height		m (59 in.) 	1,412 mm (55.6 in.) 784 mm (30.86 in.)			
DIMENSIONS	Ground Clearance		(10.8 in.)	146 mm (5.7 in.)			
DIN	Curb Weight	187 kg	(412 lb)	177 kg (390 lb)			
	Maximum Vehicle Load	151 kg	(333 lbs)	151 kg (333 lbs)			
NOIL	Туре		10.25 in. touchscreen d	I isplay with BRP Connect			
INSTRUMENTATION	Navigation System	Apple CarPlay					
INSTRU	Drive Modes	Normal, ECO, Rain, Spo	ort, Off-Road, Off-Road+	Normal, ECO, Rain, Sport+			
W EXTE	VARRANTY & ENDED SERVICE		Vehicle War Battery Warranty: 5 years	ranty: 2 years / 31,068 miles (50,000 km)			
FEATURES	Feature highlights	LED headlight Glove box with USB port LinQ anchor points Skid plate	LED headlight Glove box with USB port LinQ anchor points Skid plate LinQ Windshield Signature LED lights Vehicle cover Exclusive '73 package color and trims	LED headlight Glove box with USB port LinQ anchor points Skid plate	LED headlight Glove box with USB port LinQ anchor points Skid plate LinQ gauge spoiler Signature LED lights Vehicle cover Exclusive '73 package color and trims		



ACCESSORIES

Seats and Backrests	17
Windshields	18
Protection	18
Cargo and Storage	19
Lights and Electrical Accessories	20
Lighting	20
Covers	21

SEATS AND BACKRESTS

Seats

Driver Comfort Seat

All Origin models

219401205



- Premium materials with a unique texture.
- Optimized shape, foam thickness and density to improve comfort.
- Features embossed logos for a stylish look.

Passenger Seat & Footpegs

All Origin models

219401216



- Designed to transform a 1-up to a 2-up configuration in minutes.
- · Complete kit includes seat, handles and pegs.
- · Same material as stock seat.
- Designed to match the Origin style.
- Compatible with Driver Comfort Seat and LinQ Saddlebags (22 L).

Passenger Seat & Footpegs

All Pulse models

219401200



- Designed to transform a 1-up to a 2-up configuration in minutes.
- · Complete kit includes seat, handles and pegs.
- · Same material as stock seat.
- Designed to match the Pulse style.
- Compatible with Driver Comfort Seat and LinQ Saddlebags (22 L).

Driver Comfort Seat

All Pulse models



- Premium materials with a unique texture.
- Optimized shape, foam thickness and density to improve comfort.
- Features embossed logos for a stylish look.

WINDSHIELDS

LinQ Adjustable Windshield

All Origin models

219401113



- · LinQ Nano anchors integrated in gauge support.
- Two levels of adjustability: High or low. 3 in. (75 mm) adjustment.
- Addition of wind protection: 11 in. (287 mm) at low position and 14 in. (355 mm) at high position.
- · Installs in seconds using LinQ mounts.
- Opening in the front of the windshield which reduces noise and improves the stability of the helmet.
- · Grants wind protection at the helmet level.

LinQ Windshield

All Origin except 73

219401291



- · Quick LinQ release.
- Adds 4 in. (100 mm) of wind protection.
- Black tinted (75% light transmission).
- Stock on Origin 73 models.

LinQ Sport Windshield

All Pulse models

219401217



- Tinted polycarbonate windshield with hard coating (14% light transmission).
- 4.5 mm thickness helps absorb vibration at high speeds.
- · Reduces pressure on the chest of the driver.
- · Grants wind protection at the chest level.
- · LinQ Nano Anchors integrated in gauge support.
- Installs in seconds using LinQ mounts.

PROTECTION

Adventure Side Guards

All Origin models

■ 219401201 · Carbon Black



- $\bullet \ \ \text{High strength steel construction maximizes durability while minimizing weight.}$
- Carbon black powder coated.
- Made from 1 in. (25 mm) tubing, protecting each side of the motorcycle.
- Gives a rugged adventure look to the Origin.
- · Compatible with Fog Lights.

Aluminum Hand guards

All Origin and Pulse models



- Extra protection for the hands and brake lever.
- · Engineered for impact resistance and durability.
- · Forged aluminum construction.
- $\bullet \ \ \text{Stunning wrap-around forged aluminum construction adding an exciting adventure look to the motorcycle.}$
- Required for installation of the Hand guard Deflectors (219401127).
- Laser-etched Can-Am branding gives the handguards a premium look.

Hand guard Deflectors

All Origin and Pulse models

219401127



- High strength polymer construction offers additional wind protection for the hands and wrists in all road conditions.
- · Engineered for impact resistance and durability.
- Require Aluminum Handguards for installation (219401218).

Axle Sliders Kit

All Pulse models

219401207



- · Helps to protect important aesthetic elements of the motorcycle if it is dropped.
- · High strength polymer construction.
- · Engineered for impact resistance and durability.
- Designed to match the Pulse style.
- · Easy to install.

10.25" Color Touchscreen Protector

All Pulse models

860202680



- · Tempered glass 0.3 mm thick.
- 9H hardness for tough protection.
- 100% bubble free adhesive.
- · Anti-scratch, anti-glare and anti-fingerprint.
- · Maintains 99.99% clarity.
- · Easy to clean.
- Includes cleaning tools: wet wipe, dry wipe, dust absorber and soft cloth.

CARGO AND STORAGE

LinQ Saddlebags (22 L)

All Origin models

219401197



- · Water resistant bags keep contents safe and dry.
- · 22-litre capacity.
- Mounts on the motorcycle using stock LinQ Nano mounting points.
- Multiple pockets and dedicated laptop compartment.
- · Inner bag included that can be carried.
- Bright yellow polyester inner liner with removable divider makes items easy to organize and find quickly.
- Waterproof and dustproof roll-down closure.
- Innovative lockable strap system to secure contents of the bag.
- 2 keys included.
- Easy on/off but also lockable on the bike.
- · Compatible with passenger seat.
- Sold in pairs.

LinQ Nano Tank Bag

All Origin models

219401203



- · Weatherproof tank bag.
- Increases the stock cargo capacity of the motorcycle.
- Safely and securely stow away keys, wallet, ID and more.
- Integrated mobile phone pocket with clear window and integrated access to USB port inside.
- · Convenient easy-access storage at your fingertips.
- · Easy on/off with LinQ Nano system.
- The yellow interior helps you find what you're looking for in seconds.

LinQ Top Case (36 L)

All Origin and Pulse models



- · Weatherproof top case.
- 36-litre capacity.
- Installs on the tail section of the motorcyle.
- · No rack needed.
- Quick and easy toolless LinQ system.
- · Removes as effortlessly as it installs.
- Fits all sizes of helmet.

- Possibility of installing a bright yellow inner liner designed expressly for the Top Case.
- Incompatible with Passenger Seat or Passenger Comfort Seat.
- One key for everything! Extra barrel provided with saddlebags to have a single key for both accessories.

All Origin and Pulse models

219401257



- Weather resistant.
- The yellow interior helps you find what you're looking for in seconds.
- Designed expressly for the LinQ Top Case (36 L) (219401202).
- · Interior and exterior pockets with zippers.
- · Easily transportable with straps.
- · Requires LinQ Top Case.

All Origin and Pulse models

219401270



- · Backrest cushion made from injected polyurethane foam covered with vinyl that can resist all riding conditions.
- Drilling point visible from the inside of top case for an easy installation.
- · The mounting screws come with sealing rings to ensure impermeability.
- Requires LinQ Top Case (219401202) for installation.

LinQ Nano Tank Bag

All Pulse models

219401204



- · Weatherproof tank bag.
- Increases the stock cargo capacity of the motorcycle.
- · Safely and securely stow away keys, wallet, ID and more.
- Integrated mobile phone pocket with clear window and integrated access to USB port.
- Convenient easy-access storage at your fingertips.
- Easy on/off with LinQ Nano system.
- · The yellow interior helps you find what you're looking for in seconds.

LinQ Saddlebags (22 L)

All Pulse models

219401261



- · Water resistant bags keep contents safe and dry.
- · 22-litre capacity.
- · Stock LinQ Nano mounting points on the motorcycle.
- · Multiple pockets and dedicated laptop compartment.
- · Inner bag included that can be carried.
- · Bright yellow polyester inner liner with removable divider makes items easy to organize and find quickly.
- · Waterproof and dustproof roll-down closure.
- · Innovative lockable strap system to secure content of the bag.
- · 2 keys included.
- · Easy on/off but also lockable on the bike.
- · Compatible with passenger seat.
- · Sold in pairs.

LIGHTS AND ELECTRICAL ACCESSORIES

LED Fog Lights

All Origin models All Pulse models

219401198 219401275



219401198





- 1.5 W LED lights producing 800 lumens each.
- · Legal according to European and North American regulations.
- · Supplied with an independent switch for easy operation.
- · Easy installation and compatible with motorcycle harness.
- · Automotive level quality lighting.

Front Position Lamp

All Origin models except 73 All Pulse models

219401289

219401292



219401289



219401292

- · Creates an unmistakable, distinctive look.
- · Automatically turns on and off smoothly and gradually.

except 73

- Uses bright and energy-efficient LEDs.
- Does not provide additional lighting for riding.
- · Lights will pulse while the motorcycle is plugged in for charging.
- · Stock equipment on Origin 73 and Pulse 73 models.

Heated Driver Grips



219401196


- · Heat levels for grips displayed on motorcycle screen.
- · Ergonomic button integrated on LH grip.
- · Five temperature settings.
- · Hold button to reach maximum heat quickly.
- · Remembers your last heat setting.
- IP67-rated waterproof sealing keeps the elements out.
- · ECE compliant.
- Plug-and-play installation.
- · Clamp-on grips, no glue required.

Mobile EVSE Level 1 Charging Cable



219401227 - US 219401266-UK

219401260 - Europe (12A) 219401310 - Europe (8A)





- · Bright and smooth panel design with built-in LED indicators.
- Operates in a wide range of temperatures (-30°C to 50°C).
- 1 Mobile connector 9.5' (3 M) Cable.
- 1 Storage bag.
- AC Type Plug:
 - NEMA 5-15 for 219401227 (US).
 - · CE Type G for 219401266 (UK).
 - CE Type E for 219401260 and 219401310 (Europe).
- · Voltage: 120V (219401227) or 240V (219401266, 219401260, 219401310).
- Charging power: 12A (219401227, 219401266, 219401260) or 8A (219401310).

Charging Cable Type 2 Mode 3

All Origin and Pulse models

219401274



- A Mode 3 charging cable is a connecting cable between the charging station and the electric motorcycle.
- · IP55 ingress protection rating.
- Operates in a wide range of temperature (-40°C to 50°C)
- 1 Mobile connector 23' (7 M.) Cable.
- 1 Storage bag.
- · Voltage: 480V
- · Charging Power: 32A

COVERS


Outdoor Cover

All Origin models All Pulse models

219401212 219401213

(not illustrated)

- Rugged all-weather protection perfect for temporary storage.
- Ultra-durable solution-dyed, mildew-resistant 300-denier polyester construction.
- · Easy to maintain.
- · Equipped with anti-scratch lining.
- · Amply sized to accommodate windshield and any accessory.
- · Port access to recharge the motorcycle.



PARTS AND MAINTENANCE

Genuine Can-Am Parts	24
XPS Maintenance Products	26

GENUINE CAN-AM PARTS

Front Brake Pad Kit	(2 pads + hardware)	All Origin and Pulse models	219800567		
(not illustrated)	1 kit for complete for	ont wheel.		•	
Rear Brake Pad Kit (2	2 pads + hardware)	All Origin and Pulse models	219800565		
(not illustrated)	• 1 kit for complete re	ear wheel.			
		Origin models	705503568 · Wheel size: 21x1.85		
		Origin 73 models	705503860 • Wheel size: 21x1.85		
		Pulse models	705503159 • Wheel size: 17x3.00		
Front Wheel Assem	bly	Pulse 73 models	705503858 • Wheel size: 17x3.00		
(not illustrated)					
		All Origin models	219800576		
Front Wheel Bearing	y Kit	All Pulse models	All Pulse models 219800591		
(not illustrated)	ustrated) • Includes: sleeve (1), backing ring (1), bearings (2) and oil seals (2).				
Front Tire		All Origin models	705503154		



• Tire size: 90/90-R21.

Rear Tire All Origin models 705503145



• Tire size: 120/80-R18.

Front Tire All Pulse models 705503158



• Tire size: 110 / 70-R17.


Rear Tire All Pulse models 705503593



• Tire size: 150/60-R17.

24 PARTS 2025

Handlebar	All Origin models All Pulse models	709402517 709402518	
(not illustrated)	<u>'</u>	-	'
Handlebar Grip	All Origin and Pulse models	709401984 • Left 709401985 • Right	
(not illustrated)	·	·	•
Left Hand Side Mirror	Origin	709402583	
Han	debar mirror support not included		·



Handlebar mirror support not included

Right Hand Side Mirror

Origin

709402584



· Handlebar mirror support not included.

Left Hand Side Mirror

Pulse

709403139

· Mounts on bar end. Includes mirror and hardware for installation.

Right Hand Side Mirror

Pulse

709403140



• Mounts on bar end. Includes mirror and hardware for installation.

Fork Seal Repair Kit	

All Origin models
All Pulse models
219
219

219800582 219800587

N/A

(not illustrated)

• Includes: oil seals (2), dust seals (2), snap rings (2) and washers (2).

12 V Battery

All Origin and Pulse models

219800573

N/A

(not illustrated)

- 6aH, 90 C.C.A.
- · AGM construction.
- Factory activated.
- Maintenance free.

Yuasa 1.2 Amp Automatic Battery Charger & Maintainer

All Origin and Pulse models

529036620



- Automatically switches to maintenance mode after battery reaches peak voltage.
- · Designed to prevent overcharging.
- 120V, US wall plug
- Not available in Europe

2025 PARTS 25

XPS MAINTENANCE PRODUCTS

XPS On-Road EV Chaincase Fluid

9779709 (US) / 9779475 (Europe)

(not illustrated)

 Designed specifically for Can-Am On-Road chaincase systems with purpose of decreasing friction allowing for optimum range.

DOT 4 Brake Fluid

9779151 (US) / 9779207 (Europe) • 12 fl oz / 355 ml



- Meets or exceeds all DOT3 and DOT4 brake fluid requirements.
- High-temperature formula resists fade and also conditions seals and O-rings in braking system.

Extended Life Pre-mixed Coolant

9779150 • 946 ml / 1 quart



- Antifreeze/coolant contains the correct dilution and the necessary additives to prevent corrosion and inhibit cavitation in BRP cooling systems.
- Long-life, 5-year formula specially formulated for BRP vehicles.
- · Superior heat transfer.
- · Ideal replacement for vehicles that normally use a 2-year antifreeze/coolant (green).
- 5 years (orange).

Anti-corrosive Lubricant

9779701 · 12 oz / 340 g



26

- · Multi-purpose lubricant that can also be used to prevent rust, corrosion and moisture intrusion.
- It contains extreme pressure additives that work as an all-around lubricant for just about anywhere lubrication is

XPS MAINTENANCE PRODUCTS 2025




APPAREL

Sizing Chart	29
Protective Gear	32
Riding Gear	34
Sportswear	39

SIZING CHART

HOW TO MEASURE



What code represents your style?

- · For best results, have someone else take measurements.
- · Measure body in underwear.
- · Tape must be snug but not tight.
- · If measurements fall between two sizes, order the larger size.

Around your head, from the center of the forehead, above the ears and over the natural bump at the back of the head.
Let the hands hang down on the side in a slightly bent position. Measure from the center of the back of your neck, along the length of your arm, to the wrist.
Measure under your arms, around the fullest part of your chest.
Measure around your natural waistline, keeping one finger between the tape and body.
Across the widest part of the seat.
Without shoes, from crotch to the floor.

- 1 Find your size and color.
- 2 The corresponding code is THE CODE you use to complete the part number on your order.

Example:

440975 (style number for the Men's Sythe Mesh Jacket CE/UKCA)

06 (sizing code M)

90 (color code Black)

Full SKU:

 Style
 Size
 Color

 440975
 06
 90

						SIZING	CODE						
Adul	lt	Adu	ult	Ad	ult	Adu	ılt	Adu	ilt	Par	nts	Youth/	'Kids
Size	Code	Size	Code	Size	Code	Size	Code	Size	Code	Size	Code	Size	Code
One Size	00	XLT	13	X	26	5	24	13	33	30	37	3-4	79
XS	02	2XL	14	1X	86	6	25	14	34	32	38	5-6	52
S	04	2XLT	15	2X	87	7	27	16	35	34	39	6-8	48
М	06	3XL	16	3X	95	8	28	18	78	36	40	7-8	54
MT	07	3XLT	17	1	20	9	29	S/M	72	38	41	10-12	49
L	09	4XL	18	2	21	10	30	M/L	91	40	42	14-16	50
LT	10	4XLT	19	3	22	11	31	L/XL	73	42	43		
XL	12	5XL	88	4	23	12	32			44	44		

COLOR CODE								
Name	Code	Name	Code	Name	Code	Name	Code	
Clear	00	Lava Red	17	Violet	41	Indigo Blue	82	
White	01	Mixed Color	18	Deep Purple	42	Royal Blue	83	
Brown	04	Mirror Silver	22	Smoke	57	Navy	89	
Charcoal Grey	07	Magnesium	24	Green	70	Black	90	
Silver	08	Lilac	25	Teal	74	Black with Graphics	94	
Grey	09	Hi-Vis Yellow	26	Turquoise (Aqua)	76	Amber	95	
Yellow	10	Heather Charcoal	29	Army Green	77	lvory	97	
Gold	11	Red	30	Denim Blue	79			
Orange	12	Pink	36	Blue	80			
Coral	13	Ice	38	Light Blue	81			

2025 APPAREL 29

APPAREL & SPORTSWEAR

MEN'S 170 - 182 CM

	XS	S	М	L	XL	2XL	3XL
Chest	81-86 cm	88-92 cm	96-101 cm	107-112 cm	117-122 cm	127-132 cm	137-142 cm
Waist	66-71 cm	74-79 cm	81-86 cm	91-97 cm	101-107 cm	112-117 cm	122-127 cm
Hips (seat)	81-86 cm	88-92 cm	96-101 cm	107-112 cm	117-122 cm	127-132 cm	137-142 cm
Arm length	76 cm	79 cm	81 cm	84 cm	86 cm	89 cm	89 cm
Inseam	79 cm	80 cm	81 cm	81 cm	81 cm	81 cm	81 cm

WOMEN'S 160-176 CM

	XS	S	M	L	XL	2XL	3XL
Chest	83-88 cm	88-92 cm	94-99 cm	101-107 cm	112-117 cm	122-127 cm	132-142 cm
Waist	69-74 cm	74-79 cm	79-84 cm	86-91 cm	96-101 cm	107-112 cm	117-127 cm
Hips (seat)	91-97 cm	96-101 cm	101-107 cm	109-114 cm	112-124 cm	122-135 cm	140-150 cm
Arm length	74 cm	76 cm	76 cm	79 cm	79 cm	81 cm	81 cm
Inseam	76 cm	76 cm	76 cm	76 cm	76 cm	76 cm	76 cm

Helmet sizing information is available on page 32.

Glove sizing information is available on page 38.





PROTECTIVE GEAR

UNISEX







Advex Helmet (DOT/ECE)

929107 · DOT	Black (90), Matte Black (93),			
XS, S, M, L, XL, 2XL, 3XL	White (01)			

ADVEX Jet Helmet (DOT/ECE) with M-FORGE Composite shell.

- · 4-year limited warranty.
- Lightweight M-FORGE® Composite shell.
- Visor with large field of view with Pinlock® Max Vision 120 anti-fog insert.
- · Retractable sun visor.
- · Prescription eyeglasses friendly.
- Adjustable humidity extractor vents.
- · Optional side LED utility light.
- Optional VIBE Mesh integrated communication system.
- 2 shell sizes and 4 EPS sizes for better fit and comfort.
- · Ratcheting quick-release chin strap.
- Recyclable helmet shell for minimal environmental impact.
- · Aerodynamic shape to reduce neck fatigue.
- 1600 g ± for size large.
- DOT and ECE 2206 certified.







Advex Jet Helmet (DOT/ECE)


929106 · DOT	Black (90), Matte Black (93),
XS, S, M, L, XL, 2XL, 3XL	White (01)

ADVEX Jet Helmet (DOT/ECE) with M-FORGE Composite shell.

- 4-year limited warranty.
- · Lightweight M-FORGE® Composite shell.
- · Visor with large field of view.
- · Retractable sun visor.
- · Prescription eyeglasses friendly.
- Adjustable humidity extractor vents.
- · Optional side LED utility light.
- · Optional VIBE Mesh integrated communication system.
- 2 shell sizes and 4 EPS sizes for better fit and comfort.
- · Ratcheting quick-release chin strap.
- · Recyclable helmet shell for minimal environmental impact.
- · Aerodynamic shape to reduce neck fatigue.
- 1500 g ± for size large.
- DOT and ECE 2206 certified.

TECHNOLOGIES







Airflow



Jet styling



Comm integration

HELMETS	S							
MEN'S & WON	MEN'S 2XS	xs	s	М		XL	2XL	3XL
Sizing Code	01	02	04	06	09	12	14	16
Head (inches)	20%-21¼	21 %-22	223/8-223/4	231/8-235/8	24-24%	243/4-251/8	251/2-251/8	251/2-251/8
Head (cm)	53-54	55-56	57-58	59-60	61-62	63-64	65-66	65-66

APPAREL PROTECTIVE GEAR 2025

MISC





BRP Helmet-Integrated LED Utility Light

929085 · One size

Matte Black (93)

Accessory for ADVEX Helmet.

- · Utility flashlight.
- Tool-free installation.
- 3 power modes.
- 3 AAA batteries (battery box to install in the helmet, batteries not included).
- Uses the Vibe Communication System Battery.
- Connection of the Vibe Communication System by eLinQ (electric power supplied by the vehicle).
- Easy one-handed on/off without a button (by opening/closing).
- High level of illumination, over 100 lumens.
- · ECE 22.06 certification for helmet.





Vibe Communication System by BRP

929086 • One size

Matte Black (93)

VIBE Comm System with superior audio quality for the ADVEX helmet.

- Premium speakers and microphone with SOUND BY Harman Kardon®
- Mesh 2.0: robust reliability compatible with all Sena Mesh devices.
- Largest battery capacity with 8 hours talk time at -18°C/0°F and up to 15 hours in summer conditions.
- One-Click-to-Connect simplicity.
- Mesh Intercom[™] features superior audio quality.
- 2 antennas for 1.6 km line of sight range.

- Multi-channel protocol in Open Mesh allows users to switch between 9 comm channels.
- Bluetooth® 5.1 enabled
- Convenience of voice-activated digital assistant access ("Hey Google"/"Hey Siri").
- 30% faster Rapid-Charging.
- Glove-friendly interface.
- Compatible with all ADVEX helmets.
- Compatible with new Can-Am Spyder handlebar control to mute/unmute, volume up or down and information display such as the battery status and mesh channel.



NEW Vibe Universal Comm System by BRP

929105 · One size

Matte Black (93)

VIBE UNIVERSAL Comm System with superior audio quality for every BRP helmet.

- Sound by Harman Kardon®.
- Mesh 2.0: Robust Reliability compatible with all Sena Mesh devices.
- Largest battery capacity with 8 hours talk time at -18°C/0°F.
- · One-Click-to-Connect simplicity.
- Mesh Intercom[™] features superior audio quality.
- 1 antenna for up to 1.6 km in clear terrain (range can be affected by any external element (topography, tree, snow, snow dust, electric cable, rain, etc.).
- Multi-channel protocol in Open Mesh allows users to switch between 9 comm channels.
- Bluetooth® 5.1 enabled.

- Convenience of voice-activated digital assistant access ("Hey Google"/"Hey Siri").
- 30% faster Rapid-Charging.
- · Glove-friendly interface.
- · Compatible with all BRP helmets.
- Compatible with numerous new BRP snowmobile handle bar controls to mute/unmute, volume up or down and information display such as the battery status and mesh channel

For safety reasons, the battery cannot be charged in riding conditions. Considering the increased risks inherent when charging a battery, BRP has chosen NOT to make this action possible to guarantee maximum user safety.



NEW RIDING GEAR COLLECTION 2025













1) NEW CAN-AM ADVEX ENDURO HELMET (DOT/ECE) - MATTE BLACK

- 2) NEW MEN'S METROPOLIS AESIR COMMUTER JACKET CE/UKCA WP – BLACK 456030 90
- 3) NEW MEN'S METROPOLIS LOKI RIDING HOODIE CE/UKCA - BLACK 454926_90
- 4) NEW MEN'S RACING T-SHIRT - WHITE 288024_01
- 5) NEW WOMEN'S RACING BOXY T-SHIRT - HEATHER GREY 288120 27
- 6) NEW WOMEN'S RACING BOXY T-SHIRT - BLACK 288120_90
- 7) NEW MEN'S METROPOLIS AESIR COMMUTER PANTS CE/UKCA - BLACK 441715_90
- 8) NEW WOMEN'S LEATHER GLOVES - BLACK 288044_90
- 9) NEW MEN'S METROPOLIS LEATHER GLOVES - BLACK 288071_90



APPAREL PROTECTIVE GEAR

RIDING GEAR

MEN'S





NEW Men's Metropolis Aesir Commuter Jacket CE/UKCA WP

456030 • S, M, L, XL, 2XL, 3XL

Black (90)

Men's Commuter Jacket.

- CLASS A Certified According to the EN 17092-4:2020 standard.
- CE certified (EU safety, health and environmental protection requirements).
- UKCA certified (UK Conformity Assessed marking).
- Polyurethane Fiber, 3% Spandex, 1% Carbon Fiber.
- Schoeller fabric with c_change® technology membrane for dynamic moisture management. The harder you work, the more your jacket breathes.
- Waterproof (10,000 mm) and breathable (6,000 g/m2) fabric.

- Included SAS-TEC removable Flex armor in elbow and shoulder (back armor sold separately).
- Main fabric: 70% Nylon,
 26% Polyurethane fiber,
 3% Elastane, 1% Carbon fiber.
- Armor position can be adjusted inside the armor pocket for optimal protection while riding.
- YKK AquaGuard® zipper at center front and hand pocket.
- · Six front pockets.
- Adjustment at bottom hem with cord and cord lock.
- · Front flap with magnetic closure.
- · Inner cell phone pocket.
- Inner stretch cuff and cuff tab adjustment.
- Black reflective details at front and back.
- Fully sealed seams.



NEW Men's Metropolis Loki Riding Hoodie CE/UKCA

454926 • S, M, L, XL, 2XL, 3XL Black (90)

Men's Full Zip Protective Riding Hoodie.

- CLASS A Certified According to the EN 17092-4:2020 standard.
- CE certified (EU safety, health and environmental protection requirements).
- UKCA certified (UK Conformity Assessed marking).
- Main Fabric: 86% nylon, 14% spandex.
- TPU Clear Lamination membrane.
- Inside fabric bonded with micro-fleece.
- · Water repellent.
- · Wind repellent.

- Abrasion resistant fabric at elbow and shoulder.
- Included SAS-TEC removable Flex armor in elbow and shoulder (back armor sold separately).
- Armor position can be adjusted inside the armor pocket at elbow.
- · PU coated main zipper.
- Adjustable, snap-down hood that stays put while riding.
- Hand pockets with PU coated zipper closure.
- · Inside pocket with velcro closure.
- Adjustment at bottom hem with cord and cord lock.
- · Cuff tab adjustment.
- Black reflective details at elbow and at back.





C€ FR

NEW Men's Metropolis Aesir Commuter Pants CE/UKCA

441715 • 30, 32, 34, 36, 38, 40, 42, 44

Black (90)

Men's Commuter pants.

- CLASS A Certified According to the EN 17092-4:2020 standard.
- CE certified (EU safety, health and environmental protection requirements).
- UKCA certified (UK Conformity Assessed marking).
- Main fabric: 87% Nylon/ 13% Elastane.
- Critical zones such as knees and hips have Kevlar[®] lining for abrasion resistance.
- Main fabric is stretchy and is composed of nylon fiber for superior abrasion resistance.

- Included SAS-TEC removable Flex
- Armor ready pockets at hips (sold separately).
- Armor knee position can be adjusted inside the armor pocket to ensure ample protection in riding position.
- · Hand pocket with zipper closure.
- Venting pocket at back with mesh lining for optimal airflow.
- Back pocket with magnetic closure.
- Elastic panel with black reflective tape at back of leg opening.
- Reflective black heat transfer at back knees.

SIZING CODE							
	Pants						
Size	Code	Size	Code	Size	Code	Size	Code
30	37	34	39	38	41	42	43
32	38	36	40	40	42	44	44



C€ FR

35

NEW Men's Metropolis Leather Gloves

288071 • XS, S, M, L, XL, 2XL, 3XL

Black (90)

Introducing our Men's leather Can-Am Onroad glove crafted for both style and safety. Made from premium goat leather, these gloves offer a comfortable fit while providing essential protection for your hands on the road.

- · Top Grain goatskin leather.
- Hard-shell TPR knuckle; CE LEVEL 1 + KNUCKLE.
- Adjustment tab cuff
- Stretch lips at fingers and upper hand for better dexterity.
- · Tricot mesh liner.
- Perforated leather for breathability.

WOMEN'S



C€ RR

NEW Women's Metropolis Loki Riding Hoodie CE/UKCA

288034 · XS, S, M, L, XL, 2XL

Black (90)

Women's Full Zip Protective Riding Hoodie.

- · CLASS A Certified According to the EN 17092-4:2020 standard.
- · CE certified (EU safety, health and environmental protection requirements).
- · UKCA certified (UK Conformity Assessed marking).
- Main Fabric: 86% nylon, 14% spandex.
- · Inside fabric bonded with micro-fleece.
- TPU Clear Lamination membrane.
- · Water repellent.

- · Wind repellent.
- Abrasion resistant fabric at elbow and shoulder.
- · Included SAS-TEC removable Flex armor in elbow and shoulder (back armor sold separately).
- · PU coated main zipper.
- · Adjustable, snap-down hood that stays put while riding.
- · Hand pockets with zipper closure.
- · Adjustment at bottom hem with cord and cord lock.
- · Inner cuff stretchable with thumb hole.
- · Iridescent reflective details at elbow and at back.







NEW Women's Leather Gloves

288044 · XS, S, M, L, XL

Black (90), Warm Grey (15)

Introducing our Women's leather Can Am Onroad glove crafted for both style and safety. Made from premium goat leather, these gloves offer a comfortable fit while providing essential protection for your hands on the road.

- · Women-specific design.
- Top grain goatskin leather.
- · CE Level 1 protection.
- · Index and thumb touchscreen.
- · Padded knuckles, palm and thumb.
- · Stretch panels at knuckles.
- Ultra short wrist cuff.
- · Unlined fingers for dexterity and grip.
- · Perforated holes on fingers and fourchettes.
- · Reinforced grip pad for better grip and durability.



NEW Removable KCAair Protectors (pair)

456047 • One size

Black (90)

- · SC- 1 /KCAair velcro.
- We recommend these protectors for Almost invisible under clothing. elbow, shoulder or knees.
- · CE Level 1.

36

- · Flexible and lightweight.
- · Removable, hand washable and usable after impact.
- · Sold as a pair.

UNISEX





NEW Removable KCAair Velcro Protectors (pair)

456073 • One size

Black (90)

- SC- 1 / KCAair Velcro.
- · We recommend these protectors for use in shoulder, elbow and knee.
- · CE Level 1.

- · Flexible and lightweight.
- · Almost invisible under clothing.
- · Removable, hand washable and usable after impact.
- · Sold as a pair.





Removable Back Protector (unit)

Black (90) 488098 · L

- SC-1 / B52.
- Central back protector.
- · CE level 1.
- · Almost invisible under clothing.
- · Removable, hand washable and usable after impact.
- Sold per unit.
- · All jackets for men and women.



Removable Hip Protectors (pair)

488102 · One size

SC-1 /HB

- · We recommend these protectors for the hip area.
- CE Level 1.
- · Flexible and lightweight.
- · Almost invisible under clothing.
- · Removable, hand washable and usable after impact.
- Sold as a pair.
- · Pants hips for men and women.

WOMEN'S



C€ FR

Women's Annick Jacket CE/UKCA

440966 · XS. S. M. L. XL

Charcoal Grey (07), Warm Grey (15)

Women's soft textile jacket with leather inserts.

CE certified (EU safety, health and environmental protection requirements) A rating. UKCA certified (UK Conformity Assessed marking).

- · Main fabric: 88% nylon, 12% spandex.
- · Quilted insert: 100% leather.

· Breathable and stretchable mesh panels at underarm and side panels.

- Removable SAS-TEC Flex armor in elbow and shoulder (back armor sold separately).
- Adjustable collar and cuffs.
- · 2 exterior hand pockets.
- · Café collar with snap closure.
- · Pre-curved arms.

KEY BENEFITS







Great airflow Stretch mobility

Reinforced



C€ KK

Women's Annick Jacket Plus CE/UKCA

Charcoal Grey (07), 440974 • X, 1X, 2X Warm Grey (15)

with leather inserts. CE certified (EU safety, health and environmental protection

requirements) A rating. **UKCA** certified (UK Conformity Assessed marking).

- · Main fabric: 88% nylon, 12% spandex.
- · Quilted insert: 100% leather.
- Women's soft textile plus-sized jacket Breathable and stretchable mesh panels at underarm and side panels.
 - · Removable SAS-TEC Flex armor in elbow and shoulder (back armor sold separately).
 - Adjustable collar and cuffs.
 - · 2 exterior hand pockets.
 - · Café collar with snap closure.
 - Pre-curved arms.



Can-Am Unisex Emergency Rain Kit

440979 · XS, S, M, L, XL, 2XL, Black (90) Can-Am Unisex Emergency Rain Kit.

Two piece rain suit.

- 100% PES (polyethersulfone).
- · Waterproof zipper.
- · Adjustment possible at neck to avoid water entry.
- · High elasticated waist.
- · Zipper at leg for easy on/off.
- · Storage bag for jacket and pant.
- · Can-Am reflective print on chest and





(분

Women's Paso Moto Legging CE/UKCA

454716 · XS, S, M, L, XL Black (90)

Women's Paso Moto Legging.

- CE certified A rating (EU safety, health and environmental protection
- · UKCA certified (UK Conformity Assessed marking).
- Ultra-stretch Kevlar® knit at knees and sitting area.
- · Removable SAS-TEC Flex armor in knees.
- · Armor ready pockets at hips.
- · Tonal reflective print.



C€ KK

37

Women's Paso Plus Moto Legging CE/UKCA

441691 · X, 1X, 2X Black (90)

Women's Paso Plus Moto Legging. CE certified (EU safety, health and environmental protection requirements) A rating. UKCA certified (UK Conformity Assessed marking).

- · Ultra stretch Kevlar knit at knees and sitting area.
- · Removable SAS-TEC Flex armor in knees.
- · Armor ready pockets at hips.
- · Tonal reflective print.

UNISEXE



Unisex Aegis Rain Overpants

441687 · XS, S, M, L, XL, 2XL, 3XL

Black (90)

Unisex Aegis Rain Overpants. Easily foldable.

Made to be paired up with Unisex Seil Packable Jacket.

- 85% PES (polyethersulfone), 10% TPU, 5% elastane.
- · Fully seam-sealed.
- · Packable in back pocket.
- · Hidden hand pockets with water-resistant zippers.
- · Welded waterproof chest pockets.
- · Packable in back pocket.
- · Lycra cuff with thumbholes.
- · Adjustable cuffs.
- · Reflective details.





Unisex Peerce Radiant Leather Gloves CE/UKCA

446349 · XS, S, M, L, XL, 2XL, 3XL

• Fully lined with anti-microbial Peerce Radiant Leather Gloves using clim8® heated technology.

CE-certified (EU safety, health and environmental protection requirements) A rating.

UKCA-certified (UK Conformity Assessed marking).

- 90% leather, 5% PES (polyethersulfone), 3% neoprene, 2% ELS.
- · Main: matte finish, goatskin leather.
- · Liner: fleece with antimicrobial.
- · Insulation: 100 gsm at back of hand.
- · Gauntlet gusset in 4-way stretch CORDURA®.
- · Palm slider protector.

Black (90)

- brushed fleece.
- · Back hand insulation 100 gms. · Elastic wrist with hook and loop tab
- · Accordion rib detail throughout. · 3 mm neoprene panel integrated
- under floating knuckle. · Touchscreen index and thumb.
- · Long gauntlet with adjustable hook and loop tab.
- · Reflective details.
- · D30 integrated knuckle.
- · Includes 2 batteries and a charger.



Battery (1-PCE) for Heated Gear

488100 · Onesize	Black (90)

1X Lithium ion battery, 7,4V, 3,000mA.

· Rechargeable.



Battery Charger for Heated Gear

488101 · Onesize

Black (90)

Battery Charger with dual output.

• EU / US interchangable plugs.



GLOVES (measure palm width)

UNISEX 3XL XS М ΧL 2XL Sizing Code 09 02 04 06 12 14 16 Palm (inches) 31/4 3½ 41/2 51/2 Palm (cm) 71/2 8 91/2 10 111/2 13 14

SPORTSWEAR

MEN'S



NEW Men's Can-Am Signature Pullover Hoodie

288047 • S, M, L, XL, 2XL, 3XL Black (90)

Comfortable Pullover Hoodie sweatshirt with Can-Am logo at the front.

- 60% cotton, 40% polyester.
- · Relaxed fit.
- · Rib at cuffs and hem.
- Kangaroo pocket.
- Can-Am logo at center front and small artwork at sleeve.
- · Can-Am label at front kangaroo pocket.



NEW Men's Racing T-Shirt

288024 • S, M, L, XL, 2XL, 3XL Navy (89), White (01)

Relaxed T-shirt with crewneck.

- · Heather colors: 50% cotton, 50% polyester.
- Solid colors: 100% cotton.
- · Racing logo all over.
- · Can-Am label at bottom hem.



Men's Performance Long Sleeve

288064 · S, M, L, XL, 2XL, 3XL Black (90), Indigo Blue (82)

Performance long sleeve T-shirt.

- · Moisture-wicking.
- UPF protection 40.
- · Small Can-Am print on chest and large Can-Am artwork at back.



NEW Men's Can-Am Signature Crewneck Sweatshirt

39

288068 • S, M, L, XL, 2XL, 3XL Black (90)

Comfortable crewneck sweatshirt with Can-Am logo on the front.

- 60% cotton, 40% polyester.
- Relaxed fit.
- Rib at cuffs and hem.
- · Can-Am logo at center front and small artwork at sleeve.



2025 APPAREL SPORTSWEAR

WOMEN'S



NEW Women's Signature Pullover Hoodie

288249 · XS, S, M, L, XL	Black (90)	

Comfortable Pullover Hoodie sweatshirt with Can-Am logo on the front.

- 60% cotton, 40% polyester.
- · Relaxed fit.
- · Rib at cuffs and hem.
- · Kangaroo pocket.
- · Can-Am logo at center front and small artwork at sleeve.
- Can-Am label at front kangaroo pocket.



NEW Women's Racing Boxy T-Shirt

288120 · XS, S, M, L, XL, 2XL,		
3XL	Black (90), Heather Grey (27)	

Women's graphic T-shirt with crewneck and boxy fit.

- Heather colors: 50% cotton, 50% polyester.
- · Solid colors: 100% cotton.
- Boxy fit.
- · Racing logo all over.
- Can-Am label at bottom hem.



NEW Women's Performance Long Sleeves

288021 • XS, S, M, L, XL, 2XL	Black (90), Purple (40)

Women's performance long sleeve T-shirt

- · Moisture-wicking.
- UPF protection 40.
- · Mesh panel at chest and back for breathability.
- · Can-Am print on right sleeve.



NEW Women's Can-Am Signature Crewneck Sweatshirt

288250 • XS, S, M, L, XL	Black (90)	

Comfortable crewneck sweatshirt with Can-Am logo on the front.

- 60% cotton, 40% polyester.
- · Relaxed fit.
- · Rib at cuffs and hem.
- Can-Am logo at center front and small artwork at sleeve.

UNISEX



NEW Unisex Can-Am Racing Adjustable Cap

288080 • One size Black (90), Navy (89)

Can-Am Racing cap.

• 100% cotton.

40

- · Can-Am logo on the front.
- · Racing inspiration.
- Snapback closure at back with small Can-Am label.



Infinite Motion Can-Am Curved Cap

Black (90), Charcoal Grey (07), Indigo Blue (82)

Curved Cap with woven label.

- Can-Am artwork on front woven label.
- Snapback closure at back with small Can-Am label.

APPAREL SPORTSWEAR 2025





BRP REIMAGINES THE WAY YOU ACCESS YOUR WORLD

Can-Am is one of many success stories from BRP, the global company behind some of the most daringly innovative products and experiences that move you.

Because it's not about the destination, it's about the journey — yours.

Discover our brands:

SKI-DOD LYNX. SEC-200. Can-am. ROTAX. ALUMACraft. MANITOL. QUINTREX.

www.brp.com



NUIES		

42 APPAREL 2025

NOTES	

2025 APPAREL 43

